

NEW PRODUCT

2020 NEW COLLECTIONS



TECH LIGHTING IS THE LEADING BRAND
FOR MODERN DECORATIVE AND
SPECIFICATION GRADE ARCHITECTURAL LIGHTING.

With a passion for innovation, original design and uncompromising quality, Tech Lighting delivers iconic and timeless indoor and outdoor lighting collections for the spaces in which people live, work, play, learn, shop and more.

The 2020 product launch marries modern design with the latest LED technology and true artisan finishes including Nightshade Black for a stark contrast, Natural Brass which ages beautifully over time, and a warm Polished Nickel that elevates any space. With new category introductions in Floor and Table Lamps Tech Lighting is your source for all modern lighting solutions.

DESSAU 48 LINEAR SUSPENSION SHOWN IN POLISHED NICKEL



NYRA 28 AND 42 CHANDELIER

SIZE

28: H: 20.4" (32" min. - 86" max.) | W: 27.1" | Canopy 6.3" round
 42: H: 52.7" (64" min. - 118" max.) | W: 41.8" | Canopy 6.3" round
 Includes (4) 12" and (2) 6" rigid stems in coordinating finish
 Can be installed on a sloped ceiling up to 20°


LAMPING

Integrated LED
 Voltage: 120V - 277V
 Total Watts: 59.4W | 80.8W
 Delivered Lumens: 4440 | 6806
 CCT: 3000K
 CRI: 90
 Dimmable with most LED compatible
 ELV dimmers

Due to weight constraints, the following

j-boxes are required for installation:

- Nyra 28: 75+ pounds
- Nyra 42: 150+ pounds



28"
NIGHTSHADE BLACK

42"
PLATED BRASS

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700NYR	28 28"	B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K
	42 42"	BR PLATED BRASS	120V-277V

NYRA 28 CHANDELIER SHOWN IN NIGHTSHADE BLACK



BAU 18, 28 AND 36 PENDANT

SIZE


18: H: 18" (27.5" min. - 81.5" max.) | W: 18" | Canopy 6.3" round
 28: H: 28" (37.5" min. - 91.5" max.) | W: 28" | Canopy 6.3" round
 36: H: 36" (45.5" min. - 99.5" max.) | W: 36" | Canopy 6.3" round
 Includes (2) 6" and (4) 12" rigid stems in coordinating finish
 Can be installed on a sloped ceiling up to 20°

LAMPING

Integrated LED
 Voltage: 120V - 277V
 Total Watts: 42.8W | 74W | 84.5W
 Delivered Lumens: 962 | 1924 | 2886
 CCT: 3000K
 CRI: 90
 Dimmable with most LED compatible
 ELV dimmers

Due to weight constraints, the following
 j-boxes are required for installation:

- Bau 18: 75+ pounds
- Bau 28: 150+ pounds
- Bau 36: 200+ pounds



36"
 NATURAL BRASS

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700TDBAU	18 18"	NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V-277V
	28 28"	B NIGHTSHADE BLACK	
	36 36"		



28"
NIGHTSHADE BLACK



18"
NATURAL BRASS

VELLAVI 24 AND 36 CHANDELIER

SIZE

24: H: .8" (12" min. - 144" max.) | W: 23.4" | Canopy 10" round

36: H: .8" (12" min. - 144" max.) | W: 36" | Canopy 10" round

Includes 12 feet of field-cuttable satin cable

Can be installed on a sloped ceiling up to 45°

LAMPING

Integrated LED

Voltage: 120V - 277V

Total Watts: 27.2W | 42.1W



Delivered Lumens: 1488 | 2141

CCT: 2200K

CRI: 90

Dimmable with most LED compatible

ELV dimmers.



ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700VLV	24 24"	NB NATURAL BRASS	-LED922 INTEGRATED LED 90 CRI 2200K
	36 36"	B NIGHTSHADE BLACK	120V-277V

VELLAVI 36 CHANDELIER SHOWN IN NIGHTSHADE BLACK





KLEE 6-LIGHT CHANDELIER

SIZE

H: 8.5" (36.5" min. - 96.5" max.) | W: 56" | Canopy 5.2" round
Includes (2) 6" and (4) 12" rigid stems in coordinating finish
Arms rotate to desired position
Cannot be installed on sloped ceiling

LAMPING


Integrated LED
Voltage: 120V
Total Watts: 45.6W
Delivered Lumens: 3490
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers



NATURAL BRASS



NIGHTSHADE BLACK



POLISHED NICKEL

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700KLE	6 6-LIGHT	NB NATURAL BRASS B NIGHTSHADE BLACK N POLISHED NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V

KLEE 6-LIGHT CHANDELIER SHOWN IN POLISH NICKEL



BELTERRA 30 CHANDELIER

SIZE

H: 10" (13.5" min. - 73.5" max.) |

L: 34.2" | W: 29.9" | Canopy 7" round

Includes (3) 6" and (4) 12" rigid stems in coordinating finish

Can be installed on a sloped ceiling up to 20°

LAMPING

Integrated LED

Voltage: 120V


Total Watts: 32W

Delivered Lumens: 2399

CCT: 3000K

CRI: 90

Dimmable with most LED compatible
ELV and Triac dimmers.



MATTE BLACK



NATURAL BRASS



POLISHED NICKEL

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700BLT	30 30"	B MATTE BLACK NB NATURAL BRASS N POLISHED NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V


COLUMN PENDANT

SIZE

H: 26.3" (41.5" min. 95.5" max.) | W: 6.7" | Canopy 6.3" round
Includes (2) 6" and (4) 12" rigid stems in coordinating finish
Cannot be installed on sloped ceiling

LAMPING

Integrated LED
Voltage: 120V
Total Watts: 8W
Delivered Lumens: 275
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers



NIGHTSHADE BLACK



NATURAL BRASS

ORDERING GRID

PRODUCT	FINISH	LAMP
700TDCLM	NB NATURAL BRASS B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V


KENWAY 18, 25 AND 42 PENDANT

SIZE

18: H: 18" (29" min- 83" max) | W: 8.5" | Canopy 6.3" round
 25: H: 25" (36" min- 90" max) | W: 11" | Canopy 6.3" round
 42: H: 42" (53" min- 107" max) | W: 28" | Canopy 6.3" round
 Includes (2) 6" and (4) 12" rigid stems in coordinating finish
 Can be installed on a sloped ceiling up to 20°

LAMPING


Integrated LED
 Voltage: 120V - 277V
 Total Watts: 28.6W | 42.1W | 57W
 Delivered Lumens: 647 | 1063 | 1603
 CCT: 3000K
 CRI: 90
 Dimmable with most LED compatible
 ELV dimmers.



18"
NIGHTSHADE BLACK

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700TDKNW	18 18" 25 25" 42 42"	NB NATURAL BRASS B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V-277V



42"
NATURAL BRASS



25"
NIGHTSHADE BLACK


KAI 1 PENDANT

SIZE


H: 20.7" | W: 11" | Canopy 5.5" round
Includes 12 feet of field-cuttable black cloth cord

LAMPING

Integrated LED
Voltage: 120V
Total Watts: 12W
Delivered Lumens: 865
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers



NIGHTSHADE BLACK



NATURAL BRASS

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700TDKAI	1 1	NB NATURAL BRASS B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V


FOUNDRY PENDANT

SIZE

H: 17.4" | W: 16" | Canopy 4.6" round
Includes 12 feet of field-cutable black cloth cord

LAMPING

Integrated LED
Voltage: 120V
Total Watts: 12W
Delivered Lumens: 650
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers



NIGHTSHADE BLACK



MATTE WHITE


ORDERING GRID

PRODUCT	FINISH	LAMP
700TDFND	W MATTE WHITE B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V

PALESTRA MEDIUM AND LARGE PENDANT

SIZE


Medium: H: 11" | W: 11.6" | Canopy 4.5" round
 Large: H: 14.9" | W: 15.5" | Canopy 4.5" round
 Black and Brass include 6 feet of field-cuttable black cloth cord. Satin Nickel ships with 6 feet of field-cuttable satin cable



LAMPING

No Lamp Option
 Rated for (1) 100W max E26 medium base lamp

LED E26 Med Base G40 Lamp
 Voltage: 120V
 Total Watts: 12W
 Delivered Lumens: 900
 CCT: 3000K
 CRI: 80
 Dimmable with most LED compatible
 ELV and Triac dimmers.



LARGE
CLEAR

MEDIUM
CLEAR

ORDERING GRID

PRODUCT	SIZE	GLASS COLOR	FINISH	LAMP
700TDPALP	LARGE 15.5" M MEDIUM 11.6"	OC OPAL/CLEAR	NB NATURAL BRASS B NIGHTSHADE BLACK S SATIN NICKEL	NO LAMP LED MED. BASE G40 80 CRI 3000K 120V

SEDONA MEDIUM AND LARGE PENDANT

SIZE

Medium: H: 7.2" | W: 7.5" | Canopy 4.5" round
 Large: H: 11" | W: 12.4" | Canopy 4.5" round
 Includes 6 feet of field-cuttable black cloth cord

LAMPING



No Lamp Option
 Medium: Rated for (1) 60W max E26 medium base lamp
 Large: Rated for (1) 100W max E26 medium base lamp

LED E26 Med Base A19 Lamp (White Glass Only)
 Voltage: 120V
 Total Watts: 9.5W
 Delivered Lumens: 800
 CCT: 2700K
 CRI: 90

Dimmable with most LED compatible ELV and Triac dimmers.

LED E26 Med Base T14 Lamp (Clear & Smoke Glass Only)
 Voltage: 120V
 Total Watts: 3.5W
 Delivered Lumens: 300
 CCT: 2700K
 CRI: 90

Dimmable with most LED compatible ELV and Triac dimmers.



LARGE
CLEAR

MEDIUM
CLEAR


ORDERING GRID

PRODUCT	SIZE	GLASS COLOR	FINISH	LAMP
700TSDSN	GP MEDIUM 7.5" LP LARGE 12.4"	C CLEAR K TRANSPARENT W WHITE	R AGED BRASS S SATIN NICKEL	NO LAMP LED MED BASE T14 90 CRI 2700K 120V (CLEAR AND SMOKE GLASS) LED MED BASE A19 90 CRI 2700K 120V (WHITE GLASS ONLY)

HANEA GRANDE PENDANT

SIZE

H: 14" | W: 13.7" | Canopy 6.5" round
Includes 12 feet of field-cutttable black cloth cord



LAMPING

Integrated LED
Voltage: 120V
Total Watts: 32W
Delivered Lumens: 1623
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers




ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700TDHNE	13 13"	C CHROME NB NATURAL BRASS B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V

AKOVA GRANDE PENDANT

SIZE

H: 14" | W: 13.7" | Canopy 5" Round
Includes 12 feet of field-cutttable black cloth cord



LAMPING

No Lamp Option
Rated for (1) 60 watt max E26 medium base lamp

LED E26 Med Base A21 Lamp
Voltage: 120V
Total Watts: 17W
Delivered Lumens: 908
CCT: 2700K
CRI: 90
Dimmable with LED compatible
ELV and Triac dimmers



ORDERING GRID


PRODUCT	SIZE	FINISH	LAMP
700TDAKV	13 13"	RBR AGED BRASS / BRIGHT BRASS BR MATTE BLACK / AGED BRASS WC WHITE / CHROME	NO LAMP -LED927 LED MED. BASE A21 90 CRI 2700K 120V

MINI PALESTRA PENDANT

SIZE

H: 7.4" | W: 7.9"

Includes 6 feet of field-cutable cable.
Bronze finish supplied with bronze cable.
Brass and Satin Nickel finish supplied with satin cable



SATIN NICKEL

LAMPING

GY6.35 Bi-Pin Base Halogen Lamp
Voltage: 12V or 24V
Total Watts: 35W
Delivered Lumens: 400
Dimmable with low-voltage or magnetic dimmer
(based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	GLASS COLOR	FINISH	LAMP
700	FJ	FREEJACK	PAL	Z ANTIQUE BRONZE NB NATURAL BRASS S SATIN NICKEL	12V HALOGEN
	MP	MONOPOINT*			-24 24V HALOGEN
	MO	MONORAIL			


*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI PALONA PENDANT

SIZE

H: 9.3" | W: 8"

Includes 6 feet of field-cutable cable.
Nightshade Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable



NATURAL BRASS



SATIN NICKEL



NIGHTSHADE BLACK

LAMPING

Integrated LED
Voltage: 12V
Total Watts: 6.1W
Delivered Lumens: 400
CCT: 3000K
CRI: 90
Dimmable with low-voltage or magnetic dimmer
(based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	GLASS COLOR	FINISH	LAMP
700	FJ	FREEJACK	PLN	C CLEAR	-LED930 INTEGRATED LED 90 CRI 3000K
	MP	MONOPOINT*			
	MO	MONORAIL			

*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH


MINI HANEA PENDANT

SIZE

H: 7" | W: 7"

Includes 6 feet of field-cutable cable.

Nightshade Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable



SATIN NICKEL



NATURAL BRASS



NIGHTSHADE BLACK

LAMPING

No Lamp Option

Rated for (1) 20 watt max bi-pin lamp

LED GY6.35 Bi-Pin Base Lamp

Voltage: 12V

Total Watts: 5.1W

Delivered Lumens: 430

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer (based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	HARDWARE FINISH/RING FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	HNE	NB NATURAL BRASS B NIGHTSHADE BLACK S SATIN NICKEL	NO LAMP -LED5930 LED BI-PIN 12V 90 CRI 3000K

*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI LAYLA 13 AND 18 PENDANT


SIZE

13: H: 15.4" | W: 13.2"


18: H: 20.3" | W: 18"

Includes 6 feet of field-cutable cable.

Nightshade Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable



18"
NATURAL BRASS



13"
NIGHTSHADE BLACK



13"
SATIN NICKEL

LAMPING

Voltage: 12V

Total Watts: 6W

Delivered Lumens: 273

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer (based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	SIZE	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	LAY	13 13" 18 18"	NB NATURAL BRASS B NIGHTSHADE BLACK S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 12V


*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI LINGER PENDANT

SIZE

H: 15.6" | W: 2"

Includes 6 feet of field-cuttable cable.
Nightshade Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable



LAMPING

Integrated LED

Voltage: 12V

Total Watts: 5.8W

Delivered Lumens: 230

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer (based on transformer)



SATIN NICKEL

NIGHTSHADE BLACK

NATURAL BRASS

ORDERING GRID

SERIES	SYSTEM	PRODUCT	GLASS COLOR	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	LNG	F FROSTED INNER DIFFUSER	NB NATURAL BRASS B NIGHTSHADE BLACK S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 12V


*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI POWELL STREET PENDANT

SIZE

H: 6" | W: 12"

Includes 6 feet of field-cuttable satin cable



LAMPING

Integrated LED

Voltage: 12V

Total Watts: 5.8W

Delivered Lumens: 221

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer (based on transformer)



SATIN NICKEL/WHITE

HIGH GLOSS BLACK/WHITE

HIGH GLOSS WHITE/WHITE

ORDERING GRID

SERIES	SYSTEM	PRODUCT	SHADE COLOR (OUTER/INNER)	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	PSP	BW HIGH GLOSS BLACK / WHITE WW HIGH GLOSS WHITE / WHITE SW SATIN NICKEL / WHITE	S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 12V


*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI PONTE PENDANT

SIZE

H: 4.3" | W: 8"

Includes 6 feet of field-cutttable cable.
 Nightshade Black finish supplied with
 bronze cable. Brass and Satin Nickel finish
 supplied with satin cable



NATURAL BRASS



SATIN NICKEL



NIGHTSHADE BLACK

LAMPING

Integrated LED

Voltage: 12V

Total Watts: 9.1W

Delivered Lumens: 350

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic
 dimmer (based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	PNT	NB NATURAL BRASS B NIGHTSHADE BLACK S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 12V


*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI NYRA PENDANT

SIZE

H: 10.6" | W: 8.6"

Includes 6 feet of field-cutttable cable to
 match finish selection
 Nightshade Black finish supplied with
 bronze cable. Brass finish supplied with
 satin cable



PLATED BRASS



NIGHTSHADE BLACK

LAMPING

Integrated LED

Voltage: 12V

Total Watts: 16W

Delivered Lumens: 430

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic
 dimmer (based on transformer)

ORDERING GRID

SERIES	SYSTEM	PRODUCT	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	NYR	B NIGHTSHADE BLACK BR PLATED BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 12V

*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI ORBEL PYRAMID PENDANT

SIZE

H: 11.8" | W: 6.4"

Includes 6 feet of field-cutable cable.
Matte Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable

LAMPING

Integrated LED

Voltage: 12V


Total Watts: 6W

Delivered Lumens: 225

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer
(based on transformer)



NATURAL BRASS



MATTE BLACK



SATIN NICKEL

ORDERING GRID

SERIES	SYSTEM	PRODUCT	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	OBLP PYRAMID	B MATTE BLACK NB NATURAL BRASS S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V

*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

MINI JONI PENDANT

SIZE

H: 10.4" | W: 5.5"

Includes 6 feet of field-cuttable cable. Matte Black finish supplied with bronze cable. Brass and Satin Nickel finish supplied with satin cable

LAMPING

Integrated LED

Voltage: 12V


Total Watts: 6W

Delivered Lumens: 230

CCT: 3000K

CRI: 90

Dimmable with low-voltage or magnetic dimmer (based on transformer)



SATIN NICKEL



NATURAL BRASS



MATTE BLACK

ORDERING GRID

SERIES	SYSTEM	PRODUCT	FINISH	LAMP
700	FJ FREEJACK MP MONOPOINT* MO MONORAIL	JNI	B MATTE BLACK NB NATURAL BRASS S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V

*INCLUDES 4" ROUND FLUSH CANOPY IN COORDINATING FINISH

NYRA 60 LINEAR SUSPENSION

SIZE

H: 11.4" (19.2" min. - 73.2" max.) | L: 60" | W: 10" | Canopy 19.5" wide
Includes (4) 6" and (8) 12" rigid stems in coordinating finish

LAMPING

Integrated LED

Voltage: 120V



Total Watts: 79W

Delivered Lumens: 6313

CCT: 3000K



CRI: 90

Dimmable with most LED compatible ELV and Triac dimmers.



ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700LSNYR	60 60"	B NIGHTSHADE BLACK BR PLATED BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V



60"
PLATED BRASS

BAU 50 LINEAR SUSPENSION

SIZE

H: 11.4" (19.2" min. - 73.2" max.) | L: 49.2" | W: 3.2" | Canopy 17" wide
Includes (8) 12" and (4) 6" rigid stems in coordinating finish



LAMPING

Integrated LED
Voltage: 120V
Total Watts: 59.6W
Delivered Lumens: 2819
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers.

Due to weight constraints, the following

j-boxes are required for installation:



-Bau 50 Linear: 75+ pounds



NIGHTSHADE BLACK

ORDERING GRID

PRODUCT	FINISH	LAMP
700LSBAU50	NB NATURAL BRASS B NIGHTSHADE BLACK	-LED930 INTEGRATED LED 90 CRI 3000K 120V



NATURAL BRASS


DESSAU 48 LINEAR SUSPENSION

SIZE

H: 1.3" (12" min. - 144" max.) | L: 48" | W: 1.5" | Canopy: 16" wide
Includes 10 feet of field-cutable satin cable

LAMPING

Integrated LED
Voltage: 120V
Total Watts: 36.2W
Delivered Lumens: 2261
CCT: Selectable 2700/3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers



ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700LSDES	48 48"	NB NATURAL BRASS B NIGHTSHADE BLACK	-LED92730 INTEGRATED LED 90 CRI SELECTABLE 2700K-3000K 120V



LINGER 48 LINEAR SUSPENSION

SIZE

H: 26.9" (35.6" min. - 95.6" max.) | L: 48.9" | W: 2.3" | Canopy 5.2" round
Includes (4) 6" and (10) 12" rigid stems in coordinating finish

LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 46.3W
Delivered Lumens: 3900
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmer.
277V compatible with 0-10V dimmers



NATURAL BRASS



POLISHED NICKEL

ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700LSLNG	48 48"	NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V
		N POLISHED NICKEL	-LED930-277 INTEGRATED LED 90 CRI 3000K 277V

BANDA 13 WALL/BATH

SIZE



H: 13" | W: 3" | D: 3.1"
Mounts up or down

LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 11.7W
Delivered Lumens: 652
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmer.
277V compatible with 0-10V dimmers

ADA Compliant

Note: Mounts to switch box type j-box.
Ships with additional cover plate for use
with standard j-box.



NATURAL BRASS

MATTE BLACK

CHROME

ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700BCBND	13 13"	C CHROME B MATTE BLACK NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V -LED930-277 INTEGRATED LED 90 CRI 3000K 277V

BANDA 36 BATH


SIZE

H: 4.8" | L: 36" | D: 3.1"
Mounts horizontal or vertical

LAMPING

Integrated LED
Voltage: 120V-277V
Total Watts: 34.8W
Delivered Lumens: 2187
CCT: 3000K
CRI: 90
Dimmable with most LED compatible ELV,
Triac and 0-10V dimmers.

ADA Compliant



MATTE BLACK



CHROME



NATURAL BRASS

ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700BCBND	36 36"	C CHROME B MATTE BLACK NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V-277V

BANDA 13 WALL/BATH SHOWN IN MATTE BLACK



DESSAU 12 AND 18 PICTURE LIGHT

SIZE

12: H: 3" | L: 12.8" | D: 8.6"

18: H: 3" | L: 18.2" | D: 8.6"

LAMPING

Integrated LED

Voltage: 120V or 277V

Total Watts: 12.6W | 18.3W

Delivered Lumens: 553 | 1013

CCT: 3000K

CRI: 90



Dimmable with most LED compatible

ELV and Triac dimmer.

277V compatible with 0-10V dimmers

Note: Mounts to switch box type j-box.

Ships with additional cover plate for use with standard j-box.



12"
NATURAL BRASS



18"
NIGHTSHADE BLACK



18"
POLISHED NICKEL

ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700DES	12 12"	NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V
	18 18"	B NIGHTSHADE BLACK	-LED930-277 INTEGRATED LED 90 CRI 3000K 277V
		N POLISHED NICKEL	

DESSAU 12 PICTURE LIGHT SHOWN IN NIGHTSHADE BLACK



KLEE 20 WALL


SIZE

20: H: 19.5" | W: 4.3" | D: 3.4"
Mounts up or down

LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 11.7W
Delivered Lumens: 939
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmer.
277V compatible with 0-10V dimmers

ADA Compliant



20"
NIGHTSHADE BLACK/NIGHTSHADE BLACK



20"
POLISHED NICKEL/WHITE MARBLE



20"
NATURAL BRASS/WHITE MARBLE

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700WSKLE	20 20"	NB NATURAL BRASS/WHITE MARBLE	-LED930 INTEGRATED LED 90 CRI 3000K 120V
		B NIGHTSHADE BLACK/NIGHTSHADE BLACK	-LED930-277 INTEGRATED LED 90 CRI 3000K 277V
		N POLISHED NICKEL/WHITE MARBLE	


MINA WALL

SIZE

H: 13.9" | W: 5" | D: 6.2"
Mounts up or down

LAMPING


Integrated LED
Voltage: 120V or 277V
Total Watts: 12W
Delivered Lumens: 243
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers.
277V compatible with 0-10V dimmers



POLISHED NICKEL



NIGHTSHADE BLACK



NATURAL BRASS


ORDERING GRID

PRODUCT	FINISH	LAMP
700WSMINA	NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V
	B NIGHTSHADE BLACK	-LED930-277 INTEGRATED LED 90 CRI 3000K 277V
	N POLISHED NICKEL	

LINGER WALL

SIZE

H: 15.3" | L: 5" | W: 3.5"
Mounts up or down



LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 8.3W
Delivered Lumens: 553
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers
277V compatible with 0-10V dimmers

ADA Compliant



NIGHTSHADE BLACK


ORDERING GRID

PRODUCT	TYPE	FINISH	LAMP
700WSLNG	1 1-LIGHT	NB NATURAL BRASS B NIGHTSHADE BLACK N POLISHED NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V -LED930-277 INTEGRATED LED 90 CRI 3000K 277V

LINGER WALL/BATH

SIZE

H: 26.4" or 32.3" | L: 4.5" | W: 3.3"
Includes: (1) 7.5" and (2) 13.5" additional
pieces of glass for customization
Mounts vertical and horizontal



LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 17.4W
Delivered Lumens: 1145
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
ELV and Triac dimmers
277V compatible with 0-10V dimmers

ADA Compliant



NIGHTSHADE BLACK

ORDERING GRID

PRODUCT	TYPE	FINISH	LAMP
700BCLNG	2 2-LIGHT	NB NATURAL BRASS B NIGHTSHADE BLACK N POLISHED NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V -LED930-277 INTEGRATED LED 90 CRI 3000K 277V

BAU 24 BATH



SIZE

H: 5" | L: 24" | D: 1.8"
Mounts horizontal or vertical


LAMPING

Integrated LED
Voltage: 120V or 277V
Total Watts: 9.8W
Delivered Lumens: 870
CCT: 3000K
CRI: 90
Dimmable with most LED compatible
Triac and 0-10V dimmers

ADA Compliant



24"
NIGHTSHADE BLACK



24"
NATURAL BRASS



24"
POLISHED NICKEL

ORDERING GRID

PRODUCT	LENGTH	FINISH	LAMP
700BCBAU	24 24"	NB NATURAL BRASS	-LED930 INTEGRATED LED 90 CRI 3000K 120V
		B NIGHTSHADE BLACK	-LED930-277 INTEGRATED LED 90 CRI 3000K 277V
		N POLISHED NICKEL	


EVERETT TABLE LAMP

SIZE

H: 10.7" | W: 7" | D: 16.7" | Base 7" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 11W
Delivered Lumens: 741
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer



NIGHTSHADE BLACK



NATURAL BRASS



POLISHED NICKEL

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTEVT	NB NATURAL BRASS B NIGHTSHADE BLACK N POLISHED NICKEL	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V




KARLA TABLE LAMP

SIZE

H: 17" | W: 9" | D: 18" | Base 9" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 13W
Delivered Lumens: 734
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer



NIGHTSHADE BLACK



NATURAL BRASS



POLISHED NICKEL

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTKAR	NB NATURAL BRASS	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V
	B NIGHTSHADE BLACK	
	N POLISHED NICKEL	

DREAM SPACES

R



ABRAMS


ROHE TABLE LAMP

SIZE

H: 24.7" | W: 9" | D: 9" | Base 9" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 21.5W
Delivered Lumens: 1775
CCT: 2700K
CRI: 90
Dimmer-switch included



POLISHED NICKEL



NATURAL BRASS

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTRHE	NB NATURAL BRASS N POLISHED NICKEL	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V

ROHE TABLE LAMP SHOWN IN NATURAL BRASS




DESSAU 16 TABLE LAMP

SIZE

H: 16" | W: 9" | D: 15" | Base 9" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 10.7W
Delivered Lumens: 430
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer
Lamp Head Pivots Side-to-Side 70°



NIGHTSHADE BLACK

POLISHED NICKEL

NATURAL BRASS

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTDES16	NB NATURAL BRASS B NIGHTSHADE BLACK N POLISHED NICKEL	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V


KLEE 18 TABLE LAMP

SIZE

H: 16.7" | W: 6" | D: 19.1" | Base 6" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 10.1W
Delivered Lumens: 400
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer
Lamp Head Pivots Side-to-Side 70°



NATURAL BRASS/WHITE MARBLE



POLISHED NICKEL/WHITE MARBLE

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTKLE18	NB NATURAL BRASS/WHITE MARBLE N POLISHED NICKEL/WHITE MARBLE	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V





KLEE 43 FLOOR LAMP

SIZE

H: 44" | W: 7.5" | D: 19.2" | Base 7.5" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V – 240V
Total Watts: 10.1W
Delivered Lumens: 1075
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer
Lamp Head Pivots Side-to-Side 70°



NATURAL BRASS/WHITE MARBLE



POLISHED NICKEL/WHITE MARBLE

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTKLE43	NB NATURAL BRASS/WHITE MARBLE	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V
	N POLISHED NICKEL/WHITE MARBLE	





KLEE 70 FLOOR LAMP

SIZE

70: H: 70" | W: 5.5" | D: 7.7" | Base 5.5" wide
Includes 6 feet of black cloth cord

LAMPING

Integrated LED
Voltage: 120V - 240V
Total Watts: 12.3W
Delivered Lumens: 1381
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer



NATURAL BRASS/WHITE MARBLE



POLISHED NICKEL/WHITE MARBLE



NIGHTSHADE BLACK/NIGHTSHADE BLACK

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700PRTKLE	70 70" TALL	NB NATURAL BRASS/WHITE MARBLE B NIGHTSHADE BLACK/NIGHTSHADE BLACK N POLISHED NICKEL/WHITE MARBLE	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V

KLEE 70 FLOOR LAMP SHOWN IN NATURAL BRASS/WHITE MARBLE






DESSAU 38 AND 46 FLOOR LAMP

SIZE


38: H: 38" | W: 9" | D: 14" | Base 9" wide
 46: H: 46" | W: 9" | D: 14" | Base 9" wide
 Includes 6 feet of black cloth cord

LAMPING

Integrated LED
 Voltage: 120V - 240V
 Total Watts: 10.7W
 Delivered Lumens: 430
 CCT: 2700K
 CRI: 90
 Integrated 3-Step Touch-Dimmer
 Lamp Head Pivots Side-to-Side 70°



38"
NATURAL BRASS



46"
NIGHTSHADE BLACK



46"
POLISHED NICKEL

ORDERING GRID

PRODUCT	SIZE	FINISH	LAMP
700PRTDES	38 38"	NB NATURAL BRASS	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V
	46 46"	B NIGHTSHADE BLACK	
		N POLISHED NICKEL	

DESSAU 46 FLOOR LAMP SHOWN IN NIGHTSHADE BLACK





MINA TABLE LAMP

SIZE


H: 7.2" | W: 5" | D: 11" | Base 4" wide
Includes 6 feet of black cloth cord

LAMPING


Integrated LED
Voltage: 120V – 240V
Total Watts: 10.7W
Delivered Lumens: 300
CCT: 2700K
CRI: 90
Integrated 3-Step Touch-Dimmer



NIGHTSHADE BLACK



NATURAL BRASS



WHITE MARBLE

ORDERING GRID

PRODUCT	FINISH	LAMP
700PRTMINA	NB NATURAL BRASS B NIGHTSHADE BLACK WM WHITE MARBLE	-LED927 INTEGRATED LED 90 CRI 2700K 120V-240V

MINA TABLE LAMP SHOWN IN NIGHTSHADE BLACK



ARKAY 36 OUTDOOR BOLLARD

SIZE

H: 36.8" | W: 6" | L: 6"

LAMPING

Integrated LED

Voltage: 120V - 277V


Total Watts: 16.1W | 24.2W | 15.3W

Delivered Lumens: 901 | 1232 | 1360

CCT: 3000K or 4000K


CRI: 80

Dimmable with most LED compatible
ELV, Triac and 0-10v dimmers



ONE HEAD DETAIL
BLACK

LIGHT DISTRIBUTION.AIMS
LIGHT WIDE.



ILLUMINATION PLOT



ONE SHOWN WITH BASE
BLACK

ORDERING GRID

PRODUCT	DESCRIPTION	CRI/CCT	LENGTH	FINISH	VOLTAGE	OPTIONS
700OBARK1	ONE	830 80 CRI 3000K	36 36"	B BLACK	UNV 120-277V	NONE
700OBARK2	TWO	840 80 CRI 4000K		Z BRONZE		LF IN LINE FUSE
700OBARK3	THREE					PC BUTTON PHOTOCONTROL EM EMERGENCY BACK-UP GC GFCI




TWO SHOWN WITH BASE
BLACK



TWO HEAD DETAIL
BLACK

FOUR QUADRANTS OF SYMMETRICAL LIGHT
DISTRIBUTION AIMS LIGHT DOWNWARD CREATING
POOLS OF TIGHTLY CONTROLLED LIGHT.



ILLUMINATION PLOT




THREE SHOWN WITH BASE
BLACK



THREE HEAD DETAIL
BLACK

360° LIGHT DISTRIBUTION AIMS LIGHT DOWNWARD
CREATING CONTROLLED POOLS OF LIGHT.



ILLUMINATION PLOT



OPTIONAL GFCI


KRYSEN OUTDOOR WALL/STEP LIGHT

SIZE

H: 4" | W: 6" | D: 1"

Mounts down only

Can mount to either a 2x4 or standard 4" j-box with plaster plate



LAMPING

Integrated LED

Voltage: 12V or 120V

Total Watts: 12.7W

Delivered Lumens: 200

CCT: 2700K/3000K Selectable

CRI: 90

12V Dimmable with most LED compatible MLV dimmer.

120V not dimmable

ADA compliant



BLACK



BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	FINISH	VOLTAGE
7000SKYSN	92730 90 CRI 2700K/3000K SELECTABLE	B BLACK Z BRONZE	12 12V 120 120V


WEND OUTDOOR WALL/STEP LIGHT

SIZE

H: 4" | W: 6" | D: 1"

Mounts down only

Can mount to either a 2x4 or standard 4" j-box with plaster plate



LAMPING

Integrated LED

Voltage: 12V or 120V

Total Watts: 12.1W

Delivered Lumens: 344

CCT: 2700K/3000K

CRI: 90


12V Dimmable with most LED compatible MLV dimmer

120V not dimmable

ADA compliant



BLACK



BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	FINISH	VOLTAGE
7000SWEND	92730 90 CRI 2700K/3000K SELECTABLE	B BLACK Z BRONZE	12 12V 120 120V


IKON OUTDOOR STEP LIGHT

SIZE

H: 4" | W: 6" | D: .3"

Mounts down only

Mount to a 2x4 j-box



LAMPING

Integrated LED

Voltage: 12V or 120V

Total Watts: 12.2W

Delivered Lumens: 202

CCT: 2700K/3000K

CRI: 90

12V Dimmable with most LED compatible MLV dimmer

120V not dimmable

ADA compliant




BLACK



BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	FINISH	VOLTAGE
7000SIKN	92730 90 CRI 2700K/3000K SELECTABLE	B BLACK Z BRONZE	12 12V 120 120V



FILO 23 OUTDOOR WALL

SIZE

H: 23" | W: 5.5" | D: 4.7"

Mounts vertical only

Downlight and wall-facing indirect light

LAMPING

Integrated LED

Voltage: 120V - 277V

Total Watts: 23.9W


Delivered Lumens: 1188

CCT: 3000K

CRI: 90

Dimmable with most LED compatible

ELV, Triac and 0-10v dimmer.



BLACK



BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	LENGTH	FINISH	VOLTAGE
7000WFLO	930 90 CRI 3000K	23 23"	B BLACK Z BRONZE	UNV 120V - 277V

BLADE 18 AND 24 OUTDOOR WALL



SIZE

H: 18" | W: 4.2" | D: 1.6"
 H: 24.2" | W: 4.2" | D: 1.6"
 Mounts vertical only

LAMPING

Integrated LED
 Voltage: 120V - 277V
 Total Watts: 19.9W | 27.7W
 Delivered Lumens: 1398 | 1951
 CCT: 2700K/3000K Selectable
 CRI: 90
 Dimmable with most LED compatible
 ELV, Triac and 0-10v dimmer.

ADA compliant



18"
BLACK



24"
BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	LENGTH	FINISH	VOLTAGE
7000WBLD	92730 90 CRI 2700K/3000K SELECTABLE	18 18" 24 24"	B BLACK Z BRONZE	UNV 120V - 277V

VEX 5, 12 AND 20 OUTDOOR WALL

SIZE

5: H: 4.6" | W: 4.6" | D: 3.9"

12: H: 12" | W: 4.6" | D: 3.9"

20: H: 20" | W: 4.6" | D: 3.9"

Mounts vertical only

LAMPING

Integrated LED

Voltage: 120V - 277V

Total Watts Up and Down: 18.7 | 18.9 | 18.9

Total Watts Down Only: 9.4 | 8.4 | 8.4

Delivered Lumens Up and Down: 554 | 557 | 577

Delivered Lumens Down Only: 177 | 199 | 199




CCT: 2700K (5 only), 3000K, or 4000K (5 only)

CRI: 90


Dimmable with most LED compatible

ELV, Triac and 0-10v dimmer.

ADA compliant



5"
WHITE



5"
CHARCOAL



12"
BLACK



20"
BRONZE

ORDERING GRID

PRODUCT	CRI/CCT	LENGTH	FINISH	FUNCTION	VOLTAGE
7000WVEX	927 90 CRI 2700K*	5 5"	B BLACK	DO DOWNLIGHT ONLY	UNV 120V - 277V
	930 90 CRI 3000K	12 12"	Z BRONZE	UD UPLIGHT & DOWNLIGHT	
	940 90 CRI 4000K*	20 20"	H CHARCOAL*		
			W WHITE*		

*5" ONLY

CHARA 12, 17 AND 26 OUTDOOR WALL



SIZE

12: H: 12" | W: 4.5" | D: 2.6"
 17: H: 17" | W: 4.5" | D: 2.6"
 26: H: 26" | W: 4.5" | D: 2.6"
 Mounts vertical only

LAMPING

Integrated LED
 Voltage: 120V - 277V
 Total Watts: 11.9W
 Delivered Lumens: 1286
 CCT: 3000K
 CRI: 90
 Dimmable with most LED compatible
 ELV, Triac and 0-10v dimmer.

ADA compliant



ORDERING GRID

PRODUCT	SHAPE	CRI/CCT	LENGTH	FUNCTION	FINISH	VOLTAGE
7000WCHA	S SQUARE	930 90 CRI 3000K	12 12" 17 17" 26 26"	UD UPLIGHT & DOWNLIGHT	B BLACK	UNV 120V - 277V

KLEE 18 TABLE LAMP SHOWN IN NATURAL BRASS/WHITE MARBLE





7400 Linder Ave.
Skokie, IL 60077

T 847.410.4400
F 847.410.4500
W techlighting.com

Quotes & Technical Assistance:
847-410-4666

VISUAL COMFORT & Co.

921TLNEWP20.1