



HINKLEY

JANUARY FAN SUPPLEMENT 2023

HINKLEY

THIS SUPPLEMENT INCLUDES NEW FANS AND ACCESSORIES.
FOR A COMPLETE PRODUCT OFFERING, VISIT [HINKLEY.COM](https://www.hinkley.com).

HINKLEY, INC. | 2023

HI THERE, WE'RE HINKLEY

Welcome to the *family*

We're here to make your research process a snap, with our newest designs, featured collections, in-depth product details, curated styles, and endless inspiration throughout these pages and at hinkley.com.

Our easy-to-use site will guide you through every ceiling fan and lighting decision. We deliver the most helpful product features, specs and tips at-a-glance for every project, as well as a quick connection to our elite network of retailers.

Once you've welcomed Hinkley into your home, stay connected with us. We know that sometimes things happen, and we want to answer any questions as quickly as possible.

Just head to hinkley.com/register: we're always here if you have a question, need some help, or want to chat about our products.

Discover designs to deck out your space

INSPIRATION AWAITS

Just like you, we've reconnected with our homes and appreciate more than ever how important these interior and exterior spaces are to our health, happiness and well-being.

We love seeing how you live and sharing ideas and inspiration with each other. Stay in the loop on all Hinkley happenings, from your favorite styles, the best (seriously) giveaways, helpful tips, our latest collabs, Team Hinkley hilarity, and brand new design drops [@hinkleylighting](https://twitter.com/hinkleylighting)



#hinkleystyle

TABLE OF CONTENTS

Every Hinkley product is thoughtfully designed and carefully crafted with important features, so we have created useful icons and finish codes to help you with your fan selections.

Below is a key describing each of these icons in detail as well as a list of our product finishes with abbreviated codes for easy reference.

FANS

52" ALTA	12
66" CONCUR	10
60" DRAFTSMAN	14
72" DRAFTSMAN	16
52" NEO	18

REGENCY SERIES FANS

36" CHET	20
48" CHET	22

HINKLEY APP	04
SAY HELLO TO HIRO	06
INDEX	24

FINISH CODES + NAMES

FBN	BRUSHED NICKEL
FHB	HERITAGE BRASS
FMB	MATTE BLACK
FMW	MATTE WHITE
FMM	METALLIC MATTE BRONZE

ICONS + DESCRIPTIONS



DAMP

DAMP

Suitable for use in damp (interior moist and outdoor no direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



DC MOTOR

DC MOTOR

Fan comes equipped with a DC motor which uses up to 70% less energy than an AC motor and runs cooler and quieter for a longer life.



ETL LISTED

Fan has been tested by Intertek and found in compliance with accepted national safety standards.



HIRO CONTROL

All-in-one wireless remote and wall control combines flexible operation for fan speed and light control with ease of installation for multiple configurations.



LED

LED

Fan supplied with fully integrated LEDs and drivers or specifically matched LED bulbs based on performance and application.



REGENCY SERIES

Fan is a Regency Series design, offering affordable, all-purpose styles.



TITLE 24

TITLE 24

Meets California Energy Commission Title regulations.



UL LISTED

Fan has been tested by Underwriters Laboratories and found in compliance with accepted national safety standards.



WET

WET

Suitable for use in wet (interior direct splash and outdoor direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



WiFi

Fan is WiFi compatible.

PICTORIAL INDEX



52" ALTA
905152
Page 12
Brushed Nickel, Matte Black,
Matte White, Metallic Matte Bronze



36" CHET
905236
Page 20
Heritage Brass,
Matte Black, Matte White



48" CHET
905248
Page 22
Heritage Brass,
Matte Black, Matte White



66" CONCUR
904566
Page 10
Brushed Nickel, Matte Black,
Matte White, Metallic Matte Bronze



60" DRAFTSMAN
905360
Page 14
Matte Black, Matte White



72" DRAFTSMAN
905372
Page 16
Matte Black, Matte White



52" NEO
905452
Page 18
Matte Black, Matte White




MORE BREEZY BEAUTIES ARE WAITING TO BE DISCOVERED!
EXPLORE OUR FULL LINE OF FANS AT HINKLEY.COM

TAKE A SPIN THROUGH THE NEW **HINKLEY APP**

INTRODUCING THE EFFICIENT WAY TO MAKE YOUR SPACE SMARTER

Simply connect your Hinkley smart fan to the app and enjoy complete control via your smart device. Every Hinkley fan model can be a smart fan: Hinkley 6-speed DC fans are ready to connect out of the box and Hinkley 3 and 4-speed fans are WiFi adaptable with the purchase of an accessory control.



HINKLEY

PAIR WITH HINKLEY APP

Download on **APP STORE**
or **GOOGLE PLAY**

COMPLETE CONTROL IN THE PALM OF YOUR HAND



EASY TO USE CUSTOMIZATION:

Turn the light on & off, switch the fan direction, and change the wind speed and light brightness on a slidable scale.



GROUP FANS TOGETHER:

Pair multiple smart fans together and control them all at once – no need to mess with multiple device settings.



SET IT + FORGET IT:

Make life seamless by setting schedules and preferences.



SMART DEVICE ENABLED:

Go hands-free with the option to manage your fan settings with smart home voice-controlled devices.



ACTIVATE BREEZE MODES:

Toggle between normal airflow speeds and varying airflow speeds with breeze mode.



EASILY SHARE ACCESS:

Easily share access to fan controls with family members or house guests.

Any of our styles can be WiFi enabled - refer to the “Included Controls” or “Optional Controls” on the product pages for WiFi capabilities.

Say hello to...

HIRO

A **HIGHLY INTELLIGENT** DESIGN FEATURING **REMOTE OPERATION**
FOR THE **ULTIMATE CONTROL FUNCTIONALITY.**

HIRO's all-in-one wireless remote and wall control combines flexible operation for fan speed and light control with ease of installation for multiple configurations.



980014 FWH-R

ALL-IN-ONE


Shows off the stylish, modern design to emphasize its optimal **Flexibility, Technology + Functionality**

HIRO COMBINES FEATURES AND FUNCTIONALITY – A POSITIVE SPIN ON SMART FANS AND ACCESSORIES

- Includes a receiver with WiFi capability
- Configures for use as a **wall-mount control** or **handheld remote**
- Secures to a **flat wall** or a **single/multiple gang switch box**
- Nestles within a standard decorative opening face plate for a **contemporary** and **elegant aesthetic**
- Operates with **existing receivers/controllers**. Additionally, existing wall and remote controls are compatible with the new WiFi controllers
- Features a **manual switch to turn off and on**, allowing for days when everything goes wrong – losing the remote or your WiFi is down

HIRO CONFIGURATIONS AND VERSATILITY

In a collective and collaborative world, the expertly engineered HIRO system adapts to all home environments.



OPTIONS INCLUDED IN BOX:



**FACE PLATE
BRACKET**



**DECORATIVE
FACE PLATE**



**WALL
CRADLE**



**SWITCH
CRADLE**



**HIRO
REMOTE**

With the face plate bracket, wall cradle, decorative style face plate and remote transmitter, HIRO mounts on the wall without needing an electrician or additional wiring. HIRO is compatible with any decorator-style face plate and is easily retrofitted to any gang/receptacle location.

HIRO FITS ANYWHERE

The HIRO control is designed to work in any standard decorative style face plate.



NOW AVAILABLE IN THREE COLORS




980014 FLA-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FBK-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FWH-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FWH
HIRO 3 Speed
Non-Reversing Control
(Transmitter Only)

Whether using a remote, an app, or a wall control, the HIRO system from Hinkley is specifically designed to give the user full control when operating new or existing 6-speed, 4-speed, and 3-speed ceiling fans within the home.

LEARN MORE AT [HINKLEY.COM](https://www.hinkley.com)




66" CONCUR™

Everyone agrees. Concur's sophisticated silhouette combines form and function to offer maximum performance in style. The timeless, transitional blade design is available in contemporary classic finish options, while LED and DC motor technology deliver excellent energy efficiency. Designed for versatility, Concur is suitable for both indoor and outdoor spaces. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



904566 FMB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

904566FBN-LWD - BRUSHED NICKEL

904566FMB-LWD - MATTE BLACK

904566FMM-LWD - METALLIC MATTE BRONZE

904566FMW-LWD - MATTE WHITE

BLADES:

- 8 Composite Blades Included
- 14° Blade Pitch
- 66" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 26 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



904566 FMW-LWD
 MATTE WHITE WITH
 MATTE WHITE BLADES



904566 FMM-LWD
 METALLIC MATTE BRONZE WITH
 METALLIC MATTE BRONZE BLADES



904566 FBN-LWD
 BRUSHED NICKEL WITH
 BRUSHED NICKEL BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	9496	6954
ENERGY USE (WATTS)	35.4	25.0
AIRFLOW EFFICIENCY (CFM/W)	268	280
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.54	0.32
RPMS	124	88

52" ALTA™

Modern and refined, Alta elevates transitional design styles throughout the home. Integrated LED and DC motor technology delivers excellent energy efficiency, suitable for both indoor and outdoor. Alta is suitable for both indoor and outdoor settings. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905152 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905152FBN-LWD - BRUSHED NICKEL

905152FMB-LWD - MATTE BLACK

905152FMM-LWD - METALLIC MATTE BRONZE

905152FMW-LWD - MATTE WHITE

BLADES:

- 5 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 17.33 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



905152 FMB-LWD
 MATTE BLACK WITH
 MATTE BLACK BLADES



905152 FBN-LWD
 BRUSHED NICKEL WITH
 BRUSHED NICKEL BLADES



905152 FMM-LWD
 METALLIC MATTE BRONZE WITH
 METALLIC MATTE BRONZE BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5747	3906
ENERGY USE (WATTS)	22.4	17.0
AIRFLOW EFFICIENCY (CFM/W)	257	224
ENERGY COSTS (YEARLY)	\$6.00	\$5.00
AMPS	0.36	0.22
RPMS	173	112

60" DRAFTSMAN™

Draftsman's updated transitional form ties perfectly into any space while delivering superior performance. Available in Matte White and Matte Black finish options, this industrial-inspired design can complement indoor and outdoor spaces alike. With integrated LED and DC motor technology, Draftsman delivers excellent energy efficiency. For lower ceilings, a flush mount kit is an accessory option for easy customization. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905360 FMB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

905360FMB-LWD - MATTE BLACK

905360FMW-LWD - MATTE WHITE

BLADES:

- 6 Aluminum Blades Included
- 12° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 26 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page hinkley.com.

LAMPING/GLASS:


- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



STRIKING DESIGN MEETS EXCEPTIONAL VERSATILITY:

Draftsman can be mounted directly to the ceiling with an optional flush mount kit. This easy customization makes it a great choice for lower ceiling heights.




905360 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES


OPTIONAL ACCESSORIES:



993053 FMB
Flush Mount Kit,
Matte Black



993053 FMW
Flush Mount Kit,
Matte White



**LOW CEILINGS?
NO PROBLEM.**

This flush mount kit is recommended for installation on low ceilings.

This will result in an overall fan height of 12" and a ceiling to blade height of 7¾".


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	8389	5776
ENERGY USE (WATTS)	32.9	23.0
AIRFLOW EFFICIENCY (CFM/W)	255	250
ENERGY COSTS (YEARLY)	\$9.00	\$6.00
AMPS	0.51	0.30
RPMS	147	99

72" DRAFTSMAN™

Draftsman's updated transitional form ties perfectly into any space while delivering superior performance. Available in Matte White and Matte Black finish options, this industrial-inspired design can complement indoor and outdoor spaces alike. With integrated LED and DC motor technology, Draftsman delivers excellent energy efficiency. For lower ceilings, a flush mount kit is an accessory option for easy customization. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905372 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905372FMB-LWD - MATTE BLACK

905372FMW-LWD - MATTE WHITE

BLADES:

- 6 Aluminum Blades Included
- 12° Blade Pitch
- 72" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 28 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



STRIKING DESIGN MEETS EXCEPTIONAL VERSATILITY:

Draftsman can be mounted directly to the ceiling with an optional flush mount kit. This easy customization makes it a great choice for lower ceiling heights.




905372 FMB-LWD
 MATTE BLACK WITH
 MATTE BLACK BLADES

OPTIONAL ACCESSORIES:



993053FMB
 Flush Mount Kit,
 Matte Black



993053FMW
 Flush Mount Kit,
 Matte White



**LOW CEILINGS?
 NO PROBLEM.**

This flush mount kit is recommended for installation on low ceilings.

This will result in an overall fan height of 12" and a ceiling to blade height of 7¾".


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	9902	7348
ENERGY USE (WATTS)	33.7	24.0
AIRFLOW EFFICIENCY (CFM/W)	294	305
ENERGY COSTS (YEARLY)	\$9.00	\$7.00
AMPS	0.52	0.31
RPMS	112	82

52" NEO™

Neo flush mount fan blends clean lines, aesthetic appeal, and practicality. Featuring a sleek wrapped fan blade design in Matte Black or Matte White to provide just the right balance of modern style. Ideal for interior spaces and covered outdoor areas, Neo incorporates integrated LED and DC motor technology to deliver excellent energy efficiency. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905452 FMB-LDD
 MATTE BLACK WITH HERITAGE BRASS ACCENTS
 AND MATTE BLACK BLADES



DESCRIPTION

905452FMB-LDD - MATTE BLACK WITH HERITAGE BRASS ACCENTS

905452FMW-LDD - MATTE WHITE WITH HERITAGE BRASS ACCENTS

BLADES:

- 3 Composite Blades Included
- 16° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 12" Lead Wire
- 14.77 lbs. Hanging Weight

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014FWH-R
 6 Speed HIRO Reversing



Includes WiFi Enabled Control



905452 FMW-LDD
 MATTE WHITE WITH HERITAGE BRASS ACCENTS
 AND MATTE WHITE BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6677	4303
ENERGY USE (WATTS)	36.6	25.0
AIRFLOW EFFICIENCY (CFM/W)	183	175
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.48	0.27
RPMS	164	104

36" CHET™

Part of the Regency Series, Chet's compact profile paired with modern design elements seamlessly enhances smaller living spaces, including breakfast nooks, porches, and home offices. Available in Matte White, Heritage Brass, and Matte Black finish options, Chet is so versatile it can be used to customize both indoor and outdoor areas. WiFi-compatible with the purchase of an additional control.



905236 FHB-LWA
HERITAGE BRASS WITH
MATTE BLACK BLADES



DESCRIPTION

905236FHB-LWA - HERITAGE BRASS

905236FMB-LWA - MATTE BLACK

905236FMW-LWA - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 36" Blade Sweep

MOUNTING:

- 4½" Downrod Included
- 76" Lead Wire
- 15.21 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

- 980014FWH**
3 Speed HIRO Non Reversing
- Manual Reverse





905236 FMW-LWA
 MATTE WHITE WITH
 MATTE WHITE BLADES



905236 FMB-LWA
 MATTE BLACK WITH
 MATTE BLACK BLADES

OPTIONAL CONTROL:



CWT905236
 Optional WiFi Enabled Control




PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	3132	2558
ENERGY USE (WATTS)	35.4	25.0
AIRFLOW EFFICIENCY (CFM/W)	88	100
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.30	0.25
RPMS	248	194

48" CHET™

Part of the Regency Series, Chet's compact profile paired with modern design elements seamlessly enhances smaller living spaces, including breakfast nooks, porches, and home offices. Available in Matte White, Heritage Brass, and Matte Black finish options, Chet is so versatile it can be used to customize both indoor and outdoor areas. WiFi-compatible with the purchase of an additional control.



905248 FMW-LWA
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905248FHB-LWA - HERITAGE BRASS

905248FMB-LWA - MATTE BLACK

905248FMW-LWA - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 48" Blade Sweep

MOUNTING:

- 4½" Downrod Included
- 76" Lead Wire
- 16.91 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

- 980014FWH**
3 Speed HIRO Non Reversing
- Manual Reverse






905248 FHB-LWA
HERITAGE BRASS WITH
MATTE BLACK BLADES



905248 FMB-LWA
MATTE BLACK WITH
MATTE BLACK BLADES

OPTIONAL CONTROL:

 **CWT905248**
Optional WiFi Enabled Control



PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	4767	3661
ENERGY USE (WATTS)	54.0	36
AIRFLOW EFFICIENCY (CFM/W)	88	101
ENERGY COSTS (YEARLY)	\$15.00	\$10.00
AMPS	0.45	0.35
RPMS	180	136



MARIN 903160 FMB-LDD

INDEX

904566 FBN-LWD	11
904566 FMB-LWD	10
904566 FMM-LWD	11
904566 FMW-LWD	11
905152 FBN-LWD	13
905152 FMB-LWD	13
905152 FMM-LWD	13
905152 FMW-LWD	12
905236 FHB-LWA	20
905236 FMB-LWA	21
905236 FMW-LWA	21
905248 FHB-LWA	23
905248 FMB-LWA	23
905248 FMW-LWA	22
905360 FMB-LWD	14
905360 FMW-LWD	15
905372 FMB-LWD	17
905372 FMW-LWD	16
905452 FMB-LDD	18
905452 FMW-LDD	19
980014 FBK-R	08
980014 FLA-R	08
980014 FWH	08
980014 FWH-R	08
993053 FMB	15
993053 FMW	15
CWT905236	21
CWT905248	23

We want you to enjoy your experience with Hinkley.

We're proud to be a 4th generation family company, and we love what we do. We've been designing and creating products with the same level of style and quality we put in our own homes since 1922. So whether you are flipping through our catalog, surfing our site, getting inspired through social media, chatting with a member of our team or checking out our designs with one of our retailers, we're always looking for your experience with Hinkley to be a positive one. Here's all you need to know:

CATALOG COLLECTIONS

Hinkley catalogs feature our current and complete product line along with important product specs and detailed photography. A must for the print-loving researcher who likes to tab their favorites. Stop by your local showroom for your own copy.

HINKLEY.COM

Dive in! Our easy-to-use site makes your product research process a snap, with the added benefit of tips, trends, installation guidelines and a quick connection to our retail partners.

SOCIAL CLIMBERS

We don't mean to brag, but we are connected.




REAL PEOPLE

Want to chat? Contact us at service@hinkley.com or 1.800.HINKLEY.

Hinkley stands behind the quality of our fixtures with product warranties that are among the strongest in the industry. For details of warranty coverage on specific products, please refer to hinkley.com or consult a qualified Hinkley retail distributor.

Several Hinkley products are protected under U.S. Patent and foreign patent, or patent pending. For current information regarding Hinkley's patent portfolio, please visit hinkley.com.

©2023 Hinkley, Inc. All rights reserved in all copyrightable works.



Hinkley is a proud partner of the American Lighting Association.

HINKLEY

HINKLEY.COM

GLOBAL HEADQUARTERS

33000 Pin Oak Parkway | Avon Lake, Ohio 44012

T 440 653 5500 | F 440 653 5555 | hinkley.com

SHOWROOM

Dallas Trade Mart 3210 | Dallas, Texas 75207

High Point Market MS290 | High Point, North Carolina 2726



Connect with us | [#hinkleystyle](https://www.instagram.com/hinkleystyle)

2023 JANUARY
FAN SUPPLEMENT FANSUP123

