


Supplement
1701



 Contemporary Lighting™



Contemporary Lighting™

COLLECTIONS

Alumilux | 75
Blocs LED | 61
Bounce | 31
Candela | 41
Cycle | 5
Cyclone | 71
Dazed LED | 23
Gyro | 7
Light Saber | 33
Metallika | 49
Midnight Shower | 57
Orion | 27

Phase | 1
Pivot LED | 69
Pizzazz | 65
Puffs | 55
Quantum | 51
Rubic | 19
Satellite | 39
Saturn II | 11
Spoke | 45
Traverse | 47

MORE

Finishes | 112
Glass | 112
Index | 111

Lamping Guide | 113
Warranty | 115

LEGEND



ADA
Compliant



Adjustable



Energy
Efficient



Energy Star
Certified



Slope



Installs
Up or Down



LED



California
Title 24



For Wet Location



DAMP For Damp Location



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height




PHASE

Intersecting bands create interesting and unique forms finished in Matte White. High power LED makes these designs as functional as they are decorative.

PHASE

- Intersecting metal forms
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E21425-MW
Pendant
A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI INIT.	DEL.		
A E21425	MW	68W LED 3000K (Integrated)	46"L x 5"W x 6"H x 126.25"OAH	80	4760	2940	  


Finish: Matte White (MW)

PHASE


- Intersecting metal forms
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E21428-MW
Floor Lamp




E21420-MW
Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					HCO	CRI	INIT. DEL.		
A	E21428	MW	53W LED 3000K (Integrated)	15"W x 55.75"H		80	3710	2690	LED
B	E21420	MW	11W LED 3000K (Integrated)	7.75"W x 13.75"H x 2"Ext.	11.25"	80	770	510	LED

Finish: Matte White (MW)






• Flush Mount Option


E21422-MW
Wall/Flush Mount

C



E21423-MW
Flush Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
C	E21422	MW	48W LED 3000K (Integrated)	21.5"W x 19.5"H x 2"Ext.	9.75"	80	3360 1710	LED
D	E21423	MW	68W LED 3000K (Integrated)	31.5"L x 28.5"W x 2"H		80	4760 2670	LED

Finish: Matte White (MW)


CYCLE

This playful design of continuous channel finished in Matte Silver, spiral from the canopy to create unique lighting sculptures. LED mounted inside the channel provides ample illumination with an indirect effect.



E21325-MS
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21325	MS	55W LED 3000K (Integrated)	25.25"W x 3.5"H x 121.5"OAH	80	3850	2170	  

Finish: Matte Silver (MS)




CYCLE

- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers




E21320-MS
Flush Mount

B



E21322-MS
Flush Mount

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E21320	MS	33W LED 3000K (Integrated)	18.25"W x 2.25"H	80	2310	1275	LED
C	E21322	MS	55W LED 3000K (Integrated)	25.25"W x 2.25"H	80	3850	1980	LED

Finish: Matte Silver (MS)



E24586-MW
Pendant

A



GYRO

Concentric bands of Matte White rotate on 2 axis points to adjust in multiple directions similar to a gyroscope. The edge of each slender band is encased with a small LED strip covered by a frosted lens. It is more a work of art than just a lighting fixture.

GYRO

- Rotatable bands finished in Matte White
- Strip of LED encased in frosted lens along edge
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24586	MW	119.52W LED 3000K (Integrated)	31.5"W x 29.75"H x 153"OAH	80+	8366	  ①

Finish: Matte White(MW)

GYRO

- Rotatable bands finished in Matte White
- Strip of LED encased in frosted lens along edge
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac dimmers



E24584-MW
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24584	MW	92.52W LED 3000K (Integrated)	25.75"W x 23.75"H x 147"OAH	80+	6476	  

Finish: Matte White(MW)





E24580-MW
Flush Mount



E24582-MW
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E24580	MW	52.2W LED 3000K (Integrated)	18"W x 20.5"H	80+	3654	
C	E24582	MW	52.2W LED 3000K (Integrated)	19.75"W x 18"H x 141"OAH	80+	3654	

Finish: Matte White (MW)





SATURN II


A new variation of a very popular series with many different configurations many of which are large scale for commercial applications. Metal rings of Matte Silver support horizontal acrylic diffusers which glow when illuminated by dimmable LED.

SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22665-11MS
Pendant
A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22665	11MS	159W LED 3000K (Integrated)	30"W x 50.25"H x 183"OAH	80	11130	6110	  

Finish: Matte White glass (11) Matte Silver (MS)


SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22664-11MS
Pendant


A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22664	11MS	105W LED 3000K (Integrated)	30"W x 28"H x 183"OAH	80	7350	4035	  

Finish: Matte White glass (11) Matte Silver (MS)







E22655-11MS

Pendant


B









E22656-11MS

Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22655	11MS	36W LED 3000K (Integrated)	23.75"W x 8"H x 183"OAH	80	2520	1950	  
C	E22656	11MS	68W LED 3000K (Integrated)	31.5"W x 16.5"H x 183"OAH	80	4760	3540	  


Finish: Matte White glass (11) Matte Silver (MS)

SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22657-11MS
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E22657	11MS	50W LED 3000K (Integrated)	51.25"W x .5"H x 120"OAH	80	3500 2440	

Finish: Matte White glass (11) Matte Silver (MS)






E22653-11MS
Pendant



E22654-11MS
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22653	11MS	24W LED 3000K (Integrated)	23.75"W x .5"H x 120"OAH	80	1680	1280	
C	E22654	11MS	32W LED 3000K (Integrated)	31.5"W x .5"H x 120"OAH	80	2240	1810	


Finish: Matte White glass (11) Matte Silver (MS)

SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22662-11MS
Pendant
A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22662	11MS	83W LED 3000K (Integrated)	44.25"L x 35.5"W x 12.5"H x 81"OAH	80	5810	3950	



Finish: Matte White glass (11) Matte Silver (MS)






E22667-11MS
Flush Mount

B




E22668-11MS
Flush Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22667	11MS	68W LED 3000K (Integrated)	31.5"W x 5.75"H	80	4760	3200	LED
C	E22668	11MS	116W LED 3000K (Integrated)	39.5"W x 7"H	80	8120	4890	LED

Finish: Matte White glass (11) Matte Silver (MS)




RUBIC

Geometric wire frames of Black surround a Polished Chrome cluster of G4 LED bulbs which sparkle like an exploding star. Available in multiple sizes all competitively priced.


RUBIC




- Geometric wire frames in Black finish
- Sputnik cluster finished in Polished Chrome
- LED G4 bulbs included
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22914-BKPC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E22914	BKPC	24 x 1.2W LED G4 3000K (Incl.)	32"W x 25.5"H x 80.5"OAH	80	2640 2400	Includes One 6" Stem (ESTR06206BK-DZ) Includes Three 12" Stems (ESTR06212BK-DZ)   

Finish: Black/Polished Chrome (BKPC)


RUBIC

- Geometric wire frames in Black finish
- Sputnik cluster finished in Polished Chrome
- LED G4 bulbs included
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers



E22918-BKPC
Pendant

A





ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E22918	BKPC	12 x 1.2W LED G4 3000K (Incl.)	23"W x 8.5"H x 57.5"OAH	80	1320 1200	Includes One 6" Stem (ESTR06206BK-DZ) Includes Three 12" Stems (ESTR06212BK-DZ)   

Finish: Black/Polished Chrome (BKPC)






E22910-BKPC
Pendant



E22912-BKPC
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
B	E22910	BKPC	12 x 1.2W LED G4 3000K (Incl.)	20.5"W x 15.5"H x 67"OAH	80	1320	1200	Includes One 6" Stem (ESTR06206BK-DZ) Includes Three 12" Stems (ESTR06212BK-DZ)
C	E22912	BKPC	20 x 1.2W LED G4 3000K (Incl.)	26"W x 21"H x 74"OAH	80	2200	2000	Includes One 6" Stem (ESTR06206BK-DZ) Includes Three 12" Stems (ESTR06212BK-DZ)

Finish: Black/Polished Chrome (BKPC)



E32576-PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E32576	PC	25 x 1.2W LED G4 3000K (Incl.)	31.5"W x 31.5"H x 142"OAH	80	2600	2500	  

Finish: Polished Chrome (PC)

- Clear string of G4 LED Lamps
- State-of-the-art Smith & Kole 12V transformers
- High Polished Chrome Aluminum rods
- Hand formed Mod-Silhouettes
- Dimmable with electronic low voltage dimmer

DAZED LED

Sculptures created from Polished Chrome aluminum rods are formed by hand into a mod-silhouette, perfect for loft living and cosmopolitan lifestyles. Woven through the interior are strings of clear G4 LED lamps that add sparkle as they reflect off of the embellished etched patterns of the aluminum. Fashion forward and style genre-defying, the Dazed collection goes with a myriad of looks from art deco to pop art.




DAZED LED

- Clear string of G4 LED Lamps
- State-of-the-art Smith & Kole 12V transformers
- High Polished Chrome Aluminum rods
- Hand formed Mod-Silhouettes
- Dimmable with electronic low voltage dimmer



E32578-PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E32578	PC	12 x 1.2W LED G4 3000K (Incl.)	47"W x 19.5"H x 130"OAH	80	1250 1200	


Finish: Polished Chrome (PC)






E32574-PC
Pendant

B



E32572-PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E32574	PC	12 x 1.2W LED G4 3000K (Incl.)	23.5"W x 23.5"H x 134"OAH	80	1250	1200	
C	E32572	PC	8 x 1.2W LED G4 3000K (Incl.)	15.75"W x 15.75"H x 125"OAH	80	850	800	

Finish: Polished Chrome (PC)




ORION


Spiraling tentacles of Polished Chrome metal create lighting works of art. Long lasting and easily replaceable LED bulbs grace the end of the arms emitting light and sparkle that is sure to add character to any space.

ORION

- Lamps Included
- Energy Efficient
- 3000K Color Temperature
- CRI 80+
- Dimmable with triac dimmer



E24676-PC
Pendant





ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E24676	PC	58.8W LED G4 3000K (Incl.)	31.5"W x 49"H x 94"OAH	80+	5390	Includes One 6" Stem (ESTR06206PC-DZ) Includes Three 12" Stems (ESTR06212PC-DZ)

Finish: Polished Chrome (PC)

ORION

- Lamps Included
- Energy Efficient
- 3000K Color Temperature
- CRI 80+
- Dimmable with triac dimmer



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E24674	PC	46.8W LED G4 3000K (Incl.)	26.5"W x 39.5"H x 85"OAH	80+	4290	Includes One 6" Stem (ESTR06206PC-DZ) Includes Three 12" Stems (ESTR06212PC-DZ)



Finish: Polished Chrome (PC)






E24670-PC
Flush Mount

B



E24672-PC
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B	E24670	PC	24W LED G4 3000K (Incl.)	26.5"W x 11"H		80+	5390	LED
C	E24672	PC	15.6W LED G4 3000K (Incl.)	17"W x 20"H x 8"Ext.	13.75"	80+	5390	LED

Finish: Polished Chrome (PC)


BOUNCE

Delicate lines of thin rod and balanced wire construct this Mid Century modern revival. A combination finish of Black and Polished Chrome was used for contrast and a dramatic statement. Illumination is provided by integrated LED socket with provided excellent color rendition.



E23103-BKPC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI	INIT. DEL.		
A E23103	BKPC	6 x 8W COB LED 3000K (Integrated)	55.25"L x 40.75"W x 9.25"H x 40.5"OAH	90	3360	3000	Includes One 6" Stem (ESTR05006BK-SG) Includes Two 12" Stems (ESTR05012BK-SG)

Finish: Black/Polished Chrome (BKPC)




BOUNCE

- Carefully balanced wire suspension
- Two tone Black and Polished Chrome finish
- 3000K Color Temperature
- CRI 90
- Dimmable with Triac dimmers




E23100-BKPC
Pendant

B




E23105-BKPC
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
B	E23100	BKPC 6 x 8W COB LED 3000K (Integrated))	35.5"L x 28.5"W x 7.75"H x 39.75"OAH	90	3360	3000	Includes One 6" Stem (ESTR05006BK-SG) Includes Two 12" Stems (ESTR05012BK-SG)
C	E23105	BKPC 10 x 8W COB LED 3000K (Integrated)	93"L x 40.75"W x 9.25"H x 38.75"OAH	90	5600	5000	Includes Two 6" Stems (ESTR05006BK-SG) Includes Four 12" Stems (ESTR05012BK-SG)

Finish: Black/Polished Chrome (BKPC)



E41438-75GM
Pendant

A

LIGHT SABER

This galactic collection features inter-connected castings finished in Gunmetal, that turn to adjust. Rods of clear acrylic have laser cut lines on the interior which are illuminated by high power LED's enclosed in the castings. Several large scale pieces in the collection designed to fill open spaces in both residential and commercial environments.

LIGHT SABER

- Adjustable arms create individually unique forms
- Large scale pieces finished in gunmetal
- Laser cut pattern within aluminum diffusers to illuminate enclosed LED modules
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E41438	75GM	60W LED 3000K (Integrated)	56.5"L x 46.5"W x 46.5"H x 101"OAH	80+	4200	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)

Finish: Clear Acrylic glass (75) Gunmetal (GM)




LIGHT SABER

- Adjustable arms create individually unique forms
- Large scale pieces finished in gunmetal
- Laser cut pattern within aluminum diffusers to illuminate enclosed LED modules
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E41437-75GM
Pendant


A



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information	
A	E41437	75GM	72W LED 3000K (Integrated)	61.5"L x 61.5"W x 17.75"H x 62.25"OAH	80+	5040	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)




Finish: Clear Acrylic glass (75) Gunmetal (GM)





E41436-75GM
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E41436	75GM	72W LED 3000K (Integrated)	39"L x 39"W x 39.5"H x 74"OAH	80+	5040	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)   

Finish: Clear Acrylic glass (75) Gunmetal (GM)


LIGHT SABER

- Adjustable arms create individually unique forms
- Large scale pieces finished in gunmetal
- Laser cut pattern within aluminum diffusers to illuminate enclosed LED modules
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer




E41430-75GM
Wall Mount






B



E41435-75GM
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41435	75GM	42W LED 3000K (Integrated)	74.5"L x 44.5"W x 36.75"H x 85"OAH	80+		2940	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)   
B	E41430	75GM	6W LED 3000K (Integrated)	8.25"W x 26.75"H x 7.25"Ext.	12"	80+	420	 


Finish: Clear Acrylic glass (75) Gunmetal (GM)






E41432-75GM
Pendant

C



E41433-75GM
Pendant

D



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
C	E41432	75GM 36W LED 3000K (Integrated)	23.75"L x 23.75"W x 21.5"H x 63"OAH	80+	2520	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)
D	E41433	75GM 30W LED 3000K (Integrated)	39"L x 33.75"W x 44.75"H x 94.5"OAH	80+	2100	Includes Two 6" Stems (ESTR07506GM-SG) Includes Three 12" Stems (ESTR07512GM-SG)

Finish: Clear Acrylic glass (75) Gunmetal (GM)




SATELLITE


A celestial metal frame finished in your choice of Polished Chrome or Bronze support round Clear glass balls which are illuminated by integrated LED modules. Frosted cone shaped diffusers are added as a design element and softly diffuse the light.

SATELLITE





- Uniquely shaped metal frame finished in Polished Chrome or Bronze
- Clear glass balls with cone shaped acrylic diffusers softly illuminate integrated LED modules
- 3000K Color Temperature, CRI 80+, dimmable



E24284-24BZ, -24PC
Pendant
A



E24286-24BZ, -24PC
Pendant
B

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24284 24BZ, 24PC	28.8W LED 3000K (Integrated)	34.25"W x 17"H x 54"OAH	80+	2016	Includes One 6" Stem (ESTR06006BZ-AN, PC-AN) Includes Three 12" Stems (ESTR06012BZ-AN, PC-AN)  
B	E24286 24BZ, 24PC	38.4W LED 3000K (Integrated)	41.25"W x 22"H x 57"OAH	80+	2688	Includes One 6" Stem (ESTR06006BZ-AN, PC-AN) Includes Three 12" Stems (ESTR06012BZ-AN, PC-AN)  

Finish options: Clear glass (24) Bronze (BZ) Polished Chrome (PC)



CANDELA

Cone shaped acrylic diffusers are supported by arms that branch out of a central stem to create a European-modern look in this chandelier, finished in either Bronze or Polished Chrome. These large scale LED chandeliers would be at home in either dining or entry hall applications.


CANDELA

- Modern take on the traditional chandelier
- Cone shaped acrylic diffusers
- Finished in either Bronze or Polished Chrome
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E24367-09BZ, 09PC
Chandelier

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24367	09BZ, 09PC	72W LED 3000K (Integrated)	44.5"W x 18.25"H x 141.25"OAH	80+	5040	

Finish Options: Frost White glass (09) Bronze (BZ) Polished Chrome (PC)


CANDELA

- Modern take on the traditional chandelier
- Cone shaped acrylic diffusers
- Finished in either Bronze or Polished Chrome
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E24365-09BZ, 09PC
Chandelier

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24365	09BZ, 09PC	43.2W LED 3000K (Integrated)	32.75"W x 12.75"H x 135.75"OAH	80+	3024	  


Finish Options: Frost White glass (09) Bronze (BZ) Polished Chrome (PC)





E24363-09BZ, 09PC
Chandelier

B



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B E24363	09BZ, 09PC	57.6W LED 3000K (Integrated)	33"W x 15.5"H x 138"OAH	80+	4032	  

Finish Options: Frost White glass (09) Bronze (BZ) Polished Chrome (PC)




SPOKE

Square tube arms protrude from a polygonal cast hub with recessed acrylic lenses at its ends to conceal LED modules for direct and indirect up-down illumination. Available in both 6 and 8 arm configurations and 3 finish options Matte White, Brushed Aluminum, and Coffee.

SPOKE



AL Aluminum



COF Coffee




MW Matte White

- Cast and extruded aluminum available in: Matte White, Brushed Aluminum and Coffee
- Hidden LED light source behind recessed frosted acrylic lenses
- Up-Down Light
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer




E21026-AL, -COF, -MW
Pendant

A



E21028-AL, -COF, -MW
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21026	AL	29.75"W x 25.75"H x 73.25"OAH	80+	2520	Includes One 6" Stem (ESTR06206AL-JM, COF-JM, MW-JM) Includes Three 12" Stems (ESTR06212AL-JM, COF-JM, MW-JM)
		COF				
		MW				
B	E21028	AL	30.75"W x 25.75"H x 73.25"OAH	80+	3570	Includes One 6" Stem (ESTR06206AL-JM, COF-JM, MW-JM) Includes Three 12" Stems (ESTR06212AL-JM, COF-JM, MW-JM)
		COF				
		MW				

Finish options: Aluminum (AL) Coffee (COF) Matte White (MW)


TRAVERSE

Multiple squares finished in Champagne, are layered in a geometric pattern to form an interesting lighting sculpture. Enclosed behind the white acrylic lens is high power LED for even and economical illumination.



E21515-CHP
Pendant

A




TRAVERSE

- All are integrated LED
- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80




E21510-CHP
Wall Mount

B



E21513-CHP
Flush Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E21515	CHP	86W LED 3000K (Integrated)	35.5"W x 6"H x 127.75"OAH		80	6020	
B	E21510	CHP	28W LED 3000K (Integrated)	28.5"W x 28.5"H x 3.5"Ext.	16.75"	80	1960	
C	E21513	CHP	86W LED 3000K (Integrated)	35.5"L x 23.5"W x 6.75"H		80	6020	

Finish: Champagne (CHP)



E24296-AL, -COF, -SC
Pendant

A




METALLIKA



Suspended squares of aluminum finished in three beautiful metallic finishes, Brushed Copper, Coffee, or Brushed Aluminum. Driven by high powered integrated LED modules, these classic shapes fit perfectly into today's interiors.

METALLIKA


- Extruded aluminum frame
- Available in three metallic finishes: Brushed Copper, Coffee, and Brushed Aluminum
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E24295-AL, -COF, -SC
Pendant



E24297-AL, -COF, -SC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24296 AL, COF, SC	64.8W LED 3000K (Integrated)	24.5"W x 2.75"H x 126.5"OAH	80+	4536	
B	E24295 AL, COF, SC	43.2W LED 3000K (Integrated)	16.5"W x 2.75"H x 126.5"OAH	80+	3024	
C	E24297 AL, COF, SC	86.4W LED 3000K (Integrated)	32.25"W x 2.75"H x 126.5"OAH	80+	6048	

Finish options: Brushed Aluminum (AL) Coffee (COF) Brushed Copper (SC)





QUANTUM

These Black aluminum pendants are unique in that they are formed as a tapered cylinder open at both the top and bottom. LEDs are mounted on the very top projecting down into a white acrylic diffuser, lining the inside of the pendant. The opening at the top provides up-light, as well as down-light.


QUANTUM

- Black Aluminum pendants with tapered cylinder
- Open bottom and top to provide up and down-lighting
- White Acrylic diffuser
- CRI 80+
- Dimmable with Triac Dimmer




E20908-BK
Pendant

A



E20906-BK
Pendant

B



• View from top



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20908	BK	2 x 40W LED 3000K (Integrated)	24"W x 12"H x 133.5"OAH	80+	5600	
B	E20906	BK	2 x 30W LED 3000K (Integrated)	17.5"W x 8.75"H x 130.5"OAH	80+	3500	

Finish: Black (BK)


QUANTUM

- Black Aluminum pendants with tapered cylinder
- Open bottom and top to provide up and down-lighting
- White Acrylic diffuser
- CRI 80+
- Dimmable with Triac Dimmer




E20904-BK
Pendant

A



E20901-BK
Pendant


B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20904	BK	41W LED 3000K (Integrated)	19.5"W x 2.25"H x 122.75"OAH	80+	2870	
B	E20901	BK	7W LED 3000K (Integrated)	6"W x 2.25"H x 123"OAH	80+	490	

Finish: Black (BK)







E20905-BK
Pendant
C



E20903-BK
Pendant
D



E20902-BK
Wall Mount
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
C	E20905	BK	58W LED 3000K (Integrated)	50"W x 2.25"H x 122.75"OAH		80+	4060	
D	E20903	BK	35W LED 3000K (Integrated)	30"W x 2.25"H x 123"OAH		80+	2450	
E	E20902	BK	7W LED 3000K (Integrated)	8"W x 7.5"H x 8"Ext.	6"	80+	490	

Finish: Black (BK)



PUFFS

Soft forms of Matte White glass like clouds moving through the sky are illuminated by columns of LEDs that protrude down the middle of each shade to evenly illuminate the glass with a soft ambient light.



PUFFS

- Matte White glass and Polished Chrome elements
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmer




E21123-11WT
Wall Mount

A



E21126-11WT
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E21123	11WT	2 x 4.8W LED 3000K (Incl.)	10.25"W x 14.5"H x 8"Ext.	7.25"	80	672	LED
B	E21126	11WT	12 x 4.8W LED 3000K (Incl.)	33"W x 20"H x 54"OAH		80	4032	Includes One 6" Stem (ESTR06006WT-AN) Includes Three 12" Stems (ESTR06012WT-AN) LED

Finish: Matte White glass (11) White (WT)




MIDNIGHT SHOWER

Like the sparkle of the night sky at midnight, elegant strands of smoky crystal bring in the new day as they are suspended by Polished Chrome supports in a linear array. LED modules within the metal frame are diffused to remove glare and allow the crystal to twinkle.


MIDNIGHT SHOWER

- Concealed LED light source
- Smoky crystal strands
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E23098-138PC
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E23098	138PC	40W LED 3000K (Integrated)	45.25"L x 9.5"W x 7.5"H x 123"OAH	80+	2800	

Finish: Smoky crystal (138) Polished Chrome (PC)

MIDNIGHT SHOWER

- Concealed LED light source
- Smoky crystal strands
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E23096-138PC
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E23096	138PC	24W LED 3000K (Integrated)	27.5"L x 17"W x 7.5"H x 123"OAH	80+	1680	

Finish: Smoky crystal (138) Polished Chrome (PC)







E23094-138PC
Pendant
B



E23091-138PC
Wall Mount
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B	E23094	138PC	20W LED 3000K (Integrated)	15.25"L x 15.25"W x 12.75"H x 123"OAH		80+	1400	
C	E23091	138PC	10W LED 3000K (Integrated)	10.75"W x 8.75"H x 4"Ext.	2.25"	80+	700	

Finish: Smoky crystal (138) Polished Chrome (PC)




BLOCS LED

The building blocks of style. This collection comes in a wide variety of applications for the most innovative illumination solutions. The lamp configurations boast thick, Clear/Frosted square glasses encasing G9 LED bulbs. Light blocks are anchored to a highly reflective Polished Chrome frame that reflects their simple elegance.

BLOCS LED

- Dimmable G9 LED bulbs included
- Thick glass blocks with frosted openings
- 3000K Color Temperature, CRI 80+
- Dimmable with Electronic Low Voltage Dimmer



E32036-18PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E32036	18PC	17.6W LED G9 3000K (Incl.)	23.5"L x 11.5"W x 3.5"H x 118"OAH	80+	3520	  

Finish: Clear glass (18) Polished Chrome (PC)

BLOCS LED


- Dimmable G9 LED bulbs included
- Thick glass blocks with frosted openings
- 3000K Color Temperature, CRI 80+
- Dimmable with Electronic Low Voltage Dimmer



E32038-18PC
Flush Mount


B

SQUARE



E32034-18PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E32034	18PC	13.2W LED G9 3000K (Incl.)	35.5"L x 2.5"W x 3.5"H x 118"OAH	80+	2640	
B	E32038	18PC	8.8W LED G9 3000K (Incl.)	8"W x 4"H	80+	1760	


Finish: Clear glass (18) Polished Chrome (PC)






E32031-18PC
Wall Mount

C




E32032-18PC
Wall Mount

D




E32033-18PC
Bath Vanity

E




E32170-18PC
Bath Vanity

F



E32171-18PC
Bath Vanity

G



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
C	E32031	18PC	2.2W LED G9 3000K (Incl.)	6"W x 4.75"H x 4.5"Ext.	3.5"	80+	440	LED
D	E32032	18PC	4.4W LED G9 3000K (Incl.)	11.75"W x 4.75"H x 4.5"Ext.	3.5"	80+	880	LED
E	E32033	18PC	6.6W LED G9 3000K (Incl.)	19.5"W x 4.75"H x 4.5"Ext.	3.5"	80+	1320	LED
F	E32170	18PC	8.8W LED G9 3000K (Incl.)	27.5"W x 4.75"H x 4.5"Ext.	3.5"	80+	1760	LED
G	E32171	18PC	11W LED G9 3000K (Incl.)	35.5"W x 4.75"H x 4.5"Ext.	3.5"	80+	2200	LED

Finish: Clear glass (18) Polished Chrome (PC)



PIZZAZZ


Rectangular cubes of aluminum finished in your choice of Coffee or Polished Chrome are interconnected in geometric forms. Generous amount of LED illumination filter through a sparkling Crystalline acrylic diffuser to create a spectacular display.

PIZZAZZ


- Rectangular cubes of Crystalline acrylic diffusers
- High powered LEDs deliver generous amounts of light
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer



E24465-160COF, -160PC
Pendant



E24466-160COF, -160PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24465	160COF, 160PC	36W LED 3000K (Integrated)	24.25"L x 8"W x 6.5"H x 130"OAH	80+	2520	
B	E24466	160COF, 160PC	50.4W LED 3000K (Integrated)	31.25"L x 12.25"W x 8.5"H x 132"OAH	80+	3528	

Finish: Crystalline (160) Coffee (COF) Polished Chrome (PC)


PIZZAZZ

- Rectangular cubes of Crystalline acrylic diffusers
- High powered LEDs deliver generous amounts of light
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac Dimmer




E24467-160COF, -160PC
Flush Mount

A




E24468-160COF, -160PC
Flush Mount

B



E24469-160COF, -160PC
Flush Mount

C





ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24467 160COF, 160PC	43.2W LED 3000K (Integrated)	22.75"L x 14.25"W x 5.5"H	80+	3024	
B	E24468 160COF, 160PC	64.8W LED 3000K (Integrated)	22.75"L x 22.75"W x 5.5"H	80+	4536	
C	E24469 160COF, 160PC	86.4W LED 3000K (Integrated)	29.25"L x 22.75"W x 5.5"H	80+	6048	

Finish: Crystalline (160) Coffee (COF) Polished Chrome (PC)







E24461-160COF, -160PC
Wall Mount



E24463-160COF, -160PC
Wall Mount



E24464-160COF, -160PC
Wall Mount



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
D	E24461 160COF, 160PC	7.2W LED 3000K (Integrated)	4.75"W x 7"H x 3.25"Ext.	3.5"	80+	504	
E	E24463 160COF, 160PC	21.6W LED 3000K (Integrated)	22.25"W x 4.25"H x 4.75"Ext.	2.25"	80+	1512	
F	E24464 160COF, 160PC	28.8W LED 3000K (Integrated)	30"W x 4.25"H x 4.75"Ext.	2.25"	80+	2016	

Finish: Crystalline (160) Coffee (COF) Polished Chrome (PC)



PIVOT LED




Redefining wall-mounted lighting, the Pivot collection brings versatility to a once static fixture, adding uniqueness to any design space. Install this sleek Polished Chrome bar in any room or office and simply pivot it to instantly change the focus and the mood. Angled over a LED bulb that saves energy, the elongated Clear acrylic with frosted edges diffuses harsh beams and casts the room in a pleasant light.

PIVOT LED


- Lens details: Metal strip on lens
- ADA Approved
- 3000K Color Temperature
- Suitable for Damp locations









E32372-18PC
Wall Sconce
A



E32373-18PC
Wall Sconce
B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E32372	18PC	27W PCB LED 3000K (Incl.)	27.25"W x 4.75"H x 3.75"Ext.	1"	90	1890	Lights rotate a 359°   
B	E32373	18PC	38W PCB LED 3000K (Incl.)	39.25"W x 4.75"H x 3.75"Ext.	1"	90	2660	Lights rotate a 359°   

Finish: Clear glass (18) Polished Chrome (PC)



E41390-11MW
Pendant

A



CYCLONE

Twisted aluminum channels of Matte White terminate into solid castings to form unique and functional lighting designs. Large scale pieces can be used in conference rooms and tall entries with the comfort of long life LED on board.



CYCLONE

- Twisted aluminum channels terminate at solid castings
- Unique and functional LED lighting designs
- Large scale pieces for commercial and residential applications
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac dimmers

E41398-11MW
Floor Lamp



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41390	11MW	23W LED 3000K (Integrated)	42.25"W x 8.75"H x 128.75"OAH	80+	1610	
B	E41398	11MW	44W LED 3000K (Integrated)	9.75"W x 71.75"H	80+	3080	

Finish: Matte White glass (11) Matte White (MW)




CYCLONE

- Twisted aluminum channels terminate at solid castings
- Unique and functional LED lighting designs
- Large scale pieces for commercial and residential applications
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac dimmers



E41396-11MW
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41396	11MW	44W LED 3000K (Integrated)	71"W x 8.75"H x 129.75"OAH	80+	3080	  

Finish: Matte White glass (11) Matte White (MW)






E41394-11MW
Pendant







B



E41392-11MW
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E41394	11MW	44W LED 3000K (Integrated)	8.75"W x 71"H x 198.5"OAH	80+	3080	  
C	E41392	11MW	23W LED 3000K (Integrated)	8.75"W x 42.75"H x 169.75"OAH	80+	1610	  

Finish: Matte White glass (11) Matte White (MW)

ALUMILUX


Our Alumilux collection of state of the art LED luminaires is now expanding to other product categories. Originally Alumilux was interior and exterior wall sconces and landscape lighting. We now have bath vanity, hanging pendants, and chandeliers. All made of solid aluminum many of which are machined from solid block. All of which are manufactured to the highest standards in the industry suitable for residential or commercial installations.






ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Selection of interior fixtures dimmable with Electronic Low Voltage dimmer



E41445-SA, WT
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E41445	SA, WT	27W LED 3000K (Integrated)	44.75"L x 44.75"W x 16.25"H x 138.5"OAH	90	1890	   

Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Selection of interior fixtures dimmable with Electronic Low Voltage dimmer




E41443-SA, WT
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41443	SA, WT	23W LED 3000K (Integrated)	44.5"L x 44.5"W x 20.25"H x 135.25"OAH	90	1610	   

Finish options: Satin Aluminum (SA) White (WT)






- Adjustable
- Dimmable with triac dimmer



E41440-SA, WT
Wall Sconce

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
B E41440	SA, WT	7W LED 3000K (Integrated)	4.75"W x 31"H x 4"Ext.	25"	90	490	420	

Finish options: Satin Aluminum (SA) White (WT)


ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Selection of interior fixtures dimmable with Electronic Low Voltage dimmer
- Twisted 120V wire



E41484-WT
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E41484	WT	3 x 4W COB LED 3000K (Integrated))	17.25"L x 4.5"W x 3"H x 122"OAH	90	840 930	

Finish: White (WT)





E41483-WT
Pendant
B



E41481-WT
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E41483	WT	3 x 4W COB LED 3000K (Integrated)	10"W x 3.75"H x 122"OAH	90	840	930	
C	E41481	WT	1 x 4W COB LED 3000K (Integrated)	4.75"W x 3"H x 121.5"OAH	90	360	310	

Finish: White (WT)


ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer



E41467-SA, WT
Pendant


A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41467	SA, WT	30W LED 3000K (Integrated)	46.75"W x 4.5"W x 2.75"H x 122.5"OAH.	90	2100	  

Finish options: Satin Aluminum (SA) White (WT)





E41468-SA, WT
Pendant
B



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B E41468	SA, WT	35W LED 3000K (Integrated)	58.25"W x 4.5"W x 2.75"H x 122.5"OAH.	90	2450	  

Finish options: Satin Aluminum (SA) White (WT)



ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer



E41465-SA, WT
Wall Sconce

A




- Rotates 180° degrees

ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
A	E41465	SA, WT	20W LED 3000K (Integrated)	36"W x 4.5"H x 4.25"Ext.	2.25"	90	1400	750	


Finish options: Satin Aluminum (SA) White (WT)






E41464-SA, WT
Wall Sconce

B



E41463-SA, WT
Wall Sconce

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
B	E41464	SA, WT	15W LED 3000K (Integrated)	30"W x 4.5"H x 4.25"Ext.	2.25"	90	1050	580	
C	E41463	SA, WT	10W LED 3000K (Integrated)	24"W x 4.5"H x 4.25"Ext.	2.25"	90	700	420	

Finish options: Satin Aluminum (SA) White (WT)


ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Dimmable with Electronic Low Voltage dimmer
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90



E41460-SA, WT
Wall Sconce


A



- Rotates 180° degrees




• Adjustable



E41326-SA, WT
Wall Sconce

B





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41460	SA, WT	8W LED 3000K (Integrated)	4.25"W x 15.25"H x 4.25"Ext.	13"	90	560	430	
B	E41326	SA, WT	4W COB LED 3000K (Incl.)	4.25"W x 4.25"H x 3.5"Ext.	3.5"	90	280	140	


Finish options: Satin Aluminum (SA) White (WT)





ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Selection of interior fixtures dimmable with Electronic Low Voltage dimmer



E41373-SA, WT
Outdoor Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A E41373	SA, WT	7W LED 3000K (Incl.)	7"W x 8.5"H x 2.5"Ext.	4.25"	90	490	460	Dim. with triac dimmer    

Finish options: Satin Aluminum (SA) White (WT)








- Adjustable
- Indirect



E41333-SA, WT
Outdoor Wall Sconce

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B E41333	SA, WT	8W LED 3000K (Incl.)	5"W x 7"H x 2.75"Ext.	3.5"	90	560	170	Dim. with ELV dimmer    


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with ELV dimmer





- Adjustable
- Indirect






E41374-SA, BZ
Outdoor Wall Sconce

A



E41375-SA, BZ
Outdoor Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41374	SA, BZ	4W LED 3000K (Integrated)	4.75"W x 4.75"H x 2.5"Ext.	2.25"	90	280	220	
B	E41375	SA, BZ	4W LED 3000K (Integrated)	6.25"W x 6.25"H x 2"Ext.	3.25"	90	280	220	


Finish options: Satin Aluminum (SA) Bronze (BZ)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer



E41329-SA, WT
Outdoor Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				HCO	CRI INIT. DEL.	
A E41329	SA, WT	8W LED 3000K (Incl.)	4.5"W x 4.5"H x .75"Ext.	3.25"	90 560 70	


Finish options: Satin Aluminum (SA) White (WT)






E41380-BZ, WT
Outdoor Wall Sconce

B




E41381-BZ, WT
Outdoor Wall Sconce










C



E41382-BZ, WT
Outdoor Wall Sconce

D




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				HCO	CRI	INIT. DEL.		
B E41380	BZ, WT	6W LED 3000K (Integrated)	5.25"W x 5.25"H x 1.75"Ext.	2.75"	80	600	295	Backlit Indirect   
C E41381	BZ, WT	8W LED 3000K (Integrated)	7"W x 7"H x 1.75"Ext.	3.5"	80	800	505	Backlit Indirect   
D E41382	BZ, WT	15W LED 3000K (Integrated)	11.75"W x 11.75"H x 2.75"Ext.	6"	80	1500	1250	Backlit Indirect   

Finish options: Bronze (BZ) White (WT)

ALUMILUX


- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90






E41048-BZ, WT
Outdoor Wall Sconce

A



E41047-BZ, WT
Outdoor Wall Sconce

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41048	BZ, WT	19W COB LED 3000K (Integrated)	13.75"W x 13.75"H x 2.75"Ext.	11"	90	1330	680	
B	E41047	BZ, WT	9W COB LED 3000K (Integrated)	7.75"W x 7.5"H x 2.75"Ext.	5"	90	630	550	

Finish options: Bronze (BZ) White (WT)

ALUMILUX



- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+









E41376-WT
Wall Sconce

A



E41378-WT
Wall Sconce


B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41376	WT	4W LED 3000K (Integrated)	6"W x 6"H x 2"Ext.	3"	80	360	110	Direct, Indoor only  
B	E41378	WT	5W LED 3000K (Integrated)	9"W x 9"H x 2.25"Ext.	4.5"	80	500	295	Direct, Indoor only  

Finish: White (WT)


ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+



E41386-SA, WT
Outdoor Wall Sconce

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				HCO	CRI	INIT. DEL.	
A E41386	SA, WT	4W LED 3000K (Integrated)	4.5"W x 4.5"H x 3"Ext.	2.25"	80	360 75	


Finish options: Satin Aluminum (SA) White (WT)








E41385-WT
Outdoor Wall Sconce

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				HCO	CRI	INIT. DEL.	
B E41385	WT	5W LED 3000K (Integrated)	9"W x 7.5"H x 4.25"Ext.	4.25"	80	500 290	Indirect   


Finish: White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+



E41388-SA, WT
Outdoor Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	CRI	DEL.	
A E41388	SA, WT	10W LED 3000K (Integrated)	6"W x 6"H x 2"Ext.	3"	80	720	490	Backlit Indirect   


Finish options: Satin Aluminum (SA) White (WT)








E41470-WT
Flush Mount

B



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
B E41470	WT	15W COB LED 3000K (Incl.)	7.75"W x 4.25"H	90	1350	1150	Dimmable with ELV dimmer   

Finish: White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+






E41348-WT
Outdoor Wall Sconce



E41346-WT
Outdoor Wall Sconce



E41344-WT
Outdoor Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41348	WT	60W LED 3000K (Integrated)	4.5"W x 96"H x 2.25"Ext.	48"	90	4200	WET CA T24 LED
B	E41346	WT	50W LED 3000K (Integrated)	4.5"W x 73"H x 2.25"Ext.	36.5"	90	3500	WET CA T24 LED
C	E41344	WT	30W LED 3000K (Integrated)	4.5"W x 51"H x 2.25"Ext.	25.5"	90	2100	WET CA T24 LED

Finish: White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+




• Available in 12V & 120V input




E42404-BZ, SA, WT
E41404-BZ, SA, WT
Outdoor Wall Sconce

A




E42403-BZ, SA, WT
E41403-BZ, SA, WT
Outdoor Wall Sconce


B



SA Satin Aluminum



BZ Bronze



WT White



E42400

Required for installation
Sold separately

C

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A	E42404 BZ, SA, WT	2W 120V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80	180 70	
A	E41404 BZ, SA, WT	2W 12V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80	180 70	
B	E42403 BZ, SA, WT	2W 120V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80	180 70	
B	E41403 BZ, SA, WT	2W 12V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80	180 70	
C	E42400		4"W x 4"H x 2"Ext.			

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)




ALUMILUX

- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90




E41358-BK
Pathway Light

A



E41357-BK
Pathway Light

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E41358	BK	9W LED 3000K (Integrated)	5.75"W x 4"H	90	630	250	FOR WET LOCATION T24 LED
B	E41357	BK	12W LED 3000K (Integrated)	5.75"W x 3.75"H	90	840	220	FOR WET LOCATION T24 LED


Finish: Black (BK)






WT White

• Includes ground spike anchor bolts



E41049-BZ, WT
Pathway Light
C

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
C E41049	BZ, WT	12W COB LED 3000K (Integrated)	13.75"L x 4"W x 13.5"H	90	840	610	

Finish options: Bronze (BZ) White (WT)

ALUMILUX


- Available in various shapes and finishes
- Collection features full range of products from pendants, flush mounts, interior/exterior wall sconces, and landscape lighting
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90






E41383-BZ, WT
Pathway Light

A



E41370-BZ, GY
Pathway Light

B



• Includes ground spike anchor bolts



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E41383	BZ, WT	8.4W LED 3000K (Integrated)	6"L x 2"W x 23.75"H	90	588 400	
B	E41370	BZ, GY	12W LED 3000K (Integrated)	5"L x 5"W x 23.5"H	90	840 450	

Finish options: Bronze (BZ) Matte Grey (GY) White (WT)

INDEX
















E20901.....	53	E24296.....	49	E41370.....	110
E20902.....	54	E24297.....	50	E41373.....	89
E20903.....	54	E24363.....	44	E41374.....	92
E20904.....	53	E24365.....	43	E41375.....	92
E20905.....	54	E24367.....	42	E41376.....	98
E20906.....	52	E24461.....	68	E41378.....	98
E20908.....	52	E24463.....	68	E41380.....	94
E21026.....	46	E24464.....	68	E41381.....	94
E21028.....	46	E24465.....	66	E41382.....	94
E21123.....	56	E24466.....	66	E41383.....	110
E21126.....	56	E24467.....	67	E41385.....	100
E21320.....	6	E24468.....	67	E41386.....	99
E21322.....	6	E24469.....	67	E41388.....	101
E21325.....	5	E24580.....	10	E41390.....	71
E21420.....	3	E24582.....	10	E41392.....	74
E21422.....	4	E24584.....	9	E41394.....	74
E21423.....	4	E24586.....	8	E41396.....	73
E21425.....	2	E24670.....	30	E41398.....	72
E21428.....	3	E24672.....	30	E41403.....	106
E21510.....	48	E24674.....	29	E41404.....	106
E21513.....	48	E24676.....	28	E41430.....	37
E21515.....	47	E32031.....	64	E41432.....	38
E22653.....	16	E32032.....	64	E41433.....	38
E22654.....	16	E32033.....	64	E41435.....	37
E22655.....	14	E32034.....	63	E41436.....	36
E22656.....	14	E32036.....	62	E41437.....	35
E22657.....	15	E32038.....	63	E41438.....	34
E22662.....	17	E32170.....	64	E41440.....	80
E22664.....	13	E32171.....	64	E41443.....	79
E22665.....	12	E32372.....	70	E41445.....	78
E22667.....	18	E32373.....	70	E41460.....	87
E22668.....	18	E32572.....	26	E41463.....	86
E22910.....	22	E32574.....	26	E41464.....	86
E22912.....	22	E32576.....	23	E41465.....	85
E22914.....	20	E32578.....	25	E41467.....	83
E22918.....	21	E41047.....	96	E41468.....	84
E23091.....	60	E41048.....	96	E41470.....	102
E23094.....	60	E41049.....	108	E41481.....	82
E23096.....	59	E41326.....	88	E41483.....	82
E23098.....	58	E41329.....	93	E41484.....	81
E23100.....	32	E41333.....	90	E42400.....	106
E23103.....	31	E41344.....	104	E42403.....	106
E23105.....	32	E41346.....	104	E42404.....	106
E24284.....	40	E41348.....	104		
E24286.....	40	E41357.....	107		
E24295.....	50	E41358.....	107		

FINISHES, GLASS












Code	Finish
AL	Aluminum
BK	Black
BZ	Bronze
CHP	Champagne
COF	Coffee
GM	Gunmetal
GY	Matte Gray
MS	Metallic Silver
MW	Matte White
NWD	Natural Wood
OI	Oil Rubbed Bronze
PC	Polished Chrome
SA	Satin Aluminum
SB	Steel Blue
SC	Brushed Copper
WT	White

Code	Glass
09	Frost White
11	Matte White
18	Clear
19	Lead - Glass
20	Crystal
24	Clear
75	Clear Acrylic
138	Smoke
160	Crystalline

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUCF-FT18-2G11-830	CF	2G11	18	18W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-FT36-2G11-830	CF	2G11	36	36W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-CFQ13-G24Q-1-827	CF	G24q-1	13	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
	BUCF-CFQ18-G24Q-2-827	CF	G24q-2	18	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
	BUCF-CFQ26-G24Q-3-827	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
	BUCF-CFQ26-G24Q-3-830	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
	BUCF-CFQ13-GX23-2-827	CF	GX23-2	13	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
	BUF-SP13-GU24-827	F	GU24	13	13W FL Spiral GU24 Bulb 2700K
	BUF-SP18-GU24-827	F	GU24	18	18W FL Spiral GU24 Bulb 2700K
	BUF-SP26-GU24-827	F	GU24	26	26W FL Spiral GU24 Bulb 2700K
	BUF-SPLP13-GU24-827	F	GU24	13	13W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-SPLP18-GU24-827	F	GU24	18	18W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-F13T5-831	F	T5	13	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
	BUF-F16T5-831	F	T5	16	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
	BUF-F21T5-827	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
	BUF-F21T5-830	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
	BUF-F24T5-835	F	T5	24	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
	BUF-F26T5-831	F	T5	26	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
	BUF-F39T5-835	F	T5	39	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
	BUF-F8T5-831	F	T5	8	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
	BUF-FC8T9-WW	F	T9	22	22W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC12T9-WW	F	T9	32	32W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC16T9-WW	F	T9	40	40W FL T9 Circline 4 Pin Bulb 3100K
	BUH-50W-PAR20-FL-CL-120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BUH-35W-GU10-CL-120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BUH-50W-GU10-CL-120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear
	BUI-40W-T10-E26-IF-120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-T10-E26-IF-120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-ST64-E26-CL-120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BUL-4W-E12-T-CL-120V-827	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BUL-.2W-G3-CL-12V	L	G3	0.2	.2W LED G3 12V 3500K Bulb Clear
	BUL-1.5W-G4-CL-12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BUL-2.3W-G9-CL-120V-835	L	G9	2.3	2.3W LED G9 3500K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-827	L	G9	2.9	2.9W LED G9 2700K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-835	L	G9	2.9	2.9W LED G9 3500K 120V Bulb Clear



Linedrawings	Item	Type	Base	Watt	Description
	BUL-5W-GU10-FT-120V-830	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear
	BUL-11W-GU24-CL-120V-830	L	GU24	11	11W LED GU24 3000K 120V Clear
	BUL-7W-GU24-CL-120V-830	L	GU24	7	7W LED GU24 3000K 120V Clear
	BUL-9W-GU24-FT-120V-830	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BUL-3W-MR11-CL-12V	L	MR11	3	3W LED MR11 12V 3000K Bulb Clear
	BUL-3W-MR16-FL-CL-12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BUL-7W-MR16-FL-CL-12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BUL-11W-PAR30-CL-120V-830	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BUL-16W-PAR38-CL-120V-830	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BUX-10W-G4-CL-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-10W-G4-FT-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-20W-G4-CL-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-20W-G4-FT-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-35W-G4-CL-12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-35W-G6.35-CL-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-35W-G6.35-FT-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-50W-G6.35-CL-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-50W-G6.35-FT-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-20W-G8-CL-120V	X	G8	20	20W Xenon Bi-Pin G8 120V Bulb Clear
	BUX-25W-G9-CL-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-25W-G9-FT-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-40W-G9-CL-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-40W-G9-FT-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-50W-G9-CL-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-50W-G9-FT-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-18W-WEDGE-CL-12V	X	WEDGE	18	18W Xenon Xelogen Wedge 12V Bulb Clear

Bulb Type Glossary

CF - Compact Fluorescent
 F - Fluorescent
 H - Halogen

I - Incandescent
 L - LED
 X - Xenon

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2017 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting





Contemporary Lighting™

LETCAT1701

\$5.00



ET2 Contemporary Lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901

Email: info@et2online.com
Web: www.et2online.com

#ET2lighting



ET2 Contemporary Lighting and all designs,
logos and images © 2017 ET2 Contemporary
Lighting. All Rights Reserved.