



HINKLEY

JUNE FAN SUPPLEMENT 2023

HINKLEY

THIS SUPPLEMENT INCLUDES NEW FANS AND ACCESSORIES.
FOR A COMPLETE PRODUCT OFFERING, VISIT [HINKLEY.COM](https://www.hinkley.com).

HINKLEY, INC. | 2023

HI THERE, WE'RE HINKLEY

Welcome to the *family*

We're here to make your research process a snap with our newest designs, featured collections, in-depth product details, curated styles, and endless inspiration throughout these pages and at hinkley.com.

Our easy-to-use website will guide you through every ceiling fan and lighting decision. We deliver the most helpful product features, specs and tips at-a-glance for every project, as well as a quick connection to our elite network of retailers.

Once you've welcomed Hinkley into your home, stay connected with us. We know that sometimes things happen, and we want to answer any questions as quickly as possible.

Just head to hinkley.com/register - we're always here if you have a question, need some help, or want to chat about our products.

Discover designs to deck out your space

INSPIRATION AWAITS

Just like you, we've reconnected with our homes and appreciate more than ever how important these interior and exterior spaces are to our health, happiness and well-being.

We love seeing how you live and sharing ideas and inspiration with each other. Stay in the loop on all Hinkley happenings, from your favorite styles, the best (seriously) giveaways, helpful tips, our latest collabs, Team Hinkley hilarity, and brand new design drops [@hinkleylighting](https://www.instagram.com/hinkleylighting)



#hinkleystyle

TABLE OF CONTENTS

Every Hinkley product is thoughtfully designed and carefully crafted with important features, so we have created useful icons and finish codes to help you with your fan selections.

Below is a key describing each of these icons in detail as well as a list of our product finishes with abbreviated codes for easy reference.

FANS

52" ALTA	28
66" CONCUR	26
60" DRAFTSMAN	30
72" DRAFTSMAN	32
52" FACET	22
60" FACET	24
56" IVER	16
52" NEO	34
60" SWELL	18
80" SWELL	20
44" UNA	12
56" UNA	14

REGENCY SERIES FANS

36" CHET	36
48" CHET	38

HINKLEY HOME AUTOMATION	04
SAY HELLO TO HIRO	08
INDEX	40

FINISH CODES + NAMES

FBN	BRUSHED NICKEL
FGT	GRAPHITE
FHB	HERITAGE BRASS
FMB	MATTE BLACK
FMW	MATTE WHITE
FMM	METALLIC MATTE BRONZE

ICONS + DESCRIPTIONS



COASTAL ELEMENTS COLLECTION

Versatile designs offering maximum durability in harsh climates.



DAMP

Suitable for use in damp (interior moist and outdoor no direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



DC MOTOR

Fan comes equipped with a DC motor which uses up to 70% less energy than an AC motor and runs cooler and quieter for a longer life.



ETL LISTED

Fan has been tested by Intertek and found in compliance with accepted national safety standards.



HIRO CONTROL

All-in-one wireless remote and wall control combines flexible operation for fan speed and light control with ease of installation for multiple configurations.



LED

Fan supplied with fully integrated LEDs and drivers or specifically matched LED bulbs based on performance and application.



REGENCY SERIES

Fan is a Regency Series design, offering affordable, all-purpose styles.



UL LISTED

Fan has been tested by Underwriters Laboratories and found in compliance with accepted national safety standards.



WET

Suitable for use in wet (interior direct splash and outdoor direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



WiFi

Fan is WiFi compatible.

PICTORIAL INDEX



52" ALTA
905152
Page 28
Brushed Nickel, Matte Black,
Matte White, Metallic Matte Bronze

DC ♻️ 🔥 📶 HIRO



36" CHET
905236
Page 36
Heritage Brass,
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



48" CHET
905248
Page 38
Heritage Brass,
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



66" CONCUR
904566
Page 26
Brushed Nickel, Matte Black,
Matte White, Metallic Matte Bronze

DC ♻️ 🔥 📶 HIRO



60" DRAFTSMAN
905360
Page 30
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



72" DRAFTSMAN
905372
Page 32
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



52" FACET
905852
Page 22
Heritage Brass, Matte Black,
Matte White

DC ♻️ 🔥 📶 HIRO



60" FACET
905860
Page 24
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



56" IVER
905756
Page 16
Matte Black, Matte White,
Metallic Matte Bronze

DC ♻️ 🔥 📶 HIRO



52" NEO
905452
Page 34
Matte Black, Matte White

DC ♻️ 🔥 📶 HIRO



60" SWELL
903860
Page 18
Matte Black, Matte White,
Graphite

DC 🔥 📶 HIRO



80" SWELL
903880
Page 20
Matte Black, Matte White,
Graphite

DC 🔥 📶 HIRO



44" UNA
905644
Page 12
Heritage Brass, Matte Black,
Matte White

DC ♻️ 🔥 📶 HIRO



56" UNA
905656
Page 14
Heritage Brass, Matte Black,
Matte White

DC ♻️ 🔥 📶 HIRO


**MORE BREEZY BEAUTIES ARE WAITING TO BE DISCOVERED!
EXPLORE OUR FULL LINE OF FANS AT HINKLEY.COM**

TAKE A SPIN THROUGH THE

HINKLEY HOME AUTOMATION APP

INTRODUCING THE EFFICIENT WAY TO MAKE YOUR SPACE SMARTER

Simply connect your Hinkley smart fan to the app and enjoy complete control via your smart device. Every Hinkley fan model can be a smart fan: Hinkley 6-speed DC fans are ready to connect out of the box and Hinkley 3 and 4-speed fans are WiFi adaptable with the purchase of an accessory control.



HINKLEY

PAIR WITH HINKLEY APP

Download on **APP STORE**
or **GOOGLE PLAY**

COMPLETE CONTROL IN THE PALM OF YOUR HAND



EASY TO USE CUSTOMIZATION:

Turn the light on & off, switch the fan direction, and change the wind speed and light brightness on a slidable scale.



GROUP FANS TOGETHER:

Pair multiple smart fans together and control them all at once – no need to mess with multiple device settings.



SET IT + FORGET IT:

Make life seamless by setting schedules and preferences.



SMART DEVICE ENABLED:

Go hands-free with the option to manage your fan settings with smart home voice-controlled devices.



ACTIVATE BREEZE MODES:

Toggle between normal airflow speeds and varying airflow speeds with breeze mode.



EASILY SHARE ACCESS:

Easily share access to fan controls with family members or house guests.

Any of our styles can be WiFi enabled - refer to the “Included Controls” or “Optional Controls” on the product pages for WiFi capabilities.

ADVANCED SMART TECHNOLOGY

MAXIMUM COMFORT + CONTROL

Enjoy the breeze anytime, anywhere with Hinkley. Connect your smart fans to the Hinkley Home Automation app and customize your experience via your smartphone, tablet, or voice-controlled devices. Once connected, you can adjust your fan settings at the touch of a button – anytime, anywhere.

VERSATILE + ADAPTABLE

With the Hinkley Home Automation app, you can set up your space to accommodate your comfort – whatever that means to you.

EASILY REVERSE BLADE DIRECTION

Ceiling fans can help distribute heated or cooled air more efficiently, making your space more comfortable in every season. With the option to reverse the fan blades right within the app, you don't have to deal with pulling chains or flipping switches – simply select the direction and relax.

SIMPLIFY YOUR ROUTINE

Whether you're near or far, you can set timers or manually turn the light on and off via the app. Double up the convenience and group fans together to control them all at once.

OWN YOUR COMFORT

With the ability to adjust wind speed and light brightness on a slidable scale, you can customize your surroundings for maximum comfort.

QUICK + EASY SETUP

Download the Hinkley app today to get started. Setup is quick and simple, meaning you're only a few steps away from customizing your experience:



**Download the Hinkley app from
the App Store or Google Play**



**Create an account and
connect to home WiFi**



**Register your
Hinkley devices**



**Set controls, preferences,
and schedules**



**Enjoy complete control
at your fingertips**

**For detailed setup guides and
more information, visit [Hinkley.com](https://www.hinkley.com)
or scan the QR code:**




It is now easier than ever to incorporate more smart technology into your home with the Hinkley Home Automation app. Compatible with most smart devices, including Google, Alexa, and Siri, you can use the app or your voice to adjust fan settings and enjoy the convenience of being completely connected.

Say hello to...

HIRO

INNOVATIVE FAN REMOTE + WALL CONTROL SYSTEM



THE POWER OF HIRO

DESIGN

HIGHLY INTELLIGENT, ALL-IN-ONE, WIRELESS DESIGN.

AVAILABLE IN 3 COLORS (WHITE, LIGHT ALMOND + BLACK).

FLEXIBILITY

SECURES TO A FLAT WALL OR SWITCH BOX.
CAN BE MOUNTED WITHIN A DECORATIVE FACE PLATE OR USED WITH AN OPTIONAL HANDHELD SILICONE HOLDER.

FUNCTIONALITY

COMPATIBLE WITH NEW OR EXISTING HINKLEY FANS.

UP TO 3 CONTROLS CAN BE CONNECTED TO EACH FAN.

TECHNOLOGY

INTEGRATES WITH OTHER SMART HOME DEVICES.

USES WIFI AND RF COMMUNICATION FOR SEAMLESS OPERATION.

TREY 52" 902752 FMM-LWD
VAUGHN SCONCE 51452 BK



OPTIONS INCLUDED IN BOX



**FACE PLATE
BRACKET**



**DECORATIVE
FACE PLATE**



**WALL
CRADLE**



**SWITCH
CRADLE**



**HIRO
REMOTE**

With the face plate bracket, wall cradle, decorative style face plate and remote transmitter, HIRO mounts on the wall without needing an electrician or additional wiring. HIRO is compatible with any decorator-style face plate and is easily retrofitted to any gang/receptacle location.

HIRO FITS ANYWHERE

The HIRO control is designed to work in any standard decorative style face plate.



NOW AVAILABLE IN THREE COLORS



980014 FLA-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FBK-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FWH-R
HIRO 6 Speed
Reversing Control
(Transmitter Only)



980014 FWH
HIRO 3 Speed
Non-Reversing Control
(Transmitter Only)

Whether using a remote, an app, or a wall control, the HIRO system from Hinkley is specifically designed to give the user full control when operating new or existing 6-speed, 4-speed, and 3-speed ceiling fans within the home.

NEW REMOTE STAND



SI 980014
HIRO Control Stand

The HIRO Remote Stand is designed for use with any HIRO Remote. Featuring a convertible design, you can use the stand vertically to prop the remote upright or flip it to hold the remote horizontally for easy button access in any position. The soft molded silicone material offers a comfortable, ergonomic grip.

- Silicone grip designed to work with any HIRO remote
- Molded with a soft, silicone material
- Comfortable, ergonomic grip and no-slip handling
- Can hold the remote vertically or horizontally on a flat surface for easy operation
- Includes stand only; HIRO Remote not included


LEARN MORE AT [HINKLEY.COM](https://www.hinkley.com)

44" UNA™

Una's modern, Scandinavian style is defined by the clean design and sleek functionality. The long, slightly tapered blades paired with the rounded light kit contribute to the striking profile. Una is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp rated, it's a versatile indoor/outdoor fan style to fit any application.



905644 FHB-LDD
HERITAGE BRASS WITH
MATTE BLACK BLADES



DESCRIPTION

905644 FHB-LDD - HERITAGE BRASS

905644 FMB-LDD - MATTE BLACK

905644 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 16° Blade Pitch
- 44" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 56" Lead Wire
- 10.58 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control

OPTIONAL ACCESSORY



932031 FXX
Light Kit Cover
Accessory



905644 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



905644 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5504	3452
ENERGY USE (WATTS)	39.9	26
AIRFLOW EFFICIENCY (CFM/W)	138	133
ENERGY COSTS (YEARLY)	\$11.00	\$7.00
AMPS	0.56	0.30
RPMS	200	123

56" UNA™

Una's modern, Scandinavian style is defined by the clean design and sleek functionality. The long, slightly tapered blades paired with the rounded light kit contribute to the striking profile. Una is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp rated, it's a versatile indoor/outdoor fan style to fit any application.



905656 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES



DESCRIPTION

905656 FHB-LDD - HERITAGE BRASS

905656 FMB-LDD - MATTE BLACK

905656 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 16° Blade Pitch
- 56" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 56" Lead Wire
- 11.68 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass


INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



- Includes WiFi Enabled Control

OPTIONAL ACCESSORY



932031 FXX
Light Kit Cover
Accessory



905656 FHB-LDD
HERITAGE BRASS WITH
MATTE BLACK BLADES



905656 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6258	4404
ENERGY USE (WATTS)	34.3	24.0
AIRFLOW EFFICIENCY (CFM/W)	182	184
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.45	0.25
RPMS	118	82

56" IVER™


Add sleek functionality to your space with Iver, a modern, Scandinavian beauty. The slightly curved, tapered blades focus on simple, clean lines while the warm dim LED light provides a functional glow. Wet-rated and part of the Coastal Elements Collection, this family of fans features composite materials that are coated with an anti-fading finish for maximum durability inside or out. Iver is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. For lower ceilings, a flush mount kit is an accessory option for easy customization.

DESIGN NOTE

Part of the Coastal Elements Collection, Iver is a versatile design offering maximum durability in harsh climates.



905756 FMB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

905756 FMB-LWD - MATTE BLACK

905756 FMM-LWD - METALLIC MATTE BRONZE

905756 FMW-LWD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14° Blade Pitch
- 56" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 56" Lead Wire
- 12.68 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



Includes WiFi Enabled Control



lver can be mounted directly to the ceiling with an optional flush mount kit. Easy customization makes it a great choice for lower ceiling heights. This will result in an overall fan height of 10³/₄" and a ceiling to blade height of 8".



905756 FMM-LWD
METALLIC MATTE BRONZE WITH
METALLIC MATTE BRONZE BLADES



905756 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES



Light Kit Cover
Included with Fan

OPTIONAL ACCESSORIES:



99057 FMB
Flush Mount Kit,
Matte Black



99057 FMM
Flush Mount Kit,
Metallic Matte Bronze



99057 FMW
Flush Mount Kit,
Matte White


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6155	4383
ENERGY USE (WATTS)	33.6	24
AIRFLOW EFFICIENCY (CFM/W)	183	183
ENERGY COSTS (YEARLY)	\$9.00	\$7.00
AMPS	0.46	0.25
RPMS	117	82

60" SWELL™

Swell is sophisticated and distinct in design without sacrificing its purpose. Available in a variety of finish colors and combinations, Swell sets the tone for all contemporary spaces. Swell is damp rated, making it perfect for both interior and outdoor settings. Operated by the HIRO control or WiFi compatible with the Hinkley app.



903860 FMW-NDD
MATTE WHITE WITH
NATURAL WOOD BLADES



DESCRIPTION

903860 FGT-NDD - GRAPHITE

903860 FMB-NDD - MATTE BLACK

903860 FMW-NDD - MATTE WHITE

BLADES:

- 3 Wood Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 16.1 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



Includes WiFi Enabled Control



903860 FGT-NDD
 GRAPHITE WITH
 DRIFTWOOD BLADES



903860 FMB-NDD
 MATTE BLACK WITH
 WALNUT BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	8521	6059
ENERGY USE (WATTS)	30.5	19
AIRFLOW EFFICIENCY (CFM/W)	279	325
ENERGY COSTS (YEARLY)	\$9.00	\$5.00
AMPS	0.47	0.28
RPMS	155	106

80" SWELL™

Swell is sophisticated and distinct in design without sacrificing its purpose. Available in a variety of finish colors and combinations, Swell sets the tone for all contemporary spaces. Swell is damp rated, making it perfect for both interior and outdoor settings. Operated by the HIRO control or WiFi compatible with the Hinkley app.



903880 FMW-NDD
MATTE WHITE WITH
NATURAL WOOD BLADES



DESCRIPTION

903880 FGT-NDD - GRAPHITE

903880 FMB-NDD - MATTE BLACK

903880 FMW-NDD - MATTE WHITE

BLADES:

- 3 Wood Blades Included
- 14° Blade Pitch
- 80" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 17.42 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



Includes WiFi Enabled Control



903880 FGT-NDD
 GRAPHITE WITH
 DRIFTWOOD BLADES



903880 FMB-NDD
 MATTE BLACK WITH
 WALNUT BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	10955	8554
ENERGY USE (WATTS)	39.7	20
AIRFLOW EFFICIENCY (CFM/W)	276	433
ENERGY COSTS (YEARLY)	\$11.00	\$6.00
AMPS	0.50	0.30
RPMS	102	74

52" FACET™

For a profile that is unpretentious, yet unforgettable, view all sides of Facet. Featuring substantial elements and designer finishes, this family of ceiling fans adds a touch of glam along with breezy comfort. Facet is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp-rated and ready for any indoor or outdoor application. For taller ceilings, a downrod kit is an accessory option for easy customization.



905852 FHB-LDD
HERITAGE BRASS WITH
CLEAR ACRYLIC BLADES



DESCRIPTION

905852 FHB-LDD - HERITAGE BRASS

905852 FMB-LDD - MATTE BLACK

905852 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 56" Lead Wire
- 13.12 lbs. Hanging Weight

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing




 Includes WiFi Enabled Control



Facet can be mounted with an optional downrod kit. This easy customization makes it a great choice for taller ceiling heights. This will result in an overall fan height of 18½" and a ceiling to blade height of 14¼".



905852 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES



905852 FMW-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



Light Kit Cover
Included with Fan

OPTIONAL ACCESSORIES:



99058 FHB
Downrod Kit,
Heritage Brass



99058 FMB
Downrod Kit,
Matte Black



99058 FMW
Downrod Kit,
Matte White

MOUNTING:


- 4½" Downrod
- 6½" Dia. Canopy
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5158	3302
ENERGY USE (WATTS)	17.8	15
AIRFLOW EFFICIENCY (CFM/W)	289	220
ENERGY COSTS (YEARLY)	\$5.00	\$4.00
AMPS	0.26	0.16
RPMS	170	108

60" FACET™

For a profile that is unpretentious, yet unforgettable, view all sides of Facet. Featuring substantial elements and designer finishes, this family of ceiling fans adds a touch of glam along with breezy comfort. Facet is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp-rated and ready for any indoor or outdoor application. For taller ceilings, a downrod kit is an accessory option for easy customization.



905860 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

905860 FMB-LDD - MATTE BLACK

905860 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 56" Lead Wire
- 13.89 lbs. Hanging Weight

LAMPING/GLASS:


- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



Facet can be mounted with an optional downrod kit. This easy customization makes it a great choice for taller ceiling heights. This will result in an overall fan height of 18½" and a ceiling to blade height of 14¼".



905860 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES



Light Kit Cover
Included with Fan

OPTIONAL ACCESSORIES:



99058 FMB
Downrod Kit,
Matte Black



99058 FMW
Downrod Kit,
Matte White

MOUNTING:

- 4½" Downrod
- 6½" Dia. Canopy
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6212	4069
ENERGY USE (WATTS)	26.2	20
AIRFLOW EFFICIENCY (CFM/W)	237	203
ENERGY COSTS (YEARLY)	\$7.00	\$6.00
AMPS	0.38	0.22
RPMS	150	98

66" CONCUR™

Everyone agrees. Concur's sophisticated silhouette combines form and function to offer maximum performance in style. The timeless, transitional blade design is available in contemporary classic finish options, while LED and DC motor technology deliver excellent energy efficiency. Designed for versatility, Concur is suitable for both indoor and outdoor spaces. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



904566 FMB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

904566 FBN-LWD - BRUSHED NICKEL

904566 FMB-LWD - MATTE BLACK

904566 FMM-LWD - METALLIC MATTE BRONZE

904566 FMW-LWD - MATTE WHITE

BLADES:

- 8 Composite Blades Included
- 14° Blade Pitch
- 66" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 26 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



904566 FMW-LWD
 MATTE WHITE WITH
 MATTE WHITE BLADES



904566 FMM-LWD
 METALLIC MATTE BRONZE WITH
 METALLIC MATTE BRONZE BLADES



904566 FBN-LWD
 BRUSHED NICKEL WITH
 BRUSHED NICKEL BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	9496	6954
ENERGY USE (WATTS)	35.4	25.0
AIRFLOW EFFICIENCY (CFM/W)	268	280
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.54	0.32
RPMS	124	88

52" ALTA™

Modern and refined, Alta elevates transitional design styles throughout the home. Integrated LED and DC motor technology deliver excellent energy efficiency, suitable for both indoor and outdoor. Alta is suitable for both indoor and outdoor settings. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905152 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905152 FBN-LWD - BRUSHED NICKEL

905152 FMB-LWD - MATTE BLACK

905152 FMM-LWD - METALLIC MATTE BRONZE

905152 FMW-LWD - MATTE WHITE

BLADES:

- 5 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 17.33 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



905152 FMB-LWD
 MATTE BLACK WITH
 MATTE BLACK BLADES



905152 FBN-LWD
 BRUSHED NICKEL WITH
 BRUSHED NICKEL BLADES



905152 FMM-LWD
 METALLIC MATTE BRONZE WITH
 METALLIC MATTE BRONZE BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5747	3906
ENERGY USE (WATTS)	22.4	17.0
AIRFLOW EFFICIENCY (CFM/W)	257	224
ENERGY COSTS (YEARLY)	\$6.00	\$5.00
AMPS	0.36	0.22
RPMS	173	112

60" DRAFTSMAN™

Draftsman's updated transitional form ties perfectly into any space while delivering superior performance. Available in Matte White and Matte Black finish options, this industrial-inspired design can complement indoor and outdoor spaces alike. With integrated LED and DC motor technology, Draftsman delivers excellent energy efficiency. For lower ceilings, a flush mount kit is an accessory option for easy customization. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905360 FMB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

905360 FMB-LWD - MATTE BLACK

905360 FMW-LWD - MATTE WHITE

BLADES:

- 6 Aluminum Blades Included
- 12° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 26 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see page hinkley.com.

LAMPING/GLASS:


- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



Draftsman can be mounted directly to the ceiling with an optional flush mount kit. This easy customization makes it a great choice for lower ceiling heights.



905360 FMW-LWD
 MATTE WHITE WITH
 MATTE WHITE BLADES


OPTIONAL ACCESSORIES:



993053 FMB
 Flush Mount Kit,
 Matte Black



993053 FMW
 Flush Mount Kit,
 Matte White



**LOW CEILINGS?
 NO PROBLEM.**

This flush mount kit is recommended for installation on low ceilings. This will result in an overall fan height of 12" and a ceiling to blade height of 7¾".


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	8389	5776
ENERGY USE (WATTS)	32.9	23.0
AIRFLOW EFFICIENCY (CFM/W)	255	250
ENERGY COSTS (YEARLY)	\$9.00	\$6.00
AMPS	0.51	0.30
RPMS	147	99

72" DRAFTSMAN™

Draftsman's updated transitional form ties perfectly into any space while delivering superior performance. Available in Matte White and Matte Black finish options, this industrial-inspired design can complement indoor and outdoor spaces alike. With integrated LED and DC motor technology, Draftsman delivers excellent energy efficiency. For lower ceilings, a flush mount kit is an accessory option for easy customization. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905372 FMW-LWD
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905372 FMB-LWD - MATTE BLACK

905372 FMW-LWD - MATTE WHITE

BLADES:

- 6 Aluminum Blades Included
- 12° Blade Pitch
- 72" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 76" Lead Wire
- 28 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see page hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



Draftsman can be mounted directly to the ceiling with an optional flush mount kit. This easy customization makes it a great choice for lower ceiling heights.



905372 FMB-LWD
 MATTE BLACK WITH
 MATTE BLACK BLADES

OPTIONAL ACCESSORIES:



993053 FMB
 Flush Mount Kit,
 Matte Black



993053 FMW
 Flush Mount Kit,
 Matte White



**LOW CEILINGS?
 NO PROBLEM.**

This flush mount kit is recommended for installation on low ceilings. This will result in an overall fan height of 12" and a ceiling to blade height of 7¾".


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	9902	7348
ENERGY USE (WATTS)	33.7	24.0
AIRFLOW EFFICIENCY (CFM/W)	294	305
ENERGY COSTS (YEARLY)	\$9.00	\$7.00
AMPS	0.52	0.31
RPMS	112	82

52" NEO™

Neo flush mount fan blends clean lines, aesthetic appeal, and practicality. Featuring a sleek wrapped fan blade design in Matte Black or Matte White to provide just the right balance of modern style. Ideal for interior spaces and covered outdoor areas, Neo incorporates integrated LED and DC motor technology to deliver excellent energy efficiency. Operated by the HIRO control or WiFi-compatible with the Hinkley app.



905452 FMB-LDD
 MATTE BLACK WITH HERITAGE BRASS ACCENTS
 AND MATTE BLACK BLADES



DESCRIPTION

905452 FMB-LDD - MATTE BLACK WITH HERITAGE BRASS ACCENTS

905452 FMW-LDD - MATTE WHITE WITH HERITAGE BRASS ACCENTS

BLADES:

- 3 Composite Blades Included
- 16° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 12" Lead Wire
- 14.77 lbs. Hanging Weight

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
 6 Speed HIRO Reversing



 Includes WiFi Enabled Control



905452 FMW-LDD
 MATTE WHITE WITH HERITAGE BRASS ACCENTS
 AND MATTE WHITE BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6677	4303
ENERGY USE (WATTS)	36.6	25.0
AIRFLOW EFFICIENCY (CFM/W)	183	175
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.48	0.27
RPMS	164	104

36" CHET™

Part of the Regency Series, Chet's compact profile paired with modern design elements seamlessly enhances smaller living spaces, including breakfast nooks, porches, and home offices. Available in Matte White, Heritage Brass, and Matte Black finish options, Chet is so versatile it can be used to customize both indoor and outdoor areas. WiFi-compatible with the purchase of an additional control.



905236 FHB-LWA
HERITAGE BRASS WITH
MATTE BLACK BLADES



DESCRIPTION

905236 FHB-LWA - HERITAGE BRASS

905236 FMB-LWA - MATTE BLACK

905236 FMW-LWA - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 36" Blade Sweep

MOUNTING:

- 4½" Downrod Included
- 76" Lead Wire
- 15.21 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

- 980014 FWH**
3 Speed HIRO Non Reversing
- Manual Reverse





905236 FMW-LWA
 MATTE WHITE WITH
 MATTE WHITE BLADES



905236 FMB-LWA
 MATTE BLACK WITH
 MATTE BLACK BLADES

OPTIONAL CONTROL:



CWT905236
 Optional WiFi Enabled Control




PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	3132	2558
ENERGY USE (WATTS)	35.4	25.0
AIRFLOW EFFICIENCY (CFM/W)	88	100
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.30	0.25
RPMS	248	194

48" CHET™

Part of the Regency Series, Chet's compact profile paired with modern design elements seamlessly enhances smaller living spaces, including breakfast nooks, porches, and home offices. Available in Matte White, Heritage Brass, and Matte Black finish options, Chet is so versatile it can be used to customize both indoor and outdoor areas. WiFi-compatible with the purchase of an additional control.



905248 FMW-LWA
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

905248 FHB-LWA - HERITAGE BRASS

905248 FMB-LWA - MATTE BLACK

905248 FMW-LWA - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 12° Blade Pitch
- 48" Blade Sweep

MOUNTING:

- 4½" Downrod Included
- 76" Lead Wire
- 16.91 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Frosted Glass

INCLUDED CONTROLS:

- 980014 FWH**
3 Speed HIRO Non Reversing
- Manual Reverse






905248 FHB-LWA
HERITAGE BRASS WITH
MATTE BLACK BLADES



905248 FMB-LWA
MATTE BLACK WITH
MATTE BLACK BLADES

OPTIONAL CONTROL:

 **CWT905248**
Optional WiFi Enabled Control



PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	4767	3661
ENERGY USE (WATTS)	54.0	36
AIRFLOW EFFICIENCY (CFM/W)	88	101
ENERGY COSTS (YEARLY)	\$15.00	\$10.00
AMPS	0.45	0.35
RPMS	180	136

INDEX

903860 FGT-NDD	19	932031	13, 15
903860 FMB-NDD	19	980014 FBK-R	11
903860 FMW-NDD	18	980014 FLA-R	11
903880 FGT-NDD	21	980014 FWH	11
903880 FMB-NDD	21	980014 FWH-R	11
903880 FMW-NDD	20	99057 FMB	17
904566 FBN-LWD	27	99057 FMM	17
904566 FMB-LWD	26	99057 FMW	17
904566 FMM-LWD	27	99058 FHB	23
904566 FMW-LWD	27	99058 FMB	23
905152 FBN-LWD	29	99058 FMB	25
905152 FMB-LWD	29	99058 FMW	23
905152 FMM-LWD	29	99058 FMW	25
905152 FMW-LWD	28	993053 FMB	31
905236 FHB-LWA	36	993053 FMB	33
905236 FMB-LWA	37	993053 FMW	31
905236 FMW-LWA	37	993053 FMW	33
905248 FHB-LWA	39	CWT 905236	37
905248 FMB-LWA	39	CWT 905248	39
905248 FMW-LWA	38	SI 980014	11
905360 FMB-LWD	30		
905360 FMW-LWD	31		
905372 FMB-LWD	33		
905372 FMW-LWD	32		
905452 FMB-LDD	34		
905452 FMW-LDD	35		
905644 FHB-LDD	12		
905644 FMB-LDD	13		
905644 FMW-LDD	13		
905656 FHB-LDD	15		
905656 FMB-LDD	15		
905656 FMW-LDD	14		
905756 FMB-LWD	16		
905756 FMM-LWD	17		
905756 FMW-LWD	17		
905852 FMB-LDD	22		
905852 FMW-LDD	23		
905852 FMW-LDD	23		
905860 FMB-LDD	24		
905860 FMW-LDD	25		

We want you to enjoy your experience with Hinkley.

We're proud to be a 4th generation family company, and we love what we do. We've been designing and creating products with the same level of style and quality we put in our own homes since 1922. So whether you are flipping through our catalog, surfing our site, getting inspired through social media, chatting with a member of our team or checking out our designs with one of our retailers, we're always looking for your experience with Hinkley to be a positive one. Here's all you need to know:

CATALOG COLLECTIONS

Hinkley catalogs feature our current and complete product line along with important product specs and detailed photography. A must for the print-loving researcher who likes to tab their favorites. Stop by your local showroom for your own copy.

HINKLEY.COM

Dive in! Our easy-to-use site makes your product research process a snap, with the added benefit of tips, trends, installation guidelines and a quick connection to our retail partners.

SOCIAL CLIMBERS

We don't mean to brag, but we are connected.




REAL PEOPLE

Want to chat? Contact us at service@hinkley.com or 1.800.HINKLEY.

Hinkley stands behind the quality of our fixtures with product warranties that are among the strongest in the industry. For details of warranty coverage on specific products, please refer to hinkley.com or consult a qualified Hinkley retail distributor.

Several Hinkley products are protected under U.S. Patent and foreign patent, or patent pending. For current information regarding Hinkley's patent portfolio, please visit hinkley.com.

©2023 Hinkley, Inc. All rights reserved in all copyrightable works.



Hinkley is a proud partner of the American Lighting Association.

HINKLEY

HINKLEY.COM

GLOBAL HEADQUARTERS

33000 Pin Oak Parkway | Avon Lake, Ohio 44012

T 440 653 5500 | F 440 653 5555 | hinkley.com

SHOWROOM

Dallas Trade Mart 3210 | Dallas, Texas 75207

High Point Market MS290 | High Point, North Carolina 2726



Connect with us | [#hinkleystyle](https://www.instagram.com/hinkleystyle)

2023 JUNE
FAN SUPPLEMENT FANSUP623

