



2020

INTRODUCTIONS
THE WINTER COLLECTION

access
LIGHTING

POWERFUL SOLUTIONS IN ILLUMINATION

TABLE OF CONTENTS



AQUA
18



CABO
56



CARMEL
2



CITI
24



CLIFTON
58



COBRA
12



GRANADA
38



HAUS
26



HOLM
4



I-BIZA
6



ICONIC
30



INFINITE
50



LOLA
34



LUCIA
36



MADISON
20



MADRID
28



MADRID
40



MALAGA
42



MARGATE
54



MINI II
48



MODPLUS
46



OSLO
22



PILSON
8



PRONG
32



SOLERO II
44



SÖLL
52



VIPER
16




CARMEL



24891LEDD-MWH/ACR

LED Island Light


- Matte White Finish
- Acrylic Lens
- 2.5" DIA. x 48" L
- 1 x 24 W SSL Dedicated LED (Included)
- 1955 Delivered Lumens
- 3000K, 90 CRI, 120v
- Dimmable
- Dry Location
- UL (US/Canada) Listed
- Energy Efficient, JA8-2016/Title 24
- 10 Feet of Cord Included



24891LEDD-MBL/ACR

Matte Black Finish

HOLM



24896LEDD-MBL/ACR

LED Island Light

Matte Black Finish

Acrylic Lens

48" L x 0.75" W x 3.5" H

1 x 24 W SSL Dedicated LED (Included)

1955 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Dry Location

UL (US/Canada) Listed


Energy Efficient, JA8-2016/Title 24

10 Feet of Cord Included



24896LEDD-MWH/ACR

Matte White Finish





HOLM

I-BIZA



29010LEDDL P-BL/WMB

1 Light LED Pendant

Black Finish

Faux White Marble Glass

7" DIA. x 11.5" H

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

10 Feet of Cord Included



I-BIZA



29011LEDDL P-BL/WMB

1 Light LED Pendant

Black Finish

Faux White Marble Glass

9.5" DIA. x 7.75" H

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

10 Feet of Cord Included





I-BIZA



PILSON



29002LEDDL-**MBL**

1 Light Rod Pendant

Matte Black Finish

4.5" DIA. x 14.5"H

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable


Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24, Title 20

6, 16, and 22-inch Down Rods Included

10 Feet of Cord Included



29002LEDDL-**MWH**

Matte White Finish



29002LEDDL-**SAT**

Satin Finish



29001LEDDL-ML

Matte Black Finish



29001LEDDL-MWH

Matte White Finish

29001LEDDL-SAT

1 Light Rod Pendant

Satin Finish

4.5"DIA. x 10.5"H

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable


Damp Location


UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24, Title 20

6, 16, and 22-inch Down Rods Included

10 Feet of Cord Included





29000LEDDL P-MWH

1 Light Rod Pendant

Matte White Finish

4.5" DIA. x 6.5" H

1 x 10 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable


Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24, Title 20

6, 16, and 22-inch Down Rods Included

10 Feet of Cord Included



29000LEDDL P-MBL

Matte Black Finish



29000LEDDL P-SAT

Satin Finish



COBRA



52206LEDDL-PL-BL

4 Light LED Spotlight Pendant

Black Finish

33" L x 3.75" H x 6-50" OAH

4 x 5.5 W GU-10 Replaceable LED (Included)

1600 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable


Dry Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

6, 16, and 22-inch Down Rods Included

10 Feet of Cord Included




COBRA



52205LEDDL P-BL

3 Light LED Spotlight Pendant

Black Finish
27" L x 3.75" H x 6-50" OAH
3 x 5.3 W GU-10 Replaceable LED (Included)
1140 Nom. Lumens
3000K, CRI, 120v
Dimmable
Dry Location
UL (US/Canada) Listed
Energy Efficient, JA8-2016/Title 24
6, 16, and 22-inch Down Rods Included
10 Feet of Cord Included




COBRA



52103LEDDL P-BL

3 Light LED Spotlight Cluster

Black Finish
10" DIA. x 4" H
3 x 5.5 W GU-10 Replaceable LED (Included)
1200 Nom. Lumens
3000K, 90 CRI, 120v
Dimmable
Dry Location
UL (US/Canada) Listed
Energy Efficient, JA8-2016/Title 24



52204LEDDL P-BL

4 Light LED Spotlight Bar

Black Finish

33" L x 5.5" H

4 x 5.5 W GU-10 Replaceable LED (Included)

1600 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Dry Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



52203LEDDL P-BL

3 Light LED Spotlight Bar

Black Finish

27" L x 5.5" H

3 x 5.5 W GU-10 Replaceable LED (Included)

1200 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Dry Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



VIPER



VIPER



52042LEDDL-PL-BL

5 Light LED Semi-Flush with Articulating Arm

Black Finish

51.5" L x 10" H

5 x 5.5 W GU-10 Replaceable LED (Included)

2000 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Dry Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24, Title 20



52043LEDDL-PL-BL*6 Light LED Off-Set Semi-Flush*

Black Finish

62" L x 9" H

6 x 5.5 W GU-10 Replaceable LED (Included)

2400 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable


Dry Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24, Title 20





AQUA



Optional End Cap Included

AQUA



62530LEDD-BG/OPL

Brushed Gold Finish

62530LEDD-BS/OPL

LED Vanity

Brushed Steel Finish

Opal Glass

19.25"W x 4.5"H x 3.25"Ext.

1 x 16 W SSL Dedicated LED (Included)

1034 Delivered Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24




Horizontal or Vertical Mounting



62531LEDD-BS/OPL

LED Vanity

Brushed Steel Finish
 Opal Glass
 25.25"W x 4.5"H x 3.25"Ext.
 1 x 24 W SSL Dedicated LED (Included)
 1583 Delivered Lumens
 3000K, 90 CRI, 120v
 Dimmable
 Damp Location
 ETL (US/Canada) Listed
 ADA, Energy Efficient, JA8-2016/Title 24
 Horizontal or Vertical Mounting





62531LEDD-BG/OPL
 Brushed Gold Finish

62532LEDD-BS/OPL

LED Vanity

Brushed Steel Finish
 Opal Glass
 37.25"W x 4.5"H x 3.25"Ext.
 1 x 32 W SSL Dedicated LED (Included)
 2226 Delivered Lumens
 3000K, 60 CRI, 120v
 Dimmable
 Damp Location
 ETL (US/Canada) Listed
 ADA, Energy Efficient, JA8-2016/Title 24
 Horizontal or Vertical Mounting



62532LEDD-BG/OPL
 Brushed Gold Finish

MADISON



62541LEDD-CH/OPL

LED Vanity

Chrome Finish

Opal Glass

27.25"W x 4.5"H x 3.25"Ext.

1 x 24 W SSL Dedicated LED (Included)

1583 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed


ADA, JA8-2016/Title 24, Energy Efficient

Horizontal or Vertical Mounting



62541LEDD-BG/OPL

Brushed Gold Finish



MADISON



62542LEDD-CH/OPL

LED Vanity

Chrome Finish

Opal Glass

39.25"W x 4.5"H x 3.25"Ext.

1 x 32 W SSL Dedicated LED (Included)

2226 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed


ADA, JA8-2016/Title 24, Energy Efficient

Horizontal or Vertical Mounting



62542LEDD-BG/OPL

Brushed Gold Finish





62540LEDD-CH/OPL

LED Vanity

Chrome Finish

Opal Glass

21.25"W x 4.5"H x 3.25" Ext.

1 x 16 W SSL Dedicated LED (Included)

1034 Delivered Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, JA8-2016/Title 24, Energy Efficient

Horizontal or Vertical Mounting



62540LEDD-BG/OPL

Brushed Gold Finish

OSLO



62580LEDDL-CH/OPL

1 Light Wall Sconce

Chrome Finish

Opal Glass

4.5"W x 6.25"H x 5.5"Ext.

1 x 9 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

Mounts Up or Down



OSLO



62582LEDDL-CH/OPL

3 Light Vanity

Chrome Finish

Opal Glass

22"W x 6.25"H x 5.5"Ext.

3 x 9 W E-26 Replaceable LED (Included)

2400 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24


Mounts Up or Down



62581LEDDL-CH/OPL

2 Light Vanity


Chrome Finish
 Opal Glass
 13.5"W x 6.25"H x 5.5"Ext.
 2 x 9 W E-26 Replaceable LED (Included)
 1600 Nom. Lumens
 3000K, 90 CRI, 120v
 Dimmable
 Damp Location
 UL (US/Canada) Listed
 Energy Efficient, JA8-2016/Title 24
 Mounts Up or Down




62583LEDDL-CH/OPL

4 Light Vanity

Chrome Finish
 Opal Glass
 30"W x 6.25"H x 5.5"Ext.
 4 x 9 W E-26 Replaceable LED (Included)
 3200 Nom. Lumens
 3000K, 90 CRI, 120v
 Dimmable
 Damp Location
 UL (US/Canada) Listed
 Energy Efficient, JA8-2016/Title 24
 Mounts Up or Down





62570LEDD-BS/ACR

LED Vanity

Brushed Steel Finish

Acrylic Lens

18"W x 5.5"H x 2.5"Ext.

1 x 20 W SSL Dedicated LED (Included)

1136 Delivered Lumens

3000K, 90 CRI, 120v



Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24

Horizontal or Vertical Mounting



62572LEDD-BS/ACR

LED Vanity

Brushed Steel Finish

Acrylic Lens

36"W x 5.5"H x 2.5"Ext.

1 x 30 W SSL Dedicated LED (Included)

1903 Delivered Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24

Horizontal or Vertical Mounting



62571LEDD-BS/ACR*LED Vanity*

Brushed Steel Finish

Acrylic Lens

24"W x 5.5"H x 2.5"Ext.

1 x 25 W SSL Dedicated LED (Included)

1420 Delivered Lumens

3000K, 90 CRI, 120v




Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24

Horizontal or Vertical Mounting

**62573LEDD-BS/ACR***LED Vanity*

Brushed Steel Finish

Acrylic Lens

48"W x 5.5"H x 2.5"Ext.

1 x 35 W SSL Dedicated LED (Included)

2314 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24

Horizontal or Vertical Mounting



62160LEDD-MBL/ACR

LED Wall Sconce

Matte Black Finish

Acrylic Lens

5"W x 21"H x 3"Ext.

1 x 10 W SSL Dedicated LED (Included)

340 Delivered Lumens

3000K, 90 CRI, 120v



Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24

Mounts Up or Down



62160LEDD-WH/ACR

White Finish

MADRID



52181LEDD-MBL/ACR

LED Wall Sconce

Matte Black Finish

Acrylic Lens

12.25"W x 10.25"H x 3.25"Ext.

1 x 10 W SSL Dedicated LED (Included)

1000 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location


UL (US/Canada) Listed

ADA, Energy Efficient, JA8-2016/Title 24



52181LEDD-MWH/ACR

Matte White Finish





MADRID



ICONIC



62300LEDDL-ABB

2 Light LED Wall Sconce

Antique Brushed Brass Finish

5"W x 12"H x 4.5" Ext.

2 x 7 W E-26 Replaceable LED (Included)

1200 Nom. Lumens

2700K, 90 CRI, 120v


Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

Horizontal or Vertical Mounting



62300LEDDL-MBL

Matte Black Finish

PRONG



20446LEDDL-PRONG/WH

2 Light LED Wall Sconce

Matte Black Finish

White Glass

7.25"W x 12.5"H x 3.75"Ext.

2 x 10 W E-26 Replaceable LED (Included)

1600 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Energy Star, JA8-2016/Title 24, Title 20



PRONG



20447LEDDL-PRONG/WH

2 Light LED Wall Sconce

Matte Black Finish

White Glass

12"W x 7.5"H x 4"Ext.

2 x 10 W E-26 Replaceable LED (Included)

1600 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Energy Star, JA8-2016/Title 24, Title 20





PRONG

LOLA



62165LEDDL-BS/FST

1 Light LED Wall Sconce

Brushed Steel Finish

Frosted Glass

7.25"W x 10"H x 4.25"Ext.

1 x 12 W E-26 Replaceable LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location


UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



62165LEDDL-BRZ/FST

Bronze Finish





LUCIA



49991LEDD-SAT/ACR

Satin Finish



49991LEDD-WH/ACR

White Finish

49991LEDD-BL/ACR

LED Flush Mount

Black Finish

Acrylic Lens

17.75" DIA. x 4"H

1 x 24 W SSL Dedicated LED (Included)

1455 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24





49990LEDD-SAT/ACR

LED Flush Mount

Satin Finish

Acrylic Lens

13.75" DIA. x 4"H

1 x 16 W SSL Dedicated LED (Included)

824 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24




49990LEDD-BL/ACR

Black Finish



49990LEDD-WH/ACR

White Finish



49981LEDD-SAT/ACR

Satin Finish



49981LEDD-WH/ACR

White Finish

49981LEDD-BL/ACR

LED Flush Mount

Black Finish

Acrylic Lens

15.75"W x 3.5"H

1 x 24 W SSL Dedicated LED (Included)

1520 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24





49980LEDD-SAT/ACR

LED Flush Mount

Satin Finish

Acrylic Lens

11.75"W x 3.5"H

1 x 16 W SSL Dedicated LED (Included)

1000 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



49980LEDD-BL/ACR

Black Finish



49980LEDD-WH/ACR

White Finish

MADRID



52180LEDD-MBL/ACR

LED Flush Mount

Matte Black Finish

Acrylic Lens

25" L x 16" W x 8.5" H

1 x 24 W SSL Dedicated LED (Included)

1375 Delivered Lumens

3000K, 90 CRI, 120v

Dimmable

Damp Location



UL (US/Canada) Listed


Energy Efficient, JA8-2016/Title 24




52180LEDD-MWH/ACR

Matte White Finish







MALAGA

49971LEDD-MBL/ACR

LED Flush Mount

Matte Black Finish with Gold Accent

Acrylic Lens

19.5"DIA. x 4"H

1 x 40 W SSL Dedicated LED (Included)

2155 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



MALAGA

49970LEDD-MBL/ACR

LED Flush Mount

Matte Black Finish with Gold Accent

Acrylic Lens

15.5"DIA. x 4"H

1 x 24 W SSL Dedicated LED (Included)

1062 Delivered Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



SOLERO II



20503LEDD-BS/ACR

LED Flush Mount

Brushed Steel Finish

Acrylic Lens

18.5"DIA. x 4"H

1 x 30 W SSL Dedicated LED (Included)

2100 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



SOLERO II



20502LEDD-BS/ACR

LED Flush Mount

Brushed Steel Finish

Acrylic Lens

16.5"DIA. x 4"H

1 x 26 W SSL Dedicated LED (Included)

1820 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



20501LEDD-BS/ACR

LED Flush Mount

Brushed Steel Finish

Acrylic Lens

14" DIA. x 4"H

1 x 26 W SSL Dedicated LED (Included)

1820 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24



20500LEDD-BS/ACR

LED Flush Mount

Brushed Steel Finish

Acrylic Lens

12" DIA. x 3.75"H

1 x 20 W SSL Dedicated LED (Included)

1400 Nom. Lumens


3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24







20860LEDD-WH/ACR

LED Flush Mount

White Finish

Acrylic Lens

48" L x 12" W x .75" H

1 x 40 W SSL Dedicated LED (Included)

3600 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Damp Location

UL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24





MINI II



20875LEDD-WH/ACR

LED Flush Mount

White Finish

Acrylic Lens

6" DIA. x 1.25" H

1 x 15 W SSL Dedicated LED (Included)

825 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location


ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

5", 6" Recessed Can Adapter Sold Separately (#20875-CLIP)



INFINITE



INFINITE



20872LEDD-WH/ACR

LED Frameless Flush Mount

White Finish

Acrylic Lens

9" DIA. x .75" H

1 x 20 W SSL Dedicated LED (Included)

2200 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

Does Not Mount To Shallow J-Box



20871LEDD-WH/ACR

LED Frameless Flush Mount

White Finish

Acrylic Lens

7"DIA. x .75"H

1 x 15 W SSL Dedicated LED (Included)

1650 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

Does Not Mount To Shallow J-Box



20870LEDD-WH/ACR

LED Frameless Flush Mount

White Finish

Acrylic Lens

5"DIA. x .75"H

1 x 10 W SSL Dedicated LED (Included)

1100 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Damp Location

ETL (US/Canada) Listed

Energy Efficient, JA8-2016/Title 24

Does Not Mount To Shallow J-Box



SÖLL



20126LEDDMG-ORB/OPL

Outdoor LED Wall Light

Oil Rubbed Bronze Finish
Clear Outer Glass with Inner Acrylic Diffuser
4.75"W x 14"H x 4.5"Ext.

1 x 12 W SSL Dedicated LED (Included)

1100 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



SÖLL



20125LEDDMG-ORB/OPL

Outdoor LED Wall Light

Oil Rubbed Bronze Finish
Clear Outer Glass with Inner Acrylic Diffuser
4.75"W x 10"H x 4.5"Ext.

1 x 8 W SSL Dedicated LED (Included)

720 Nom. Lumens


3000K, 90 CRI, 120v

Dimmable

Wet Location

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor







MARGATE

MARGATE



20110LEDDMG-BL/ACR

Outdoor LED Wall Light

Black Finish

Acrylic Lens

5"W x 10.25"H x 4.5"Ext.

1 x 12 W SSL Dedicated LED (Included)

580 Delivered Lumens


3000K, 90 CRI, 120v

Wet Location

UL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



20110LEDDMG-SAT/ACR

Satin Finish

CABO



20280LEDDMG-BL/OPL

Black Finish



20280LEDDMG-WH/OPL

White Finish

20280LEDDMG-SAT/OPL

Outdoor LED Bulkhead

Satin Finish

Opal Glass

8.5"W x 5.25"H x 4"Ext.

1 x 9 W SSL Dedicated LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor







20260LEDDMG-BL/OPL

Black Finish



20260LEDDMG-WH/OPL

White Finish

20260LEDDMG-SAT/OPL

Outdoor LED Bulkhead

Satin Finish

Opal Glass

9.75" DIA. x 4.25" Ext.

1 x 12 W SSL Dedicated LED (Included)

1100 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor





20270LEDDMG-WH/OPL

Outdoor LED Bulkhead

White Finish

Opal Glass

8.5"W x 5.25"H x 4"Ext.

1 x 9 W SSL Dedicated LED (Included)

800 Nom. Lumens

3000K, 90 CRI, 120v


Dimmable

Wet Location

ETL (US/Canada) Listed

ADA, Energy Efficient, Marine Grade

T24/JA8 Compliant When Installed Outdoor



20270LEDDMG-BL/OPL

Black Finish



20270LEDDMG-SAT/OPL

Satin Finish

INDEX

| | | | |
|---------------------|----|---------------------|----|
| 20110LEDDMG-BL/ACR | 55 | 24896LEDD-MBL/ACR | 4 |
| 20110LEDDMG-SAT/ACR | 55 | 24896LEDD-MWH/ACR | 4 |
| 20125LEDDMG-ORB/OPL | 52 | 29000LEDDL P-MBL | 11 |
| 20126LEDDMG-ORB/OPL | 52 | 29000LEDDL P-MWH | 11 |
| 20260LEDDMG-BL/OPL | 58 | 29000LEDDL P-SAT | 11 |
| 20260LEDDMG-SAT/OPL | 58 | 29001LEDDL P-MBL | 10 |
| 20260LEDDMG-WH/OPL | 58 | 29001LEDDL P-MWH | 10 |
| 20270LEDDMG-BL/OPL | 59 | 29001LEDDL P-SAT | 10 |
| 20270LEDDMG-SAT/OPL | 59 | 29002LEDDL P-MBL | 9 |
| 20270LEDDMG-WH/OPL | 59 | 29002LEDDL P-MWH | 9 |
| 20280LEDDMG-BL/OPL | 56 | 29002LEDDL P-SAT | 9 |
| 20280LEDDMG-SAT/OPL | 56 | 29010LEDDL P-BL/WMB | 6 |
| 20280LEDDMG-WH/OPL | 56 | 29011LEDDL P-BL/WMB | 6 |
| 20446LEDDL P-MBL/WH | 32 | 49970LEDD-MBL/ACR | 43 |
| 20447LEDDL P-MBL/WH | 32 | 49971LEDD-MBL/ACR | 43 |
| 20500LEDD-BS/ACR | 45 | 49980LEDD-BL/ACR | 39 |
| 20501LEDD-BS/ACR | 45 | 49980LEDD-SAT/ACR | 39 |
| 20502LEDD-BS/ACR | 44 | 49980LEDD-WH/ACR | 39 |
| 20503LEDD-BS/ACR | 44 | 49981LEDD-BL/ACR | 38 |
| 20860LEDD-WH/ACR | 47 | 49981LEDD-SAT/ACR | 38 |
| 20870LEDD-WH/ACR | 51 | 49981LEDD-WH/ACR | 38 |
| 20871LEDD-WH/ACR | 51 | 49990LEDD-BL/ACR | 37 |
| 20872LEDD-WH/ACR | 50 | 49990LEDD-SAT/ACR | 37 |
| 20875LEDD-WH/ACR | 49 | 49990LEDD-WH/ACR | 37 |
| 24891LEDD-MBL/ACR | 3 | 49991LEDD-BL/ACR | 36 |
| 24891LEDD-MWH/ACR | 3 | 49991LEDD-SAT/ACR | 36 |

| | | | |
|----------------------|----|---------------------|----|
| 49991LEDD-WH/ACR | 36 | 62541LEDD-BG/OPL | 20 |
| 52042LEDDLDP-BL | 16 | 62541LEDD-CH/OPL | 20 |
| 52043LEDDLDP-BL | 17 | 62542LEDD-BG/OPL | 20 |
| 52103LEDDLDP-BL | 14 | 62542LEDD-CH/OPL | 20 |
| 52180LEDD-MBL/ACR | 40 | 62570LEDD-BS/ACR | 24 |
| 52180LEDD-MWH/ACR | 40 | 62571LEDD-BS/ACR | 25 |
| 52181LEDD-MBL/ACR | 28 | 62572LEDD-BS/ACR | 24 |
| 52181LEDD-MWH/ACR | 28 | 62573LEDD-BS/ACR | 25 |
| 52203LEDDLDP-BL | 15 | 62580LEDDLDP-CH/OPL | 22 |
| 52204LEDDLDP-BL | 15 | 62581LEDDLDP-CH/OPL | 23 |
| 52205LEDDLDP-BL | 14 | 62582LEDDLDP-CH/OPL | 22 |
| 52206LEDDLDP-BL | 13 | 62583LEDDLDP-CH/OPL | 23 |
| 62160LEDD-MBL/ACR | 27 | | |
| 62160LEDD-WH/ACR | 27 | | |
| 62165LEDDLDP-BRZ/FST | 34 | | |
| 62165LEDDLDP-BS/FST | 34 | | |
| 62300LEDDLDP-ABB | 31 | | |
| 62300LEDDLDP-MBL | 31 | | |
| 62530LEDD-BG/OPL | 18 | | |
| 62530LEDD-BS/OPL | 18 | | |
| 62531LEDD-BG/OPL | 19 | | |
| 62531LEDD-BS/OPL | 19 | | |
| 62532LEDD-BG/OPL | 19 | | |
| 62532LEDD-BS/OPL | 19 | | |
| 62540LEDD-BG/OPL | 21 | | |
| 62540LEDD-CH/OPL | 21 | | |

HEADQUARTERS
14410 Myford Avenue
Irvine, CA 92606 | USA

TOLL-FREE
800-828-5483

PHONE
714-247-1270

FAX
714-247-1351

E-MAIL
info@accesslighting.com

WEBSITE
AccessLighting.com

DALLAS TRADEMART
2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

\$10.00

© 2020 All Rights Reserved

ZCATALOG-29

