

NEOTERRIC
DESIGNS

ABRA LIGHTING

avante-garde
luminaires



January
2017

Catalog
One

Abra Lighting is a unique neoteric luminaire design and manufacturing partnership made up of people who care greatly about the overall lighting experience. Our avant-garde lighting fixtures are all about style and quality, without exception, focused on modern, contemporary, state of the art designs. We are twice as bright, but at the same time, our color rendering is exceptional. Abra offers our customers a full range of designer lighting fixtures as well as a full custom facility based In the Orient. Abra the magic of lighting.

WHOWEVER ARE STINGRAY COO

VANITY WALL


- 06 SLIM
- 10 RADIUS
- 12 DAZZLE
- 14 AWE
- 16 SQUIRE
- 18 FOIL
- 20 BLAZE
- 22 EVOKE
- 24 MATRIX
- 26 GRIN
- 28 CUBIC

PENDANTS

- 08 SLIM
- ## FLUSH-MOUNT
- 30 CUBIC
 - 32 STEP
 - 34 BONGO
 - 36 ECLIPSE
 - 38 EUPHORIA
 - 40 HALO
 - 42 SPARK

- 5 INDEX

Graphical Index



SLIM Pg 6



SLIM Pg 8




Radius Pg 10




AWE Pg 12



AWES Pg 14



Squire Pg 16



FOIL Pg 18



BLAZE Pg 20



EVOKE Pg 22



MATRIX Pg 24



GRIN Pg 26



CUBIC Pg 28



CUBIC Pg 30



STEP Pg 32



BONGO Pg 34



ECLIPSE Pg 36



EUPHORIA Pg 38



HALO Pg 40



SPARK Pg 42

Numerical Index


Model	Finish	Pg#
20001WV-BA	Brushed Aluminum	6
20001WV-BB	Brushed Bronze	6
20002WV-BA	Brushed Aluminum	6
20002WV-BB	Brushed Bronze	6
20003WV-BA	Brushed Aluminum	6
20003WV-BB	Brushed Bronze	6
10095PN-BA	Brushed Aluminum	8
10095PN-BB	Brushed Bronze	8
10096PN-BA	Brushed Aluminum	8
10096PN-BB	Brushed Bronze	8
20020WV-BA	Brushed Aluminum	18
20021WV-BA	Brushed Aluminum	18
20022WV-BA	Brushed Aluminum	18
20022WV-BZ	Bronze	18
20023FM-BN	Brushed Nickel	28
20023FM-BZ	Bronze	28
20024WV-BN	Brushed Nickel	28
20024WV-BZ	Bronze	28
20025WV-BN	Brushed Nickel	28
20025WV-BZ	Bronze	28
20027WV-BN	Brushed Nickel	20
20027WV-CH	Chrome	20
20028WV-BN	Brushed Nickel	20
20028WV-CH	Chrome	20
20030WV-CH	Chrome	12
20031WV-CH	Chrome	12
20034WV-CH	Chrome	14
20035WV-CH	Chrome	14
20054WV-CH	Chrome	22
20055WV-CH	Chrome	22
20056WV-CH	Chrome	22
20060WV-CH	Chrome	24
20061WV-CH	Chrome	24
20062WV-CH	Chrome	24
20067WV-BN	Brushed Nickel	26
20067WV-CH	Chrome	26
20068WV-BN	Brushed Nickel	26
20068WV-CH	Chrome	26

Model	Finish	Pg#
20090WV-BN	Brushed Nickel	16
20090WV-CH	Chrome	16
20091WV-BN	Brushed Nickel	16
20091WV-CH	Chrome	16
30014FM-BN	Brushed Nickel	32
30014FM-BZ	Bronze	32
30014FM-CH	Chrome	32
30015FM-BN	Brushed Nickel	32
30015FM-BZ	Bronze	32
30015FM-CH	Chrome	32
30016FM-BN	Brushed Nickel	32
30016FM-BZ	Bronze	32
30016FM-CH	Chrome	32
30030FM-BN	Brushed Nickel	34
30031FM-BN	Brushed Nickel	34
30032FM-BN	Brushed Nickel	34
30036FM-BN	Brushed Nickel	36
30037FM-BN	Brushed Nickel	36
30055FM-BN	Brushed Nickel	30
30055FM-BZ	Brushed Bronze	30
30060FM-BZ	Bronze	38
30060FM-WH	White	38
30061FM-BZ	Bronze	38
30061FM-WH	White	38
30065FM-BN	Brushed Nickel	40
30065FM-CH	Chrome	40
30066FM-BN	Brushed Nickel	40
30066FM-CH	Chrome	40
30067FM-BN	Brushed Nickel	40
30067FM-CH	Chrome	40
30097FM-BN	Brushed Nickel	42
30097FM-CH	Chrome	42
30098FM-BN	Brushed Nickel	42
30098FM-CH	Chrome	42

The Slim series of avant-garde vanity wall fixtures carved from a solid piece of aluminum billet, milled and brushed by hand to provide its unique textured look. Slim is supplied with two LED panels mounted on top and bottom of the fixture, creating an up down light source. The Slim series is a unique and exciting solution to a modern decor.



20001WV-BB | 2 x 7w LED 3000k 90+ CRI | Total Wattage 14w | 1120 Initial Lm | 915 Delivered Lm | H 3.2" W 0.5" L 12.0" Ext 2.0"



20002WV-BA | 2 x 12w LED 3000k 90+ CRI | Total Wattage 24w | 1920 Initial Lm | 1530 Delivered Lm | H 3.2" W 0.5" L 24.0" Ext 2.0"



20003WV-BB | 2 x 15w LED 3000k 90+ CRI | Total Wattage 30w | 2400 Initial Lm | 1950 Delivered Lm | H 3.2" W 0.5" L 36.0" Ext 1.9"

Finish Available: BA-Brushed Aluminum • BB-Brushed Bronze
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers




Carved from a solid piece of aluminum billet

The Slim series of avant-garde pendants suspended on aircraft cable which provides the electrical supply to the fixture with no unsightly electrical cord visible. Carved from a solid piece of aluminum billet, milled and brushed by hand to provide its unique textured look. Slim is supplied with two LED panels mounted on top and bottom of the fixture, creating an up down light source. The Slim series is a unique and exciting solution to a modern decor.




10096PN-BB | 6w + 24w LED 3000k 90+ CRI | Total Wattage 30w | 2500 Initial Lm | 2000 Delivered Lm | H 3.2" o.a.h 10 to 120" W 46.9"




10095PN-BA | 5w + 16w LED 3000k 90+ CRI | Total Wattage 21w | 1680 Initial Lm | 1344 Delivered Lm | H 3.2" o.a.h 10 to 120" W 32"

Finish Available: BA-Brushed Aluminum • BB-Brushed Bronze
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers


The Radius series of vanity wall fixtures with hand blown diamond glass tubes resonates light from their high output LED's. Creating a warm and sensual effect.




20094WV-CH | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1100 Delivered Lm | D 2.4" o.a.h 4.5" L 20" Ext 3.8"



20095WV-CH | 1 x 36w LED 3000k 90+ CRI | Total Wattage 36w | 2880 Initial Lm | 2450 Delivered Lm | H 2.4" o.a.h 4.5" L 31.7" Ext 3.8"



20096WV-CH | 1 x 46w LED 3000k 90+ CRI | Total Wattage 46w | 3680 Initial Lm | 3400 Delivered Lm | H 2.4" o.a.h 4.5" L 39.2" Ext 3.8"



Finish Available: BN-Brushed Nickel • CH-Chrome
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers

The Dazzle series of vanity wall fixtures constructed from metal and chromed to perfection, with clear mitered glass filled with crystal beads creates an lustrous and regal effect.



20030WV-CH | 1 x 22w LED 3000k 90+ CRI | Total Wattage 22w | 1760 Initial Lm | 1550 Delivered Lm | H 4.7" W 2.2" L 24.0" Ext 3.6"



20031WV-CH | 1 x 28w LED 3000k 90+ CRI | Total Wattage 28w | 2240 Initial Lm | 1950 Delivered Lm | H 4.72" o.a.h 4.72" L 36.2" Ext 3.6"



Finish Available: CH-Chrome
 Diffuser: Clear Glass with Crystal Beads
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers

Crystal beads floating in clear glass with a high power solid state led light source, provides a luxurious ambiance

The Awe series of vanity wall fixtures constructed from metal chromed to perfection, with clear mitered glass with a chromed metal strap creating an lustrous and regal effect.



20034WV-CH | 1 x 22w LED 3000k 90+ CRI | Total Wattage 22w | 1760 Initial Lm | 1550 Delivered Lm | H 4.7" W 2.2" L 24.0" Ext 4.3"



20035WV-CH | 1 x 28w LED 3000k 90+ CRI | Total Wattage 28w | 2240 Initial Lm | 1950 Delivered Lm | H 4.7" W 2.2" L 36.2" Ext 4.3"




Finish Available: CH-Chrome
 Diffuser: Clear Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers

The Squire series of vanity wall fixtures with opal square glass illuminated by high output LED engines, mountable in vertical or horizontal positions provides flexibility in your lighting designs.




20090WV-CH | 1 x 32w 3000k LED 90+ CRI | Total Wattage 32w | 2560 Initial Lm | 2300 Delivered Lm | H 3.0" L 28.0" Ext 3.8"

20092WV-CH | Available with round glass diffusers



20091WV-BN | 1 x 48w 3000k LED 90+ CRI | Total Wattage 48w | 3840 Initial Lm | 3450 Delivered Lm | H 3.0" L 38.0" Ext 3.8"


20093WV-BN | Available with round glass diffusers




Available with round or square glass diffusers

Finish Available: CH-Chrome • BN-Brushed Nickel
 Diffuser: Opal Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers


The Foil series of vanity wall fixtures are produced from aluminum extrusion and hand brushed to provide a unique textured look. With matching acrylic diffuser and mountable in horizontally or vertically. Supplied with high output DC LED engines and fully dimmable driver



20020WV-BA | 1 x 12w 3000k LED 90+ CRI | Total Wattage 12w | 960 Initial Lm | 800 Delivered Lm | H 0.8" W 0.8" L 23.8" Ext 2.2"




20021WV-BA | 1 x 16w 3000k LED 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1060 Delivered Lm | H 0.8" W 0.8" L 31.5" Ext 2.2"



20022WV-BA | 1 x 20w 3000k LED 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1345 Delivered Lm | H 0.8" W 0.8" L 39.5" Ext 2.2"

Finish Available: BA-Brushed Aluminum
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers




The Blaze series of vanity wall fixtures designed to be ultra slim and projecting less than 2½” from the surface. The frosted diffuser with a clear glass edge and high output LED engine provides a surreal effect. Mountable horizontally or vertically and dimmable with regular dimmers.



20027WV-CH | 1 x 32w 3000k LED 90+ CRI | Total Wattage 32w | 2560 Initial Lm | 2200 Delivered Lm | H 3.9” L 28.3” Ext 2.4”




20028WV-BN | 1 x 48w 3000k LED 90+ CRI | Total Wattage 48w | 3850 Initial Lm | 3300 Delivered Lm | H 3.9” L 39.4” Ext 2.4”




Finish Available: CH-Chrome • BN-Brushed Nickel
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers


The Evoked collection of vanity wall fixtures with clear twisted crystal rods provides a dazzling effect. Ultra slim profile and high output fully dimmable LED's makes these fixtures Compatible with most dimmers gems in any application.




20054WV-CH | 1 x 10w LED 3000k 90+ CRI | Total Wattage 10w | 800 Initial Lm | 700 Delivered Lm | H 4.5" L 11.9" Ext 2.3"



20055WV-CH | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1100 Delivered Lm | H 4.5" L 18.2" Ext 2.5"



20056WV-CH | 1 x 32w LED 3000k 90+ CRI | Total Wattage 32w | 2560 Initial Lm | 2200 Delivered Lm | H 4.5" L 31.6" Ext 2.5"



Twisted clear crystal glass diffuser

Finish Available: CH-Chrome
 Diffuser: Clear Twisted Glass Rods
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers


The Matrix series of vanity wall fixtures is designed with subtleness in mind, minimal series blends with most discerning decors. High output fully dimmable LED engines provide ample illumination.



20060WV-CH | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1100 Delivered Lm | H 6.1" L 12.0" Ext 1.6"




20061WV-CH | 1 x 32w LED 3000k 90+ CRI | Total Wattage 32w | 2560 Initial Lm | 2200 Delivered Lm | H 6.1" L 20.1" Ext 1.6"



20062WV-CH | 1 x 48w LED 3000k 90+ CRI | Total Wattage 48w | 3840 Initial Lm | 3200 Delivered Lm | H 6.1" L 29.9" Ext 1.6"

Finish Available: CH-Chrome
 Diffuser: Opal Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers




Ultra low profile frosted diffuser with clear edge

The Grin series of vanity wall fixtures designed to provide optimal up down illumination with a glimmer of direct light without harsh glare. Available in brushed nickel or chrome and mountable horizontally or vertical exciting addition. LED light engines are fully dimmable and compatible with most dimmers.



20067WV-CH | 1 x 24w LED 3000k 90+ CRI | Total Wattage 24w | 1920 Initial Lm | 1730 Delivered Lm | H 4.5" L 24.0" Ext 2.5"




20068WV-BN | 1 x 32w LED 3000k 90+ CRI | Total Wattage 32w | 2560 Initial Lm | 2300 Delivered Lm | H 4.5" L 32.0" Ext 2.5"



Finish Available: CH-Chrome • BN-Brushed Nickel
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers

The Cubic series of vanity wall fixtures are produced from thick acrylic material and complemented with high output edge lit and fully dimmable LED engines to provide a distinct and compelling effect. Mountable either facing up or down, this avant-garde collection is a sure fit in any bathroom.



20023WV-BN | 3 x 5.6w LED 3000k 90+ CRI | Total Wattage 16.8w | 1344 Initial Lm | 1000 Delivered Lm | H 3.9" L 22.4" Ext 6.3"




20024WV-BZ | 4 x 5.6w LED 3000k 90+ CRI | Total Wattage 22.4w | 1792 Initial Lm | 1350 Delivered Lm | H 3.9" L 30.9" Ext 6.3"



20025WV-BN | 5 x 5.6w LED 3000k 90+ CRI | Total Wattage 28w | 2240 Initial Lm | 1710 Delivered Lm | H 3.9" L 39.7" Ext 6.3"

Finish Available: BN-Brushed Nickel • BZ-Brushed Bronze
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers




Edge lit thick acrylic diffusers

The Cubic flush-mount produced from thick acrylic material and complemented with high output edge lit and fully dimmable LED engines to provide a distinct and compelling effect. Wall or ceiling mountable for dramatic effects.



30055FM-BN | 4 x 5.6w LED 3000k 90+ CRI | Total Wattage 22.4w | 1792 Initial Lm | 1350 Delivered Lm | H 5.1" L 14.2" W 9.1"



30055FM-BZ | 4 x 5.6w LED 3000k 90+ CRI | Total Wattage 22.4w | 1792 Initial Lm | 1350 Delivered Lm | H 5.1" L 14.2" W 9.1"

Finish Available: BN-Brushed Nickel • BZ-Brushed Bronze
 Diffuser: White Acrylic
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers



The Step collection of flush-mounts with their clean architectural styled bases and opal glass diffusers appeal to the minimalist. These LED flush-mounts utilize AC light engines which are fully dimmable with most standard dimmers.



30014FM-BZ | 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 950 Delivered Lm | D 11.0" H 3.3"



30015FM-BN | 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1200 Delivered Lm | D 12.8" H 3.6"



30016FM-CH | 29w LED 3000k 90+ CRI | Total Wattage 29w | 2320 Initial Lm | 1780 Delivered Lm | D 15.8" H 3.6"



Finish Available: BN-Brushed Nickel • CH-Chrome, BZ-Brushed Bronze
 Diffuser: Opal Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Wall Mount only
 Dimmable: Compatible with most dimmers

The Bongo series of spun steel cylinders with frosted glass diffusers and LED light engines bring a touch of excitement to any application. Fully dimmable with most dimmers.



30030FM-BN | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1100 Delivered Lm | D 10.0" H 3.4"



30031FM-BN | 1 x 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1380 Delivered Lm | D 12.0" H 3.4"



30032FM-BN | 1 x 29w LED 3000k 90+ CRI | Total Wattage 29w | 2320 Initial Lm | 2000 Delivered Lm | D 16.0" H 3.4"



Finish Available: BN-Brushed Nickel
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers

Eclipse flush-mount series is sight to behold. Pressed steel pan formed to encapsulate the opal glass diffuser provides a warm and comfortable feel. Powered by LED light engines which are fully dimmable with most dimmers.



30036FM-BN | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 950 Delivered Lm | D 13.0" H 3.0"



30037FM-BN | 1 x 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1200 Delivered Lm | D 15.4" H 3.3"




Finish Available: BN-Brushed Nickel
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers

The Euphoria collection with its encircling metal frame and opal glass diffuser brings a new dimension in ceiling flush-mounts. Powered by LED light engines that are fully dimmable with most dimmers.



30060FM-BZ | 1 x 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1380 Delivered Lm | D 15.0" H 4.1"



30061FM-WH | 1 x 29w LED 3000k 90+ CRI | Total Wattage 29w | 2320 Initial Lm | 2000 Delivered Lm | D 18.1" H 4.1"



Finish Available: WH-White • BZ-Brushed Bronze
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers

The Halo series of low profile flush-mounts with their avant-garde design fits with most any type of room decor. LED light engines are fully dimmable and compatible with most dimmers.



30065FM-CH | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 1100 Delivered Lm | D 10.8" H 2.8"



30066FM-CH | 1 x 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1380 Delivered Lm | D 12.9" H 2.8"



30067FM-BN | 1 x 29w LED 3000k 90+ CRI | Total Wattage 29w | 2320 Initial Lm | 2000 Delivered Lm | D 16.8" H 2.8"




Finish Available: BN-Brushed Nickel • CH-Chrome
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers

The Spark series has taken a traditional design to the 21st century, soft clean lines and metallic finishes make these flush-mounts suitable for most room decors. LED light engines are fully dimmable and compatible with most dimmers.



30097FM-BN | 1 x 16w LED 3000k 90+ CRI | Total Wattage 16w | 1280 Initial Lm | 950 Delivered Lm | D 12.0" H 2.4"



30098FM-BN | 1 x 20w LED 3000k 90+ CRI | Total Wattage 20w | 1600 Initial Lm | 1200 Delivered Lm | D 15.0" H 3.2"



Finish Available: CH-Chrome • BN-Brushed Nickel
 Diffuser: Frosted Glass
 Rated Life: 50,000hrs
 Binning: MacAdam Ellipse Step 1-5
 Certification: cETL • Damp Location • Ceiling Mount only
 Dimmable: Compatible with most dimmers



ABRA LIGHTING

NeotericDesign

www.abralighting.com

LOCATION

1216 West Grove Avenue
Orange • California • 92865

Phone

(949) 940-1155 • (800) 295-7121

Fax

(949) 273-4513

E-Mail

sales@abralighting.com

\$10.00

Catalog One © 2017 All Rights Reserved