

# HINKLEY

FAN CATALOG 2020

# HINKLEY

THIS CATALOG INCLUDES ALL NEW FANS AND ACCESSORIES. FOR A COMPLETE PRODUCT OFFERING, VISIT HINKLEY.COM.

HINKLEY, INC. I 2020



FOR THE FIRST TIME IN ALMOST 100 YEARS OF BRINGING YOU THE BEST IN LIGHTING, HINKLEY FANS ARE HERE. AND THEY ARE GUARANTEED TO KEEP YOU COOL.

LET'S GO FOR A SPIN >





"Creativity is something we embrace every day. We want Hinkley to make people's lives happier."

#### RICK WIEDEMER

50 YEARS OF VISION, PASSION AND LEADERSHIP AT HINKLEY 1969-2019

We're proud to be a 4th generation family company, and love what we do. We've been around for nearly 100 years, creating thoughtful designs with the same quality and style we put in our own homes.

Creativity is at our core, and one of the biggest lessons our dad taught us was to keep looking forward. In reflection of that, Hinkley has continued to evolve, most recently with the addition of ceiling fans. And because our family's commitment is to make your life happier, we can't wait to share our newest designs with you throughout these pages and at Hinkley.com.

#### Cheers,

Jess & Eric Wiedemer

# **TABLE OF CONTENTS**

#### EVNG

IANO	
60" ARTISTE	24
72" ARTISTE	22
60" BIMINI	40
60" GLADIATOR	54
60" GLADIATOR ILLUMINATED	52
60" GRANDER	50
72" GRANDER	48
56" GROVE	56
52" HOVER	28
60" HOVER	26
52" HOVER FLUSH	32
60" HOVER FLUSH	30
56" INDY	16
72" INDY	14
52" LAFAYETTE	58
58" MODULE	38
70" TEMPEST	46
54" TIER	34
52" TREY	42
52" TROPIC AIR	60
52" VAIL	20
66" VANTAGE	18
52" VENTUS	44
52" VERGE	36

#### DECEMBY CEDIES TAME

REGENCY SERIES FANS	
36" CABANA	72
52" MARQUIS	66
52" MARQUIS ILLUMINATED	64
52" OASIS	70
52" PROPEL	78
52" PROPEL ILLUMINATED	76
52" VERA CRUZ	74
52" WINDWARD	68
LIGHT KITS	80
ACCESSORIES	81

#### **ICONS + FINISH REFERENCES**

Throughout this catalog we have utilized a variety of important icons and finish codes to assist you with your selections. Below is a key describing each of these icons in detail as well as a list of our product finishes with abbreviated codes for easy reference.

#### **ICON DESCRIPTIONS**



#### DC MOTOR

Fan comes equipped with a DC motor which uses up to 70% less energy than an AC motor and runs cooler and quieter for a longer life.



#### **ETL LISTED**

Fan has been tested by Intertek and found in compliance with accepted national safety standards.



#### **LED**

Fan supplied with fully integrated LEDs and drivers or specifically matched LED lamps based on performance and application.



#### TITLE 24

Meets California Energy Commission Title regulations.



#### **UL LISTED**

Fan has been tested by Underwriters Laboratories and found in compliance with accepted national safety standards.



#### **WET RATED**

Suitable for use in wet (interior direct splash and outdoor direct rain or sprinkler) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



Fan is WiFi compatible with the purchase of optional controls.

#### FINISH CODES + NAMES

FAC	ANTIQUE COPPER	FMB	MATTE BLACK
FAW	APPLIANCE WHITE	FMW	MATTE WHITE
FBN	BRUSHED NICKEL	FMM	METALLIC MATTE BRONZE
FBN-W	BRUSHED NICKEL (WET)	FPW	PEWTER
FCW	CHALK WHITE	FSS	SATIN STEEL
FGT	GRAPHITE		

## **PICTORIAL INDEX**



60" ARTISTE Pages 24-25 Brushed Nickel, Graphite, Matte White, Metallic Matte Bronze





60" GLADIATOR Pages 54-55 Antique Copper, Brushed Nickel, Chalk White, Metallic Matte Bronze, Satin Steel



72" GRANDER Pages 48-49 Brushed Nickel, Chalk White, Graphite, Metallic Matte Bronze, Pewter



60" HOVER Pages 26-27 Brushed Nickel, Graphite, Matte Black





72" ARTISTE Pages 22-23 Brushed Nickel, Graphite, Matte White, Metallic Matte Bronze





60" GLADIATOR ILLUMINATED Pages 52-53 Antique Copper, Brushed Nickel, Chalk White, Metallic Matte Bronze, Satin Steel





56" GROVE Pages 56-57 Brushed Nickel, Chalk White, Matte Black, Metallic Matte Bronze, Pewter





52" HOVER FLUSH Pages 32-33 Brushed Nickel, Graphite, Matte Black





60" BIMINI Pages 40-41 Appliance White, Brushed Nickel, Metallic Matte Bronze





60" GRANDER Pages 50-51 Brushed Nickel, Chalk White, Graphite, Metallic Matte Bronze, Pewter





52" HOVER Pages 28-29 Brushed Nickel, Graphite, Matte Black





60" HOVER FLUSH Pages 30-31 Brushed Nickel, Graphite, Matte Black





## **PICTORIAL INDEX**



56" INDY

Pages 16-17 Brushed Nickel, Matte Black, Matte White, Metallic Matte Bronze





58" MODULE

Pages 38-39 Brushed Nickel, Graphite, Matte Black, Metallic Matte Bronze





**52" TREY** 

Pages 42-43 Brushed Nickel, Matte White, Metallic Matte Bronze





66" VANTAGE

Pages 18-19 Brushed Nickel, Graphite, Matte Black, Matte White, Metallic Matte Bronze





72" INDY

Pages 14-15 Brushed Nickel, Matte White, Metallic Matte Bronze





70" TEMPEST

Pages 46-47 Graphite, Matte Black, Metallic Matte Bronze





**52" TROPIC AIR** 

Pages 60-61 Graphite, Matte Black, Matte White, Metallic Matte Bronze





#### 52" VENTUS

Pages 44-45 Matte White, Metallic Matte Bronze, Pewter





**52" LAFAYETTE** 

Pages 58-59 Antique Copper, Brushed Nickel, Chalk White, Metallic Matte Bronze, Pewter





**54" TIER** 

Pages 34-35 Appliance White, Brushed Nickel, Matte Black, Metallic Matte Bronze





52" VAIL

Pages 20-21 Brushed Nickel, Graphite, Matte Black, Matte White, Metallic Matte Bronze





#### 52" VERGE

Pages 36-37 Brushed Nickel, Matte Black, Matte White, Metallic Matte Bronze



## **PICTORIAL INDEX**

#### **REGENCY** SERIES



36" CABANA Pages 72-73 Appliance White, Brushed Nickel, Matte Black, Metallic Matte Bronze





52" OASIS Pages 70-71 Appliance White, Brushed Nickel, Graphite, Matte Black, Metallic Matte Bronze





52" VERA CRUZ Pages 74-75 Appliance White, Brushed Nickel, Matte Black, Metallic Matte Bronze





52" MARQUIS Pages 66-67 Antique Copper, Appliance White, Brushed Nickel, Chalk White, Graphite, Matte Black, Metallic Matte Bronze, Pewter, Satin Steel



52" PROPEL Pages 78-79 Appliance White, Chalk White, Metallic Matte Bronze, Satin Steel



52" WINDWARD Pages 68-69 Antique Copper, Appliance White, Brushed Nickel, Chalk White, Matte Black, Metallic Matte Bronze, Satin Steel



**52" MARQUIS ILLUMINATED** Pages 64-65 Brushed Nickel, Chalk White, Matte Black, Metallic Matte Bronze





52" PROPEL ILLUMINATED Pages 76-77 Appliance White, Chalk White, Metallic Matte Bronze, Satin Steel





**EVERY SOMEWHAT USEFUL FACT** YOU EVER WANTED TO KNOW ABOUT

# HINKLEY FANS

# 376

# **BRAND NEW FANS + ACCESSORIES**

INCLUDING LIGHT KITS, CONTROLS AND INSTALLATION ACCESSORIES TO JAZZ UP THE LOOK AND USABILITY OF YOUR HINKLEY FAN.



A HINKLEY FAN WILL MAKE YOU FEEL

# DEGREES COOLER

THAN THE ACTUAL TEMPERATURE OF YOUR SURROUNDINGS

#### SEASONALLY APPROPRIATE



Cool off in the summer with blades heading in a





Warm up in the winter with blades heading in a

CLOCKWISE OIRECTION

A HINKLEY FAN IS A GRAY T-SHIRT'S BEST FRIEND



your shirt without a Hinkley fan



your shirt with a Hinkley fan

# 1,624

THE # OF TIMES THE WORD
"FANTASTIC" HAS BEEN
HEARD AT HINKLEY HQ



DID YOU KNOW
THAT A

# HINKLEY Fan

IS THE ONLY
MONEY-SAVING
APPLIANCE
IN YOUR HOME?
YEP, IT'S TRUE.
USING A FAN
CONTRIBUTES TO
LOWER ENERGY
COSTS.

THE AVERAGE AMOUNT OF TIME A



WILL BE FULLY
FASCINATED
BY A
HINKLEY
FAN:



MINUTES



THE AWARD FOR CUTEST OVERALL FAN NAME + STYLE GOES TO THE


### HUGGERS

AKA FLUSH MOUNT FANS-DOWNROD FREE AND GREAT FOR LOW CEILINGS



# FAN DNA

#### FOR FAN NEWBIES AND AMBITIOUS PEOPLE WHO READ ALL OF THE INSTRUCTIONS BEFORE PUTTING STUFF TOGETHER



NOTE: FAN PARTS MAY LOOK SLIGHTLY DIFFERENT BASED ON THE EXACT MODEL OF YOUR FAN.

MODEL SHOWN: VAIL 902152FMB-LWD | PAGE 21

# **SELECTING A CEILING FAN**

THE VERY FIRST THING TO CONSIDER IS...



Inside? Outside? Under cover? Wet rated fans are a must in any area exposed to the elements. Spaces like covered porches and sunrooms are best served by outdoor fans when condensation and high humidity are factors. Wet rated fans can be used inside as well, but indoor-only fans can't play outside.



Narrow your search by finding fans that complement your home's décor. Go for modern if a streamlined look is more your style or check out traditional fans if they best suit your space. From islandinspired to mid-century, Hinkley has a fan (with plenty of finish and blade options) to fit your vibe.



Choosing the right size fan is important. A fan that is too large can overpower a room, and too small will not circulate enough air. These guidelines will help:

#### SQUARE FOOTAGE OF ROOM + BLADE SWEEP = PERFECT FAN RATIO









UNDERSTANDING CFM: CONVERTING ENERGY TO AIRFLOW

CFM is the magic acronym needed to achieve the optimum airflow output of a fan. It also calculates the operating cost and energy expenditure of your fan. So what actually is CFM?

THE VELOCITY OF AIRFLOW, MEASURED IN CUBIC FEET PER MINUTE

IF YOU WANT GREAT AIRFLOW. LOOK FOR A FAN WITH A CFM RATING OF 5,000 OR HIGHER.

MORE IS BETTER WHEN YOU'RE SPEAKING CEILING FAN CFM

#### Control Light

**BECAUSE SOMETIMES** YOU JUST NEED OVER-HEAD LIGHTING. LED LIGHT KITS ARE EITHER INCLUDED OR OFFERED AS OPTIONAL ACCESSORIES FOR ALL FANS.

Fans now have far more options than pull chains to operate! Look for included or optional accessories to make your fan WiFi compatible for smart phone control and integrate with home devices like Alexa and Google Assistant for voice activation.

# Motor

#### THERE ARE 2 TYPES OF FAN MOTORS:



Also known as a spinner motor fan.

Use up to 70% less energy than an AC motor fan. They run cooler and quieter for longer life!

# Customize

Fans are cool because you can customize both aesthetic and operational elements. If you are the kind of person who rearranges your furniture and swaps out throw pillows seasonally, look for fans with reversible blades. If creating a connected home is at the top of your to-do list, check out the many options for controls.




# **72" INDY™**

The raw, edgy style of Indy is the perfect complement for all modern industrial design-inspired rooms. Available in Brushed Nickel, Matte White or Metallic Matte Bronze finish options, Indy features sleek composite blades. Indy is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.







#### 72" INDY™

900972FBN-NWA - BRUSHED NICKEL

900972FMW-NWA - MATTE WHITE

900972FMM-NWA - METALLIC MATTE BRONZE

#### **BLADES**:

- 3 Composite Blades Included
- 55° Blade Pitch
- 72" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 23.72lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 18°, 992001FXX, see page 82.

#### **INCLUDED CONTROLS:**

#### 980011FWH

Wall Control 4 Speed Slide Manual Reverse







#### **OPTIONAL CONTROLS:**

- 1. 980004FWH-0097 WiFi Remote Control Indy 72"
- 2. 980017FWH-0097 WiFi Wall Control Indy 72"





WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6425	4465
ENERGY USE (WATTS)	62.6	39
AIRFLOW EFFICIENCY (CFM/W)	103	115
ENERGY COSTS (YEARLY)	\$18.00	\$11.00
AMPS	0.52	0.37
RPMS	83	71

# OPTIONAL ACCESSORIES:


For accessories and specifications, see pages 80-83.

# 56" INDY™

The raw, edgy style of Indy is the perfect complement for all modern industrial design-inspired rooms. Available in Brushed Nickel, Matte Black, Matte White or Metallic Matte Bronze finish options, Indy features sleek aluminum blades. Indy is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.







#### 56" INDY™

900956FBN-NWA - BRUSHED NICKEL

900956FMB-NWA - MATTE BLACK

900956FMW-NWA - MATTE WHITE

900956FMM-NWA - METALLIC MATTE BRONZE

#### **BLADES**:

- 3 Aluminum Blades Included
- 35° Blade Pitch
- 56" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 17.77lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.


#### **INCLUDED CONTROLS:**

#### 980011FWH

Wall Control 4 Speed Slide Manual Reverse








#### **OPTIONAL CONTROLS:**

- **1. 980004FWH-0095**WiFi Remote Control Indy 56"
- 2. 980017FWH-0095 WiFi Wall Control Indy 56"





PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5306	3785
ENERGY USE (WATTS)	57.6	36
AIRFLOW EFFICIENCY (CFM/W)	92	105
ENERGY COSTS (YEARLY)	\$16.00	\$10.00
AMPS	0.48	0.34
RPMS	159	112

# OPTIONAL ACCESSORIES:

For accessories and specifications, see pages 80-83.

# 66" VANTAGE™

Create a major aesthetic statement with Vantage's modern industrial design featuring gently curved blades. Available in a variety of finish options, it can be applied to a range of spaces. Vantage is equipped with integrated LED lighting and DC motor technology to deliver excellent energy efficiency. Vantage is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.



Light kit cover included with Vantage fans.



902466FMB-LWD MATTE BLACK WITH MATTE BLACK BLADES
















#### 66" VANTAGE™

902466FBN-LWD - BRUSHED NICKEL

902466FGT-LWD - GRAPHITE

902466FMB-LWD - MATTE BLACK

902466FMW-LWD - MATTE WHITE

902466FMM-LWD - METALLIC MATTE BRONZE

#### **BLADES**:

- 8 Composite Blades Included
- 12.5° Blade Pitch
- 66" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 25.95lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- Dimmable
- · Etched Opal Glass


#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Vantage fans require a single power source for operation.



#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-024

WiFi Accessory Vantage Attaches to included fan receiver.





**\$** 

WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	9087	6575
ENERGY USE (WATTS)	29.2	18
AIRFLOW EFFICIENCY (CFM/W)	312	356
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.41	0.24
RPMS	108	76

# OPTIONAL ACCESSORIES:

For accessories and specifications, see pages 80-83.

# **52" VAIL™**

As a smaller companion to Vantage, Vail offers a transitional design with gently curved blades and an array of finish options, while its integrated LED lighting and DC motor technology deliver excellent energy efficiency. Vail is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.



Light kit cover included with Vail fans.


















#### 52" VAIL™

902152FBN-LWD - BRUSHED NICKEL

902152FGT-LWD - GRAPHITE

902152FMB-LWD - MATTE BLACK

902152FMW-LWD - MATTE WHITE

902152FMM-LWD - METALLIC MATTE BRONZE

#### **BLADES**:

- 5 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

#### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 17.59lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- · 1500 Lumens | 90 CRI | 3000K
- Dimmable
- · Etched Opal Glass


#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Vail fans require a single power source for operation.



#### METALLIC MATTE BRONZE WITH METALLIC MATTE BRONZE BLADES

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-021

WiFi Accessory Vail Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6973	4582
ENERGY USE (WATTS)	28.3	17
AIRFLOW EFFICIENCY (CFM/W)	247	263
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.4	0.23
RPMS	160	102

#### OPTIONAL **ACCESSORIES:**

For accessories and specifications, see pages 80-83.

# 72" ARTISTE™

Artiste offers a transitional silhouette to enhance any and all spaces. Elegantly tapered blades are available in a wide array of fashionable finishes to cool and accentuate a space in style. Its integrated LED lighting and DC motor technology deliver excellent energy efficiency. Artiste is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.
















#### 72" ARTISTE™

900172FBN-LWD - BRUSHED NICKEL

900172FGT-LWD - GRAPHITE

900172FMW-LWD - MATTE WHITE

900172FMM-LWD - METALLIC MATTE BRONZE

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 72" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 19.56lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Artiste fans require a single power source for operation.



#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932001FBN Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0017

WiFi Accessory Artiste 72" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	LOW SPEED
AIRFLOW (CFM)	8957	6124
ENERGY USE (WATTS)	29.5	18
AIRFLOW EFFICIENCY (CFM/W)	303	336
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.4	0.23
RPMS	125	85

# 60" ARTISTE™

Artiste offers a transitional silhouette to enhance any and all spaces. Elegantly tapered blades are available in a wide array of fashionable finishes to cool and accentuate a space in style. Its integrated LED lighting and DC motor technology deliver excellent energy efficiency. Artiste is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.
















#### 60" ARTISTE™

900160FBN-LWD - BRUSHED NICKEL

900160FGT-LWD - GRAPHITE

900160FMW-LWD - MATTE WHITE

900160FMM-LWD - METALLIC MATTE BRONZE

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 17.02lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass


#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Artiste fans require a single power source for operation.



#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932001FMM Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0016

WiFi Accessory Artiste 60" Attaches to included fan receiver.





WiFi compatible with optional controls.

PERFORMANCE	STANDARD		
SPECIFICATIONS	HIGH SPEED	AVERAGE	
AIRFLOW (CFM)	7009	4639	
ENERGY USE (WATTS)	20.5	13.3	
AIRFLOW EFFICIENCY (CFM/W)	341	350	
ENERGY COSTS (YEARLY)	\$6.00	\$4.00	
AMPS	0.3	0.17	
RPMS	150	98	

# 60" HOVER™

Clean and sleek, Hover is a stunning modern upgrade for any project. Available in Brushed Nickel, Graphite or Matte Black, Hover comes equipped with integrated LED lighting and DC motor technology to deliver excellent energy efficiency. Hover is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.


















#### 60" HOVER™

900760FBN-LWD - BRUSHED NICKEL

900760FGT-LWD - GRAPHITE

900760FMB-LWD - MATTE BLACK

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 16.05lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 23° Pitch

Slope ceiling kit required for ceiling pitch greater than 23°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

#### **INCLUDED CONTROLS:**

#### 980013FAS

Wall Control 6 Speed DC Reversing



Hover fans require a single power source for operation.





#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932007FMB Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0076

WiFi Accessory Hover 60" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	7118	4714
ENERGY USE (WATTS)	28.5	18
AIRFLOW EFFICIENCY (CFM/W)	249	267
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.37	0.21
RPMS	150	98

# 52" HOVER™

Clean and sleek, Hover is a stunning modern upgrade for any project. Available in Brushed Nickel, Graphite or Matte Black, Hover comes equipped with integrated LED lighting and DC motor technology to deliver excellent energy efficiency. Hover is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.


















#### 52" HOVER™

900752FBN-LWD - BRUSHED NICKEL

900752FGT-LWD - GRAPHITE

900752FMB-LWD - MATTE BLACK

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

#### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- · 15.56lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 23° Pitch

Slope ceiling kit required for ceiling pitch greater than 23°, 992001FXX, see page X82.

#### LAMPING:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- Dimmable
- · Etched Opal Glass

#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Hover fans require a single power source for operation.





#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932007FBN Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0075

WiFi Accessory Hover 52" Attaches to included fan receiver.





WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5753	3713
ENERGY USE (WATTS)	18.3	12
AIRFLOW EFFICIENCY (CFM/W)	314	311
ENERGY COSTS (YEARLY)	\$5.00	\$3.00
AMPS	0.28	0.17
RPMS	169	108

# **60" HOVER FLUSH™**

Clean and sleek, Hover is a stunning modern upgrade for any project. Available in Brushed Nickel, Graphite or Matte Black, Hover comes equipped with integrated LED lighting and DC motor technology to deliver excellent energy efficiency. Hover is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.
















#### **60" HOVER FLUSH™**

900860FBN-LWD - BRUSHED NICKEL

900860FGT-LWD - GRAPHITE

900860FMB-LWD - MATTE BLACK

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

#### **MOUNTING:**

- 8" Lead Wire
- 14.29lbs. Hanging Weight

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- Dimmable
- Etched Opal Glass

#### **INCLUDED CONTROLS:**


980013FAS

Wall Control 6 Speed DC Reversing



Hover fans require a single power source for operation.

# 900860FGT-LWD



WEATHERED WOOD BLADES



#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932007FMB Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0086

WiFi Accessory Hover Flush 60" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE	STANDARD	
SPECIFICATIONS	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6025	4027
ENERGY USE (WATTS)	31.8	19
AIRFLOW EFFICIENCY (CFM/W)	190	207
ENERGY COSTS (YEARLY)	\$9.00	\$5.00
AMPS	0.43	0.24
RPMS	150	98

# **52" HOVER FLUSH™**

Clean and sleek, Hover is a stunning modern upgrade for any project. Available in Brushed Nickel, Graphite or Matte Black, Hover comes equipped with integrated LED lighting and DC motor technology to deliver excellent energy efficiency. Hover is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.


















#### 52" HOVER FLUSH™

900852FBN-LWD - BRUSHED NICKEL

900852FGT-LWD - GRAPHITE

900852FMB-LWD - MATTE BLACK

#### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

#### **MOUNTING:**

- · 8" Lead Wire
- 14.07lbs. Hanging Weight

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

#### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Hover fans require a single power source for operation.

# 900852FMB-LWD MATTE BLACK WITH KOA BLADES



#### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932007FGT Light Kit Cover

#### **OPTIONAL CONTROLS:**

#### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

#### 2.980015FAS-0085

WiFi Accessory Hover Flush 52" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	4957	3174
ENERGY USE (WATTS)	20.5	13
AIRFLOW EFFICIENCY (CFM/W)	242	243
ENERGY COSTS (YEARLY)	\$6.00	\$4.00
AMPS	0.31	0.18
RPMS	170	108

## 54" TIER™

Classic yet clean, the transitional Tier ties perfectly into any space while delivering superior performance. Tier's array of finish options, including Appliance White, Brushed Nickel, Matte Black and Metallic Matte Bronze, can complement any environment. Equipped with integrated LED lighting technology, Tier delivers excellent energy efficiency. Tier is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.



902054FAW-LWA APPLIANCE WHITE WITH APPLIANCE WHITE BLADES














#### 54" TIER™

902054FAW-LWA - APPLIANCE WHITE

902054FBN-LWA - BRUSHED NICKEL

902054FMB-LWA - MATTE BLACK

902054FMM-LWA - METALLIC MATTE BRONZE

#### **BLADES**:

- 5 Composite Blades Included
- 14° Blade Pitch
- 54" Blade Sweep

#### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 23.83lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 25° Pitch

Slope ceiling kit required for ceiling pitch greater than 25°, 992001FXX, see page 82.

#### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

#### **INCLUDED CONTROLS:**

980030FWH

Wall Control 3 Speed Manual Reverse





902054FBN-LWA BRUSHED NICKEL WITH SILVER BLADES



For additional finishes, accessories and specifications, see pages 80-83.



932020FAW Light Kit Cover



902054FMB-LWA MATTE BLACK WITH MATTE BLACK BLADES



902054FMM-LWA METALLIC MATTE BRONZE WITH METALLIC MATTE BRONZE BLADES

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-020 WiFi Remote Control Tier
- 2.980017FWH-020 WiFi Wall Control Tier



<b></b>	WiFi compatible with optional
(3)	controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5664	3749
ENERGY USE (WATTS)	62.8	40
AIRFLOW EFFICIENCY (CFM/W)	90	94
ENERGY COSTS (YEARLY)	\$18.00	\$11.00
AMPS	0.52	0.39
RPMS	155	103

# 52" VERGE™

The bold silhouette of Verge combines form and function to deliver performance in style. Its minimalist blade design ensures maximum air performance while contemporary classic finish options like Brushed Nickel, Matte Black, Metallic Matte Bronze and Matte White add a subtle modern edge. Verge comes equipped with integrated LED lighting technology to deliver excellent energy efficiency. Designed for versatility, Verge can be used for both indoor and outdoor spaces. Blades are included with every fan.














### 52" VERGE™

902352FBN-LWA - BRUSHED NICKEL

902352FMB-LWA - MATTE BLACK

902352FMW-LWA - MATTE WHITE

902352FMM-LWA - METALLIC MATTE BRONZE

### **BLADES**:

- 3 Composite Blades Included
- · 20° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 16.67lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

### **INCLUDED CONTROLS:**

980030FWH

Wall Control 3 Speed Manual Reverse



# 902352FBN-LWA BRUSHED NICKEL WITH SILVER BLADES





### **OPTIONAL CONTROLS:**

- 1. 980004FWH-023 WiFi Remote Control Verge
- 2.980017FWH-023 WiFi Remote Control Verge





WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5226	3642
ENERGY USE (WATTS)	52.4	32.8
AIRFLOW EFFICIENCY (CFM/W)	100	111
ENERGY COSTS (YEARLY)	\$15.00	\$9.00
AMPS	0.44	0.31
RPMS	167	115

### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932023FMB Light Kit Cover

# 58" MODULE™

Simple, sleek and stunning, Module is the answer to any transitional space. Offered in Brushed Nickel, Graphite, Matte Black and Metallic Matte Bronze finish options, Module is the perfect solution for an easy and efficient upgrade. Equipped with integrated LED lighting and DC motor technology, Module delivers excellent energy efficiency. Module is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.


















### 58" MODULE™

901458FBN-LWD - BRUSHED NICKEL

901458FGT-LWD - GRAPHITE

901458FMB-LWD - MATTE BLACK

901458FMM-LWD - METALLIC MATTE BRONZE

### **BLADES**:

- · 4 Composite Blades Included
- 13.5° Blade Pitch
- 58" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 15.48lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 18° Pitch

Slope ceiling kit required for ceiling pitch greater than 18°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Module fans require a single power source for operation.



901458FGT-LWD GRAPHITE WITH DRIFTWOOD BLADES



901458FMB-LWD MATTE BLACK WITH KOA BLADES



901458FMM-LWD METALLIC MATTE BRONZE WITH WALNUT BLADES

### **OPTIONAL CONTROLS:**

### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

### 2.980015FAS-014

WiFi Accessory Module Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5059	3597
ENERGY USE (WATTS)	29.4	18
AIRFLOW EFFICIENCY (CFM/W)	172	197
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.41	0.24
RPMS	144	97

### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.




932014FBN Light Kit Cover

# 60" BIMINI™

Inspired by the small Caribbean island which bears its name, the unique design of Bimini paired with its Appliance White, Brushed Nickel and Metallic Matte Bronze finish options complements any indoor or outdoor space. Supreme air movement is achieved with Bimini's powerful motor. Blades are included with every fan.







### 60" BIMINI™

900260FAW-NWA - APPLIANCE WHITE

900260FBN-NWA - BRUSHED NICKEL

900260FMM-NWA - METALLIC MATTE BRONZE

### **BLADES**:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 24.74lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 23° Pitch

Slope ceiling kit required for ceiling pitch greater than 23°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

### 980030FWH

Wall Control 3 Speed Manual Reversing



Bimini fans require a single power source for operation.

# 900260FBN-NWA BRUSHED NICKEL WITH

WEATHERED WOOD BLADES



900260FMM-NWA METALLIC MATTE BRONZE WITH METALLIC MATTE BRONZE BLADES

### **OPTIONAL CONTROLS:**

1. 980004FWH-002

Wifi Remote Control Bimini

2.980017FWH-002

WiFi Wall Control Bimini





PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5902	4118
ENERGY USE (WATTS)	61.2	39.4
AIRFLOW EFFICIENCY (CFM/W)	96	105
ENERGY COSTS (YEARLY)	\$17.00	\$11.00
AMPS	0.53	0.39
RPMS	150	102

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930008FBN Light Kit Schoolhouse

# **52" TREY™**

Trey features a sleek flush mount design that packs a powerful punch. Its transitional style comes equipped with robust blades that seamlessly pair performance and precision. Trey is offered in versatile Brushed Nickel, Metallic Matte Bronze and Matte White finish options, and its integrated LED lighting and DC motor technology deliver excellent energy efficiency. A timeless etched opal light kit completes the look for a refined appearance. Trey is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.


















### 52" TREY™

902752FBN-LWD - BRUSHED NICKEL

902752FMW-LWD - MATTE WHITE

902752FMM-LWD - METALLIC MATTE BRONZE

### **BLADES**:

- 3 Composite Blades Included
- · 20° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- · 8" Lead Wire
- 15.1lbs. Hanging Weight

### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

### **INCLUDED CONTROLS:**

980013FAS

Wall Control 6 Speed DC Reversing



Trey fans require a single power source for operation.





METALLIC MATTE BRONZE WITH METALLIC MATTE BRONZE BLADES

Remote Control 6 Speed DC

2.980015FAS-027 WiFi Accessory Trey

1. 980003FWH

### **OPTIONAL CONTROLS:**

### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

### 2.980015FAS-027

WiFi Accessory Trey Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	4827	3120
ENERGY USE (WATTS)	24.2	15
AIRFLOW EFFICIENCY (CFM/W)	200	205
ENERGY COSTS (YEARLY)	\$7.00	\$4.00
AMPS	0.33	0.19
RPMS	169	108

### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.



932027FBN Light Kit Cover


# 52" VENTUS™

Ventus is the ultimate transitional style guaranteed to cool and complement any interior space. Unique and reversible blades are constructed to ensure maximum performance, while its stylish Metallic Matte Bronze, Matte White and Pewter finish options deliver a sophisticated appearance. Ventus is equipped with integrated LED lighting technology to deliver excellent energy efficiency. Blades are included with every fan.









### 52" VENTUS™

902852FMW-LIA - MATTE WHITE

902852FMM-LIA - METALLIC MATTE BRONZE

902852FPW-LIA - PEWTER

### **BLADES**:

- · 3 Wood Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 19.97lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 16w Integrated LED
- 1500 Lumens | 90 CRI | 3000K
- Dimmable
- Etched Opal Glass

### **INCLUDED CONTROLS:**

980030FWH

Wall Control 3 Speed Manual Reverse





902852FMM-LIA METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



902852FPW-LIA PEWTER WITH REVERSIBLE DRIFTWOOD / TEAK BLADES



MATTE WHITE

Matte White / Weathered Wood



METALLIC MATTE

BRONZE

Metallic Matte Bronze / Walnut



PEWTER

Driftwood / Teak

### **OPTIONAL ACCESSORIES:**

For additional finishes, accessories and specifications, see pages 80-83.




932028FMW Light Kit Cover

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-028 WiFi Remote Control Ventus
- 2.980017FWH-028 WiFi Wall Control Ventus





PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	4779	3551
ENERGY USE (WATTS)	50.3	33.5
AIRFLOW EFFICIENCY (CFM/W)	95	105
ENERGY COSTS (YEARLY)	\$14.00	\$9.00
AMPS	0.42	0.32
RPMS	187	124

# 70" TEMPEST™

Tempest is built for premium performance and style with sweeping 70" blades uniquely designed with modern rustic overtones. Combining an organic elegance with robust Graphite, Matte Black and Metallic Matte Bronze finish options, Tempest's refined style makes it the perfect solution for exterior and interior spaces. Tempest is equipped with DC motor technology to deliver excellent energy efficiency. Blades are included with every fan.



902672FMB-NWD MATTE BLACK WITH KOA BLADES



70" TEMPEST™



902672FGT-NWD - GRAPHITE

902672FMB-NWD - MATTE BLACK

902672FMM-NWD - METALLIC MATTE BRONZE



**BLADES**:

- 5 Composite Blades Included
- 12.5° Blade Pitch
- 70" Blade Sweep

### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- · 25.46lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001FXX, see page 82.



70"

980013FAS

Wall Control 6 Speed DC Reversing



14¼" 16¼"

Tempest fans require a single power source for operation.



902672FGT-NWD GRAPHITE WITH DRIFTWOOD BLADES



902672FMM-NWD METALLIC MATTE BRONZE WITH WALNUT BLADES

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930004FGT Light Kit Rail Trim



930001FMM Light Kit Large Low Profile

### **OPTIONAL CONTROLS:**

### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

### 2.980015FAS-026

WiFi Accessory Tempest Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	7606	5405
ENERGY USE (WATTS)	31.5	20
AIRFLOW EFFICIENCY (CFM/W)	241	273
ENERGY COSTS (YEARLY)	\$9.00	\$6.00
AMPS	0.43	0.25
RPMS	125	85

# 72" GRANDER™

Grander is a perfect blend of modern and traditional elements, creating a silhouette that complements virtually any interior space. Available in an assortment of five stylish finishes with reversible blades, it features DC motor technology to deliver excellent energy efficiency. Blades are included with every fan.



### 900672FMM-NID


METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



### 900672FBN-NID

BRUSHED NICKEL WITH REVERSIBLE SILVER / WALNUT BLADES





### 72" GRANDER™

900672FBN-NID - BRUSHED NICKEL

900672FCW-NID - CHALK WHITE

900672FGT-NID - GRAPHITE

900672FMM-NID - METALLIC MATTE BRONZE

900672FPW-NID - PEWTER

### **BLADES**:

- 5 Wood Blades Included
- 13.5° Blade Pitch
- 72" Blade Sweep

### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- · 24.38lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

### 980013FAS

Wall Control 6 Speed DC Reversing



Grander fans require a single power source for operation.



900672FCW-NID CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



900672FGT-NID GRAPHITE WITH DRIFTWOOD BLADES



900672FPW-NID PEWTER WITH REVERSIBLE DRIFTWOOD / MATTE BLACK BLADES



BRUSHED NICKEL

Silver / Walnut



**CHALK WHITE** 

Chalk White / Weathered Wood



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



PEWTER

Driftwood / Matte Black

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930004FGT Light Kit Rail Trim



930001FMM Light Kit Large Low Profile

### **OPTIONAL CONTROLS:**

### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

### 2.980015FAS-0067

WiFi Accessory Grander 72" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	8412	6037
ENERGY USE (WATTS)	29.6	19
AIRFLOW EFFICIENCY (CFM/W)	284	324
ENERGY COSTS (YEARLY)	\$8.00	\$5.00
AMPS	0.41	0.24
RPMS	115	80

# 60" GRANDER™

Grander is a perfect blend of modern and traditional elements, creating a silhouette that complements virtually any interior space. Available in an assortment of five stylish finishes with reversible blades, it features DC motor technology to deliver excellent energy efficiency. Blades are included with every fan.




900660FMM-NID
METALLIC MATTE BRONZE WITH REVERSIBLE
METALLIC MATTE BRONZE / WALNUT BLADES



900660FBN-NID
BRUSHED NICKEL WITH REVERSIBLE
SILVER / WALNUT BLADES





### 60" GRANDER™

900660FBN-NID - BRUSHED NICKEL

900660FCW-NID - CHALK WHITE

900660FGT-NID - GRAPHITE

900660FMM-NID - METALLIC MATTE BRONZE

900660FPW-NID - PEWTER

### **BLADES**:

- 5 Wood Blades Included
- 13.5° Blade Pitch
- 60" Blade Sweep

### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 23.3lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

### 980013FAS

Wall Control 6 Speed DC Reversing



Grander fans require a single power source for operation.



900660FCW-NID
CHALK WHITE WITH REVERSIBLE
CHALK WHITE / WEATHERED WOOD BLADES



900660FGT-NID
GRAPHITE WITH DRIFTWOOD BLADES



90060FPW-NID
PEWTER WITH REVERSIBLE
MATTE BLACK / DRIFTWOOD BLADES



BRUSHED NICKEL

Silver / Walnut



CHALK WHITE

Chalk White / Weathered Wood



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



PEWTER

Matte Black / Driftwood

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930005FAW-WF Light Kit White Bowl with 931001FMM Caps Kit



930005FAW-AM Light Kit Amber Bowl with included Caps Kit

### **OPTIONAL CONTROLS:**

### 1. 980003FWH

Remote Control 6 Speed DC Operates with included fan receiver.

### 2.980015FAS-0066

WiFi Accessory Grander 60" Attaches to included fan receiver.







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	7823	5148
ENERGY USE (WATTS)	31.1	19
AIRFLOW EFFICIENCY (CFM/W)	251	270
ENERGY COSTS (YEARLY)	\$9.00	\$5.00
AMPS	0.44	0.25
RPMS	169	107

# 60" GLADIATOR ILLUMINATED™

With the greatest combination of power, versatility and technology, Gladiator has it all. Its LED bulbs and DC motor technology deliver excellent energy efficiency. Gladiator comes in all of Hinkley's best finishes with reversible blades, maximizing design choices for almost any interior space. Blades are included with every fan.



METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES




900460FBN-LID BRUSHED NICKEL WITH REVERSIBLE SILVER / DARK WALNUT BLADES











### 60" GLADIATOR ILLUMINATED™

900460FAC-LID - ANTIQUE COPPER

900460FBN-LID - BRUSHED NICKEL

900460FCW-LID - CHALK WHITE

900460FMM-LID - METALLIC MATTE BRONZE

900460FSS-LID - SATIN STEEL

### **BLADES**:

- 5 Wood Blades Included
- 16° Blade Pitch
- 60" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 23.3lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 3-9w LED Medium Base Lamps Included
- · 2430 Lumens | 90 CRI | 3000K
- · Dimmable
- · White Linen Glass

### **INCLUDED CONTROLS:**

Pull Chain

4 Speed Manual Reverse

**52** HINKLEY FANS | hinkley.com



900460FAC-LID ANTIQUE COPPER WITH REVERSIBLE WALNUT / BIRCH BLADES



900460FCW-LID CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



900460FSS-LID SATIN STEEL WITH REVERSIBLE SILVER / DRIFTWOOD BLADES



ANTIQUE COPPER Walnut / Birch



**BRUSHED NICKEL** Silver / Dark Walnut



CHALK WHITE Chalk White / Weathered Wood



METALLIC MATTE **BRONZE** 

Metallic Matte Bronze / Walnut



SATIN STEEL Silver / Driftwood

### **OPTIONAL ACCESSORIES:**

For accessories and specifications, see pages 80-83.

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC


2.980002FBK-004L

WiFi Remote Control Gladiator Illuminated









PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6118	4571
ENERGY USE (WATTS)	31.3	20
AIRFLOW EFFICIENCY (CFM/W)	196	223
ENERGY COSTS (YEARLY)	\$9.00	\$6.00
AMPS	0.41	0.26
RPMS	116	88

# 60" GLADIATOR™

With the greatest combination of power, versatility and technology, Gladiator has it all. Its DC motor technology delivers excellent energy efficiency, and is available in all of Hinkley's best finishes with reversible blades, maximizing design choices for almost any interior space. Blades are included with every fan.




900460FMM-NID

METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



900460FBN-NID BRUSHED NICKEL WITH REVERSIBLE SILVER / DARK WALNUT BLADES





### **60" GLADIATOR™**

900460FAC-NID - ANTIQUE COPPER

900460FBN-NID - BRUSHED NICKEL

900460FCW-NID - CHALK WHITE

900460FMM-NID - METALLIC MATTE BRONZE

900460FSS-NID - SATIN STEEL

### **BLADES**:

- 5 Wood Blades Included
- 16° Blade Pitch
- 60" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 19.89lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain

4 Speed Manual Reverse



900460FAC-NID ANTIQUE COPPER WITH REVERSIBLE WALNUT / BIRCH BLADES



900460FCW-NID CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



900460FSS-NID SATIN STEEL WITH REVERSIBLE SILVER / DRIFTWOOD BLADES



ANTIQUE COPPER Walnut / Birch



**BRUSHED NICKEL** Silver / Dark Walnut



**CHALK WHITE** Chalk White / Weathered Wood



METALLIC MATTE **BRONZE** 

Metallic Matte Bronze / Walnut



SATIN STEEL Silver / Driftwood

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930005FAW-AM Light Kit Amber Bowl with 931001FMM Caps Kit

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC


2.980002FBK-004

WiFi Remote Control Gladiator









PERFORMANCE Specifications	STANDARD	
	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6254	4670
ENERGY USE (WATTS)	31.2	20
AIRFLOW EFFICIENCY (CFM/W)	200	231
ENERGY COSTS (YEARLY)	\$9.00	\$6.00
AMPS	0.41	0.26
RPMS	116	86

# 56" GROVE™

Illuminating with soft, diffused luminescence, Grove's builtin uplight feature visually expands any room with ambient light. Its transitional design complements a room's decor with its multiple finish options and reversible blades. Equipped with LED bulbs and DC motor technology, Grove delivers excellent energy efficiency. Blades are included with every fan.




Grove fans come with a built-in uplight feature.





901256FMM-NID METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES









### 56" GROVE™

901256FBN-NID - BRUSHED NICKEL

901256FCW-NID - CHALK WHITE

901256FMB-NID - MATTE BLACK

901256FMM-NID - METALLIC MATTE BRONZE

901256FPW-NID - PEWTER

### **BLADES**:

- 5 Wood Blades Included
- 14° Blade Pitch
- 56" Blade Sweep

### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 18.08lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### LAMPING:

- 3-4w LED Candelabra Base Lamps Included \*For Uplight
- · 640 Lumens | 90 CRI | 3000K
- Dimmable

### INCLUDED CONTROLS:

Pull Chain

4 Speed Manual Reverse

**56** HINKLEY FANS | hinkley.com



901256FBN-NID BRUSHED NICKEL WITH REVERSIBLE SILVER / APPLIANCE WHITE BLADES



901256FMB-NID MATTE BLACK WITH REVERSIBLE DRIFTWOOD / KOA BLADES



901256FCW-NID CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



BRUSHED NICKEL Silver / Appliance White



CHALK WHITE Chalk White / Weathered Wood



MATTE BLACK Driftwood / Koa



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



PEWTER Driftwood / Teak

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930001FBN Light Kit Large Low Profile

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC

2.980006FBK-012

WiFi Remote Control Grove







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD		
	HIGH SPEED	AVERAGE	
AIRFLOW (CFM)	6296	4343	
ENERGY USE (WATTS)	32.6	21.8	
AIRFLOW EFFICIENCY (CFM/W)	193	199	
ENERGY COSTS (YEARLY)	\$9.00	\$6.00	
AMPS	0.43	0.26	
RPMS	150	100	

# **52" LAFAYETTE™**

With an intricate filigree motor housing and decorative blades, Lafayette is a traditional beauty. Available in multiple finish options, Lafayette offers reversible blades for maximum versatility and comes equipped with DC motor technology to deliver excellent energy efficiency. Blades are included with every fan.




901152FBN-NID BRUSHED NICKEL WITH REVERSIBLE MAHOGANY / CHERRY BLADES



901152FAC-NID ANTIQUE COPPER WITH REVERSIBLE **BIRCH / MAHOGANY BLADES** 





### **52" LAFAYETTE™**

901152FAC-NID - ANTIQUE COPPER

901152FBN-NID - BRUSHED NICKEL

901152FCW-NID - CHALK WHITE

901152FMM-NID - METALLIC MATTE BRONZE

901152FPW-NID - PEWTER

### **BLADES**:

- 5 Wood Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 16.29lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain

4 Speed Manual Reverse



901152FCW-NID CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



901152FMM-NID METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



901152FPW-NID PEWTER WITH REVERSIBLE DRIFTWOOD / TEAK BLADES



ANTIQUE COPPER Birch / Mahogany



BRUSHED NICKEL Mahogany / Cherry



**CHALK WHITE** Chalk White / Weathered Wood



METALLIC MATTE **BRONZE** 

Metallic Matte Bronze / Walnut



PEWTER Driftwood / Teak

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930005FAW-WF Light Kit White Bowl with 931001FPW Caps Kit



930001FAC Light Kit Large Low Profile

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC

2.980002FBK-011

WiFi Remote Control Lafayette









WiFi compatible with optional controls.

PERFORMANCE	STANDARD		
SPECIFICATIONS	HIGH SPEED	AVERAGE	
AIRFLOW (CFM)	5764	3862	
ENERGY USE (WATTS)	31	20	
AIRFLOW EFFICIENCY (CFM/W)	186	195	
ENERGY COSTS (YEARLY)	\$9.00	\$6.00	
AMPS	0.41	0.25	
RPMS	166	110	

# **52" TROPIC AIR™**

Tropic Air offers a bold, streamlined silhouette with a coastal edge. Available in Metallic Matte Bronze, Graphite, Matte White or Matte Black, its unique design has powerful DC motor technology to deliver excellent energy efficiency. Tropic Air is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.



901952FMW-NWD MATTE WHITE WITH WEATHERED WOOD BLADES







### 52" TROPIC AIR™

901952FGT-NWD - GRAPHITE

901952FMB-NWD - MATTE BLACK

901952FMW-NWD - MATTE WHITE

901952FMM-NWD - METALLIC MATTE BRONZE

### **BLADES**:

- 5 Composite Blades Included
- · 20° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 6" Downrod Included
- 76" Lead Wire
- 20.7lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 33° Pitch

Slope ceiling kit required for ceiling pitch greater than 33°, 992001FXX, see page 82

### **INCLUDED CONTROLS:**

52"

Pull Chain

4 Speed Manual Reverse

14" 15¾"



901952FMB-NWD MATTE BLACK WITH KOA



901952FGT-NWD GRAPHITE WITH DRIFTWOOD **BLADES** 



901952FMM-NWD METALLIC MATTE BRONZE WITH WALNUT BLADES

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930008FGT Light Kit Schoolhouse



930006FMB Light Kit Low Profile



930007FMM Light Kit Heirloom Glass



910452FDR Accessory Blades

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC

2.980002FBK-019

WiFi Remote Control Tropic Air









WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD		
	HIGH SPEED	AVERAGE	
AIRFLOW (CFM)	6345	4523	
ENERGY USE (WATTS)	29.9	19.5	
AIRFLOW EFFICIENCY (CFM/W)	212	232	
ENERGY COSTS (YEARLY)	\$8.00	\$5.00	
AMPS	0.39	0.24	
RPMS	141	97	



## REGENCY SERIES

The Regency Series offers all purpose, affordable ceiling fans that can enhance a variety of spaces.

36" CABANA	72	52" PROPEL	78
52" MARQUIS	66	52" PROPEL ILLUMINATED	76
52" MARQUIS ILLUMINATED	64	52" VERA CRUZ	74
52" OASIS	70	52" WINDWARD	68

EXPLORE THE REGENCY SERIES >

# **52" MARQUIS ILLUMINATED™**

Part of the Regency Series, Marquis Illuminated comes with coordinating wide designer, reversible blades and LED bulbs to deliver excellent energy efficiency. It is available in four popular finishes, including Brushed Nickel, Chalk White, Matte Black or Metallic Matte Bronze. Blades are included with every fan.




Marquis Illuminated fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 131/4".



901352FBN-LIA BRUSHED NICKEL WITH REVERSIBLE MAHOGANY / CHERRY BLADES





### 52" MARQUIS ILLUMINATED™

901352FBN-LIA - BRUSHED NICKEL

901352FCW-LIA - CHALK WHITE

901352FMB-LIA - MATTE BLACK

901352FMM-LIA - METALLIC MATTE BRONZE

### **BLADES**:

- 5 Wood Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 22.4lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 3-4w LED Candelabra Base Lamps Included
- · 1050 Lumens | 90 CRI | 3000K
- · Dimmable
- · Etched Opal Glass

### **INCLUDED CONTROLS:**

Pull Chain

3 Speed Manual Reverse



901352FCW-LIA CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



901352FMB-LIA MATTE BLACK WITH REVERSIBLE KOA / TEAK BLADES



901352FMM-LIA METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



BRUSHED NICKEL Mahogany / Cherry



CHALK WHITE Chalk White / Weathered Wood



MATTE BLACK Koa / Teak



METALLIC MATTE BRONZE Metallic Matte Bronze /

# Walnut

### **OPTIONAL ACCESSORIES:**

For accessories and specifications, see pages 80-83.

### **OPTIONAL CONTROLS:**

### 1. 980004FWH-013L

WiFi Remote Control Marquis Illuminated

### 2.980017FWH-013L

WiFi Wall Control Marquis Illuminated





WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD		FLUSH MOUNT	
	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5626	3688	4944	3199
ENERGY USE (WATTS)	80.6	47	80.5	46.3
AIRFLOW EFFICIENCY (CFM/W)	70	79	61	69
ENERGY COSTS (YEARLY)	\$23.00	\$13.00	\$23.00	\$13.00
AMPS	0.67	0.44	0.67	0.44
RPMS	169	110	168	110

# 52" MARQUIS™

A timeless standout from the Regency Series, Marquis defines the simple-meets-stylish silhouette. Its traditional design is available in a wide variety of finishes with reversible blades to complement your interior spaces. Blades are included with every fan.



901352FAC-NIA ANTIQUE COPPER WITH REVERSIBLE **BIRCH / MAHOGANY BLADES** 



Marquis fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 91/2".




901352FAW-NIA APPLIANCE WHITE WITH APPLIANCE WHITE BLADES



901352FBN-NIA BRUSHED NICKEL WITH REVERSIBLE MAHOGANY / CHERRY BLADES





### 52" MARQUIS™

901352FAC-NIA - ANTIQUE COPPER

901352FAW-NIA - APPLIANCE WHITE

901352FBN-NIA - BRUSHED NICKEL

901352FCW-NIA - CHALK WHITE

901352FGT-NIA - GRAPHITE

901352FMB-NIA - MATTE BLACK

901352FMM-NIA - METALLIC MATTE BRONZE

901352FPW-NIA - PEWTER

901352FSS-NIA - SATIN STEEL

### **BLADES**:

• 5 Wood Blades Included

• 14° Blade Pitch

• 52" Blade Sweep

### **MOUNTING:**

• 4.5" Downrod Included

• 76" Lead Wire

• 18.92lbs. Hanging Weight

· Mounts to Sloped Ceilings

- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain

3 Speed Manual Reverse



901352FCW-NIA CHALK WHITE WITH REVERSIBLE CHALK WHITE / WEATHERED WOOD BLADES



901352FGT-NIA GRAPHITE WITH DRIFTWOOD BLADES



901352FMB-NIA MATTE BLACK WITH REVERSIBLE MATTE BLACK / KOA BLADES



901352FMM-NIA METALLIC MATTE BRONZE WITH REVERSIBLE WALNUT / METALLIC MATTE BRONZE BLADES



901352FPW-NIA PEWTER WITH REVERSIBLE DRIFTWOOD / MATTE BLACK BLADES



901352FSS-NIA SATIN STEEL WITH REVERSIBLE CHERRY / MAPLE BLADES



ANTIQUE COPPER Birch / Mahogany



**BRUSHED NICKEL** Mahogany / Cherry



**CHALK WHITE** Chalk White / Weathered Wood



MATTE BLACK Matte Black / Koa



METALLIC MATTE



BRONZE Metallic Matte Bronze /

Walnut



PEWTER

Driftwood / Matte Black



SATIN STEEL Cherry / Maple

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930005FAW-WF Light Kit White Bowl with 931001FMB Caps Kit

### **OPTIONAL CONTROLS:**

1. 980004FWH-013

WiFi Remote Control Marquis

2.980017FWH-013

WiFi Wall Control Marquis







WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD		FLUSH MOUNT	
	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5749	3742	5022	3246
ENERGY USE (WATTS)	80.4	46	80.5	47
AIRFLOW EFFICIENCY (CFM/W)	72	81	62	70
ENERGY COSTS (YEARLY)	\$23.00	\$13.00	\$23.00	\$13.00
AMPS	0.67	0.44	0.67	0.44
RPMS	170	112	169	112

# **52" WINDWARD™**

Express your personal style with Windward, a classic from the Regency Series. Select from an array of timeless finish options with reversible blades to complement your interior spaces. Blades are included with every fan.




Windward fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 93/4".



901552FMB-NIA MATTE BLACK WITH REVERSIBLE MATTE BLACK / KOA BLADES





### 52" WINDWARD™

901552FAC-NIA - ANTIQUE COPPER

901552FAW-NIA - APPLIANCE WHITE

901552FBN-NIA - BRUSHED NICKEL

901552FCW-NIA - CHALK WHITE

901552FMB-NIA - MATTE BLACK

901552FMM-NIA - METALLIC MATTE BRONZE

901552FSS-NIA - SATIN STEEL

### **BLADES**:

- 5 Wood Blades Included
- 16° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 21.61lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 22° Pitch

Slope ceiling kit required for ceiling pitch greater than 22°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain

3 Speed Manual Reverse



901552FAC-NIA ANTIQUE COPPER WITH REVERSIBLE BIRCH / TEAK BLADES

901552FBN-NIA

BRUSHED NICKEL WITH REVERSIBLE

CHERRY / WEATHERED WOOD BLADES

901552FMM-NIA

METALLIC MATTE BRONZE WITH REVERSIBLE

METALLIC MATTE BRONZE / WALNUT BLADES



901552FAW-NIA APPLIANCE WHITE WITH REVERSIBLE APPLIANCE WHITE / WEATHERED WOOD BLADES



901552FCW-NIA CHALK WHITE WITH REVERSIBLE



CHALK WHITE / WEATHERED WOOD BLADES



901552FSS-NIA SATIN STEEL WITH REVERSIBLE SILVER / WEATHERED WOOD BLADES

### **REVERSIBLE BLADES:**



ANTIQUE COPPER Teak / Birch



APPLIANCE WHITE

Appliance White / Weathered Wood



**BRUSHED NICKEL** Weathered Wood / Cherry



CHALK WHITE Chalk White / Weathered Wood



MATTE BLACK Matte Black / Koa



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



SATIN STEEL Silver / Weathered Wood

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930003FMM Light Kit Small Low Profile

### **OPTIONAL CONTROLS:**

1. 980004FWH-015

WiFi Remote Control Windward

2.980017FWH-015

WiFi Wall Control Windward





WiFi compatible with optional controls.

PERFORMANCE Specifications	STANDARD		FLUSH MOUNT	
	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	6329	4183	5465	3603
ENERGY USE (WATTS)	86.2	50	86.2	50
AIRFLOW EFFICIENCY (CFM/W)	73	84	63	72
ENERGY COSTS (YEARLY)	\$24.00	\$14.00	\$24.00	\$14.00
AMPS	0.72	0.48	0.72	0.48
RPMS	167	110	165	111


# **52" OASIS™**

Part of the Regency Series, Oasis offers a simple yet classic all-you-need design. Available in Appliance White, Brushed Nickel, Graphite, Matte Black or Metallic Matte Bronze finish options, Oasis is so versatile; it can be used for both indoor and outdoor spaces. Blades are included with every fan.



APPLIANCE WHITE WITH APPLIANCE WHITE BLADES





### 52" OASIS™

901652FAW-NWA - APPLIANCE WHITE

901652FBN-NWA - BRUSHED NICKEL

901652FGT-NWA - GRAPHITE

901652FMB-NWA - MATTE BLACK

901652FMM-NWA - METALLIC MATTE BRONZE

### **BLADES**:

- 5 Composite Blades Included
- 16° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 19.49lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 26° Pitch

Slope ceiling kit required for ceiling pitch greater than 26°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain

3 Speed Manual Reverse

# 901652FBN-NWA BRUSHED NICKEL WITH SILVER BLADES



901652FMB-NWA MATTE BLACK WITH MATTE BLACK BLADES



901652FGT-NWA GRAPHITE WITH

**DRIFTWOOD BLADES** 

901652FMM-NWA METALLIC MATTE BRONZE WITH METALLIC MATTE BRONZE BLADES

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930006FBN Light Kit Low Profile



930003FGT Light Kit Small Low Profile



910452FDR Accessory Blades

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-016 WiFi Remote Control Oasis
- 2.980017FWH-016 WiFi Wall Control Oasis





PERFORMANCE	STANDARD		
SPECIFICATIONS	HIGH SPEED	AVERAGE	
AIRFLOW (CFM)	5455	3867	
ENERGY USE (WATTS)	58.8	36	
AIRFLOW EFFICIENCY (CFM/W)	93	106	
ENERGY COSTS (YEARLY)	\$16.00	\$10.00	
AMPS	0.49	0.35	
RPMS	161	111	

### 36" CABANA™


Part of the Regency Series, the traditional Cabana is a seamless way to enhance the comfort level and enjoyment of any room. Available in Appliance White, Metallic Matte Bronze, Matte Black and Brushed Nickel finish options, it complements spaces of all styles. Cabana achieves powerful air movement and is so versatile it can be used both indoors and outdoors. Blades are included with every fan.



Cabana fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 9".



901836FBN-NWA BRUSHED NICKEL WITH WEATHERED WOOD BLADES





### 36" CABANA™

901836FAW-NWA - APPLIANCE WHITE

901836FBN-NWA - BRUSHED NICKEL

901836FMB-NWA - MATTE BLACK

901836FMM-NWA - METALLIC MATTE BRONZE

### **BLADES**:

- 5 Composite Blades Included
- 14° Blade Pitch
- 36" Blade Sweep


### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 11.46lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 35° Pitch

Slope ceiling kit required for ceiling pitch greater than 35°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain



### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930006FBN Light Kit Low Profile



930008FMB Light Kit Schoolhouse

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-018 WiFi Remote Control Cabana
- 2.980017FWH-018 WiFi Wall Control Cabana





PERFORMANCE	STAN	DARD	FLUSH MOUNT	
SPECIFICATIONS	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	3101	2566	2947	2424
ENERGY USE (WATTS)	37.6	26.8	37.7	26.4
AIRFLOW EFFICIENCY (CFM/W)	82	96	78	92
ENERGY COSTS (YEARLY)	\$11.00	\$8.00	\$11.00	\$7.00
AMPS	0.32	0.26	0.32	0.26
RPMS	242	193	242	193

### **52" VERA CRUZ™**

Part of the Regency Series, Vera Cruz is a classic standout. With finish options ranging from Appliance White, Metallic Matte Bronze, Matte Black or Brushed Nickel, this traditional piece achieves a look so versatile it can be used for both indoor and outdoor spaces. Blades are included with every fan.




Vera Cruz fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 9¼".



902252FMM-NWA
METALLIC MATTE BRONZE WITH
METALLIC MATTE BRONZE BLADES





### 52" VERA CRUZ™

902252FAW-NWA - APPLIANCE WHITE

902252FBN-NWA - BRUSHED NICKEL

902252FMB-NWA - MATTE BLACK

902252FMM-NWA - METALLIC MATTE BRONZE

### **BLADES**:

- 5 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 19.56lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 35° Pitch

Slope ceiling kit required for ceiling pitch greater than 35°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain



902252FAW-NWA APPLIANCE WHITE WITH APPLIANCE WHITE BLADES



902252FMB-NWA MATTE BLACK WITH WALNUT BLADES



902252FBN-NWA BRUSHED NICKEL WITH SILVER BLADES

### **OPTIONAL ACCESSORIES:**

For additional light kits, accessories and specifications, see pages 80-83.



930007FMB Light Kit Heirloom Glass



930003FBN Light Kit Small Low Profile




910452FWW Accessory Blades

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-022 WiFi Remote Control Vera Cruz
- 2.980017FWH-022 WiFi Remote Control Vera Cruz





PERFORMANCE	STAN	DARD	FLUSH MOUNT	
SPECIFICATIONS	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5187	3738	4583	3294
ENERGY USE (WATTS)	53.5	34	53.5	33.6
AIRFLOW EFFICIENCY (CFM/W)	97	110	86	98
ENERGY COSTS (YEARLY)	\$15.00	\$9.00	\$15.00	\$9.00
AMPS	0.45	0.33	0.45	0.33
RPMS	159	110	159	110

### **52" PROPEL ILLUMINATED™**

Part of the Regency Series, Propel Illuminated offers a clean, classic style combined with solid performance and excellent value. Offered in a versatile Chalk White, Appliance White, Metallic Matte Bronze or Satin Steel finish with reversible blades to beautifully enhance any interior space, Propel Illuminated ensures its durable construction is a win for any interior application. Propel Illuminated comes equipped with LED bulbs to deliver excellent energy efficiency. Blades are included with every fan.



Propel Illuminated fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 14".




901752FCW-LID CHALK WHITE WITH CHALK WHITE BLADES









### 52" PROPEL ILLUMINATED™

901752FAW-LID - APPLIANCE WHITE

901752FCW-LID - CHALK WHITE

901752FMM-LID - METALLIC MATTE BRONZE

901752FSS-LID - SATIN STEEL

### **BLADES**:

- 5 Wood Blades Included
- 12° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- · 15.3lbs. Hanging Weight
- · Mounts to Sloped Ceilings
- Up to 28° Pitch

Slope ceiling kit required for ceiling pitch greater than 28°, 992001FXX, see page 82.

### LAMPING / GLASS:

- 2-9w LED Medium Base Lamps Included
- · 1620 Lumens | 90 CRI | 3000K
- · Dimmable
- · White Frosted Glass

### **INCLUDED CONTROLS:**

Pull Chain

#### 901752FAW-LID APPLIANCE WHITE WITH APPLIANCE WHITE BLADES



901752FMM-LID METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES



901752FSS-LID SATIN STEEL WITH REVERSIBLE SILVER / CHERRY BLADES

### REVERSIBLE BLADES:



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



**SATIN STEEL** Silver / Cherry

### **OPTIONAL ACCESSORIES:**

For accessories and specifications, see pages 80-83.

### **OPTIONAL CONTROLS:**

1. 980001FWH

Wall Control 4 Speed DC

2.980002FBK-017L

WiFi Remote Control Propel Illuminated









WiFi compatible with optional controls.

PERFORMANCE	STAN	DARD	FLUSH MOUNT	
SPECIFICATIONS	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	5192	3450	4852	3251
ENERGY USE (WATTS)	30.1	19	30.2	19
AIRFLOW EFFICIENCY (CFM/W)	172	179	160	171
ENERGY COSTS (YEARLY)	\$8.00	\$5.00	\$8.00	\$5.00
AMPS	0.4	0.24	0.4	0.24
RPMS	175	114	174	115

### 52" PROPEL™

Part of the Regency Series, Propel offers a clean, classic style combined with solid performance and excellent value. Offered in a versatile Chalk White, Appliance White, Metallic Matte Bronze or Satin Steel finish with reversible blades to beautifully enhance any interior space, Propel ensures its durable construction is a win for any application. Blades are included with every fan.




Propel fans mount directly to canopy or with included downrod for dual mount capability. Minimum mounting height 9½".



#### 901752FMM-NIA

METALLIC MATTE BRONZE WITH REVERSIBLE METALLIC MATTE BRONZE / WALNUT BLADES





### 52" PROPEL™

901752FAW-NIA - APPLIANCE WHITE

901752FCW-NIA - CHALK WHITE

901752FMM-NIA - METALLIC MATTE BRONZE

901752FSS-NIA - SATIN STEEL

### **BLADES**:

- 5 Wood Blades Included
- 12° Blade Pitch
- 52" Blade Sweep

### **MOUNTING:**

- 4.5" Downrod Included
- 76" Lead Wire
- 15.12lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 28° Pitch

Slope ceiling kit required for ceiling pitch greater than 28°, 992001FXX, see page 82.

### **INCLUDED CONTROLS:**

Pull Chain



#### 901752FAW-NIA

APPLIANCE WHITE WITH APPLIANCE WHITE BLADES



### 901752FSS-NIA

SATIN STEEL WITH REVERSIBLE SILVER / CHERRY BLADES



901752FCW-NIA

CHALK WHITE WITH CHALK WHITE BLADES

### **OPTIONAL CONTROLS:**

- 1. 980004FWH-017 WiFi Remote Control Propel
- 2.980017FWH-017 WiFi Wall Control Propel





WiFi compatible with optional controls.

### **REVERSIBLE BLADES:**



METALLIC MATTE BRONZE

Metallic Matte Bronze / Walnut



SATIN STEEL Silver / Cherry

### **OPTIONAL ACCESSORIES:**

For accessories and specifications, see pages 80-83.

PERFORMANCE	STANDARD		FLUSH	MOUNT
SPECIFICATIONS	HIGH SPEED	AVERAGE	HIGH SPEED	AVERAGE
AIRFLOW (CFM)	4906	3315	4360	2984
ENERGY USE (WATTS)	67.7	40	68	40
AIRFLOW EFFICIENCY (CFM/W)	72	83	64	75
ENERGY COSTS (YEARLY)	\$19.00	\$11.00	\$19.00	\$11.00
AMPS	0.57	0.39	0.57	0.39
RPMS	169	113	168	113

### **LED LIGHT KITS**




930007FXX - Light Kit Heirloom Glass		
		AW - Appliance White (shown)
		BN - Brushed Nickel
	AVAILABLE	CW - Chalk White
	FINISHES	GT - Graphite
· ·		MB - Matte Black
		MM - Metallic Matte Bronze
	GLASS	Etched Opal
	WIDTH	10¼" Dia.
	HEIGHT	6¼"
<b>⊗</b> ®	LAMPING	16w Integrated LED 1500 Lumens   3000K 90 CRI

930006FXX - Light Kit Low Profile			
		AW - Appliance White	
		BN - Brushed Nickel	
	AVAILABLE		
	FINISHES	GT - Graphite  MB - Matte Black	
		MB - Matte Black	
	GLASS	Etched Opal	
•	WIDTH	11" Dia.	
	HEIGHT	4½"	
<b>⊗</b> <sup>®</sup>	LAMPING	16w Integrated LED 1500 Lumens   3000K 90 CRI	

930008FXX - Light Kit Schoolhouse			
		AW - Appliance White	
		BN - Brushed Nickel	
	AVAILABLE FINISHES	CW - Chalk White (shown)	
		GT - Graphite	
		MB - Matte Black	
		MM - Metallic Matte Bronze	
	GLASS	Etched Opal	
	WIDTH	8¼" Dia.	
	HEIGHT	7"	
•	LAMPING	1-9w Med. Base LED Lamp *Included   810 Lumens 3000K   90 CRI	





930001FXX - Light Kit Large Low Profile			
		AC - Antique Copper (shown)	
	AVAILABLE	BN - Brushed Nickel	
	FINISHES	MM - Metallic Matte Bronze	
		SS - Satin Steel	
	GLASS	Etched Opal	
	WIDTH	12" Dia.	
<b>a</b>	HEIGHT	3½"	
TA)	LAMPING	24w Integrated LED 2400 Lumens   3000K 90 CRI	

### **LIGHT KIT COVERS**



932020FXX - Tier Light Kit Cover		
	AVAILABLE FINISHES	AW - Appliance White (shown)
		BN - Brushed Nickel
		MB - Matte Black
		MM - Metallic Matte Bronze
WI	WIDTH	7½" Dia.
	HEIGHT	21/2"

932014FXX - Module Light Kit Cover		
		BN - Brushed Nickel
	EINIGUES	GT - Graphite
		MB - Matte Black (shown)
		MM - Metallic Matte Bronze
	WIDTH	7" Dia.
	HEIGHT	21/4"

932023FXX - Verge Light Kit Cover		
		BN - Brushed Nickel
	AVAILABLE	MB - Matte Black
	WIDTH HEIGHT	MM - Metallic Matte Bronze
		MW - Matte White (shown)
		8½" Dia.
		3¼"



932028FXX - Ventus Light Kit Cover						
		MM - Metallic Matte Bronze				
	AVAILABLE FINISHES	MW - Matte White				
		PW - Pewter (shown)				
	WIDTH	7½" Dia.				
	HEIGHT	2½"				

932027FXX - Trey Light Kit Cover					
		BN - Brushed Nickel			
	AVAILABLE FINISHES	MM - Metallic Matte Bronze (shown)			
		MW - Matte White			
	WIDTH	9¾" Dia.			
	HEIGHT	2¾"			

### ACCESSORY BLADES 5 BLADES PER SET FOR USE WITH TROPIC AIR, OASIS AND VERA CRUZ MODELS ONLY



910452FAW 52" Accessory Blade Set Appliance White I Composite



910452FDR 52" Accessory Blade Set Driftwood | Composite




910452FMH 52" Accessory Blade Set Mahogany I Composite



910452FWW 52" Accessory Blade Set Weathered Wood | Composite


### **DOWNRODS + MOUNTING ACCESSORIES**

AVAILABLE FINISHES		12"	18"	24"	36"	48"	60"	72"	
	AC Antique Copper	<b>990012FAC</b> 12" Downrod	<b>990018FAC</b> 18" Downrod	<b>990024FAC</b> 24" Downrod	<b>990036FAC</b> 36" Downrod	<b>990048FAC</b> 48" Downrod	<b>990060FAC</b> 60" Downrod	<b>990072FAC</b> 72" Downrod	
	AW Appliance White	<b>990012FAW</b> 12" Downrod	<b>990018FAW</b> 18" Downrod	<b>990024FAW</b> 24" Downrod	<b>990036FAW</b> 36" Downrod	<b>990048FAW</b> 48" Downrod	<b>990060FAW</b> 60" Downrod	<b>990072FAW</b> 72" Downrod	
	<b>BN</b> Brushed Nickel	<b>990012FBN</b> 12" Downrod	<b>990018FBN</b> 18" Downrod	<b>990024FBN</b> 24" Downrod	<b>990036FBN</b> 36" Downrod	<b>990048FBN</b> 48" Downrod	<b>990060FBN</b> 60" Downrod	<b>990072FBN</b> 72" Downrod	
	BN-W Brushed Nickel (wet)	<b>990012FBN-W</b> 12" Downrod	<b>990018FBN-W</b> 18" Downrod	<b>990024FBN-W</b> 24" Downrod	<b>990036FBN-W</b> 36" Downrod	<b>990048FBN-W</b> 48" Downrod	<b>990060FBN-W</b> 60" Downrod	<b>990072FBN-W</b> 72" Downrod	
0 10	<b>CW</b> Chalk White	<b>990012FCW</b> 12" Downrod	<b>990018FCW</b> 18" Downrod	<b>990024FCW</b> 24" Downrod	<b>990036FCW</b> 36" Downrod	<b>990048FCW</b> 48" Downrod	<b>990060FCW</b> 60" Downrod	<b>990072FCW</b> 72" Downrod	
	<b>GT</b> Graphite	<b>990012FGT</b> 12" Downrod	<b>990018FGT</b> 18" Downrod	<b>990024FGT</b> 24" Downrod	<b>990036FGT</b> 36" Downrod	<b>990048FGT</b> 48" Downrod	<b>990060FGT</b> 60" Downrod	<b>990072FGT</b> 72" Downrod	
	MB Matte Black	<b>990012FMB</b> 12" Downrod	<b>990018FMB</b> 18" Downrod	<b>990024FMB</b> 24" Downrod	<b>990036FMB</b> 36" Downrod	<b>990048FMB</b> 48" Downrod	<b>990060FMB</b> 60" Downrod	<b>990072FMB</b> 72" Downrod	
	MM Metallic Matte Bronze	<b>990012FMM</b> 12" Downrod	<b>990018FMM</b> 18" Downrod	<b>990024FMM</b> 24" Downrod	<b>990036FMM</b> 36" Downrod	<b>990048FMM</b> 48" Downrod	<b>990060FMM</b> 60" Downrod	<b>990072FMM</b> 72" Downrod	
	MW Matte White	<b>990012FMW</b> 12" Downrod	<b>990018FMW</b> 18" Downrod	<b>990024FMW</b> 24" Downrod	<b>990036FMW</b> 36" Downrod	<b>990048FMW</b> 48" Downrod	<b>990060FMW</b> 60" Downrod	<b>990072FMW</b> 72" Downrod	
	PW Pewter	<b>990012FPW</b> 12" Downrod	<b>990018FPW</b> 18" Downrod	<b>990024FPW</b> 24" Downrod	<b>990036FPW</b> 36" Downrod	<b>990048FPW</b> 48" Downrod	<b>990060FPW</b> 60" Downrod	<b>990072FPW</b> 72" Downrod	
	SS Satin Steel	<b>990012FSS</b> 12" Downrod	<b>990018FSS</b> 18" Downrod	<b>990024FSS</b> 24" Downrod	<b>990036FSS</b> 36" Downrod	<b>990048FSS</b> 48" Downrod	<b>990060FSS</b> 60" Downrod	<b>990072FSS</b> 72" Downrod	






### **WALL CONTROLS - AC MOTOR FANS**



	NOTES	Controls one AC fan only. Three wire control. Faceplate included.
980010FAW - Wall Control 3	Speed Rotary	
	AVAILABLE FINISH	AW - Appliance White
\$ 00° to \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	TYPE / FUNCTION	Fan Only 3 Speed Rotary Control
	AMPS	Max. 1.25

NOTES







### **OPTIONAL CONTROLS**

FOR USE WITH MARQUIS, MARQUIS ILLUMINATED AND WINDWARD ONLY

Controls one AC fan only.

Faceplate not included.

	AVAILABLE	AL - Almond		
	FINISHES	WH - White (shown)		
	TYPE / FUNCTION	Fan / Light 3 Speed Control Full Function Reversing		
	AMPS	Max. 1.5  Full Range  Controls one AC fan only. Faceplate included.		
	DIMMING			
	NOTES			
980005FWH - Re	mote Control 3 Sp	eed		
M H	AVAILABLE FINISH	WH - White		
6 5 5	TYPE / FUNCTION	Fan / Light 3 Speed Remote Control Full Function Reversing		
	DIMMING	Full Range		
	NOTES	Controls one AC fan only		

981002FAS - Receiver Switch Cup							
	NOTES	Must be used with 981001FXX Switch Housing Cup. 980007FXX Wall Control or 980005FWH remote control required to operate 981002FAS.					
981001FXX - Sv	vitch Housing	Cup					
		AC - Antique Copper					
		AW - Appliance White					
		BN - Brushed Nickel (shown)					
	AVAILABLE	CW - Chalk White					
	FINISHES	GT - Graphite MB - Matte Black					
'		MM - Metallic Matte Bronze					
		CW - Chalk White GT - Graphite MB - Matte Black					
	NOTES	Must be used with 981002FAS Receiver Switch Cup.					

### **INDEX**

900160FBN-LWD	25	900860FGT-LWD	31	901552FMM-NIA	69	902466FGT-LWD	19	930007FBN	80
900160FGT-LWD	25	900860FMB-LWD	30	901552FSS-NIA	69	902466FMB-LWD	18	930007FCW	80
900160FMM-LWD	24	900956FBN-NWA	17	901652FAW-NWA	70	902466FMM-LWD	19	930007FGT	80
900160FMW-LWD	25	900956FMB-NWA	16	901652FBN-NWA	71	902466FMW-LWD	19	930007FMB	80
900172FBN-LWD	22	900956FMM-NWA	17	901652FGT-NWA	71	902672FGT-NWD	47	930007FMM	80
900172FGT-LWD	23	900956FMW-NWA	17	901652FMB-NWA	71	902672FMB-NWD	46	930008FAW	80
900172FMM-LWD	23	900972FBN-NWA	14	901652FMM-NWA	71	902672FMM-NWD	47	930008FBN	80
900172FMW-LWD	23	900972FMM-NWA	15	901752FAW-LID	77	902752FBN-LWD	42	930008FCW	80
900260FAW-NWA	40	900972FMW-NWA	15	901752FAW-NIA	79	902752FMM-LWD	43	930008FGT	80
900260FBN-NWA	41	901152FAC-NID	58	901752FCW-LID	76	902752FMW-LWD	43	930008FMB	80
900260FMM-NWA	41	901152FBN-NID	58	901752FCW-NIA	79	902852FMM-LIA	45	930008FMM	80
900460FAC-LID	53	901152FCW-NID	59	901752FMM-LID	77	902852FMW-LIA	44	931001FAC	80
900460FAC-NID	55	901152FMM-NID	59	901752FMM-NIA	78	902852FPW-LIA	45	931001FAW	80
900460FBN-LID	52	901152FPW-NID	59	901752FSS-LID	77	910452FAW	81	931001FBN	80
900460FBN-NID	54	901256FBN-NID	57	901752FSS-NIA	79	910452FDR	81	931001FCW	80
900460FCW-LID	53	901256FCW-NID	57	901836FAW-NWA	73	910452FMH	81	931001FGT	80
900460FCW-NID	55	901256FMB-NID	57	901836FBN-NWA	72	910452FWW	81	931001FMB	80
900460FMM-LID	52	901256FMM-NID	56	901836FMB-NWA	73	930001FAC	80	931001FMM	80
900460FMM-NID	54	901256FPW-NID	56	901836FMM-NWA	73	930001FBN	80	931001FMW	80
900460FSS-LID	53	901352FAC-NIA	66	901952FGT-NWD	61	930001FMM	80	931001FPW	80
900460FSS-NID	55	901352FAW-NIA	66	901952FMB-NWD	61	930001FSS	80	931001FSS	80
900660FBN-NID	50	901352FBN-LIA	64	901952FMM-NWD	61	930003FAW	80	932001FBN	81
900660FCW-NID	51	901352FBN-NIA	66	901952FMW-NWD	60	930003FBN	80	932001FGT	81
900660FGT-NID	51	901352FCW-LIA	65	902054FAW-LWA	34	930003FCW	80	932001FMM	81
900660FMM-NID	50	901352FCW-NIA	67	902054FBN-LWA	35	930003FGT	80	932001FMW	81
900660FPW-NID	51	901352FGT-NIA	67	902054FMB-LWA	35	930003FMB	80	932007FBN	81
900672FBN-NID	48	901352FMB-LIA	65	902054FMM-LWA	35	930003FMM	80	932007FGT	81
900672FCW-NID	49	901352FMB-NIA	67	902152FBN-LWD	20	930004FAW	80	932007FMB	81
900672FGT-NID	49	901352FMM-LIA	65	902152FGT-LWD	21	930004FBN	80	932014FBN	81
900672FMM-NID	48	901352FMM-NIA	67	902152FMB-LWD	21	930004FCW	80	932014FGT	81
900672FPW-NID	49	901352FPW-NIA	67	902152FMM-LWD	21	930004FGT	80	932014FMB	81
900752FBN-LWD	28	901352FSS-NIA	67	902152FMW-LWD	21	930004FMM	80	932014FMM	81
900752FGT-LWD	29	901458FBN-LWD	38	902252FAW-NWA	75	930005FAW-AM	80	932020FAW	81
900752FMB-LWD	29	901458FGT-LWD	39	902252FBN-NWA	75	930005FAW-WF	80	932020FBN	81
900760FBN-LWD	27	901458FMB-LWD	39	902252FMB-NWA	75	930006FAW	80	932020FMB	81
900760FGT-LWD	27	901458FMM-LWD	39	902252FMM-NWA	74	930006FBN	80	932020FMM	81
900760FMB-LWD	26	901552FAC-NIA	69	902352FBN-LWA	37	930006FCW	80	932023FBN	81
900852FBN-LWD	33	901552FAW-NIA	69	902352FMB-LWA	36	930006FGT	80	932023FMB	81
900852FGT-LWD	32	901552FBN-NIA	69	902352FMM-LWA	37	930006FMB	80	932023FMM	81
900852FMB-LWD	33	901552FCW-NIA	69	902352FMW-LWA	37	930006FMM	80	932023FMW	81
900860FBN-LWD	31	901552FMB-NIA	68	902466FBN-LWD	19	930007FAW	80	932027FBN	81
				I		I			

### **INDEX**

932027FMM	81	980015FAS-0067	49	990012FMW	82	990048FGT	82	992001FCW
932027FMW	81	980015FAS-0075	29	990012FPW	82	990048FMB	82	992001FGT
932028FMM	81	980015FAS-0076	27	990012FSS	82	990048FMM	82	992001FMB
932028FMW	81	980015FAS-0085	33	990018FAC	82	990048FMW	82	992001FMM
932028FPW	81	980015FAS-0086	31	990018FAW	82	990048FPW	82	992001FMW
980001FAL	55	980015FAS-014	39	990018FBN	82	990048FSS	82	992001FPW
980001FWH	53	980015FAS-021	21	990018FBN-W	82	990060FAC	82	992001FSS
980002FBK-004	55	980015FAS-024	19	990018FCW	82	990060FAW	82	
980002FBK-004L	53	980015FAS-026	47	990018FGT	82	990060FBN	82	
980002FBK-011	59	980015FAS-027	43	990018FMB	82	990060FBN-W	82	
980002FBK-017L	77	980017FWH-002	41	990018FMM	82	990060FCW	82	
980002FBK-019	61	980017FWH-0095	17	990018FMW	82	990060FGT	82	
980003FWH	19	980017FWH-0097	15	990018FPW	82	990060FMB	82	
980004FWH-002	41	980017FWH-013	67	990018FSS	82	990060FMM	82	
980004FWH-0095	17	980017FWH-013L	65	990024FAC	82	990060FMW	82	
980004FWH-0097	15	980017FWH-015	69	990024FAW	82	990060FPW	82	
980004FWH-013	67	980017FWH-016	71	990024FBN	82	990060FSS	82	
980004FWH-013L	65	980017FWH-017	79	990024FBN-W	82	990072FAC	82	
980004FWH-015	69	980017FWH-018	73	990024FCW	82	990072FAW	82	
980004FWH-016	71	980017FWH-020	35	990024FGT	82	990072FBN	82	
980004FWH-017	79	980017FWH-022	75	990024FMB	82	990072FBN-W	82	
980004FWH-018	73	980017FWH-023	37	990024FMM	82	990072FCW	82	
980004FWH-020	35	980017FWH-028	45	990024FMW	82	990072FGT	82	
980004FWH-022	75	980030FWH	34	990024FPW	82	990072FMB	82	
980004FWH-023	37	981001FAC	83	990024FSS	82	990072FMM	82	
980004FWH-028	45	981001FAW	83	990036FAC	82	990072FMW	82	
980005FWH	83	981001FBN	83	990036FAW	82	990072FPW	82	
980006FBK-012	57	981001FCW	83	990036FBN	82	990072FSS	82	
980007FAL	83	981001FGT	83	990036FBN-W	82	991001FAC	82	
980007FWH	83	981001FMB	83	990036FCW	82	991001FAW	82	
980008FAL	83	981001FMM	83	990036FGT	82	991001FBN	82	
980008FWH	83	981001FSS	83	990036FMB	82	991001FCW	82	
980009FWH	83	981002FAS	83	990036FMM	82	991001FGT	82	
980010FAW	83	990012FAC	82	990036FMW	82	991001FMB	82	
980011FAL	83	990012FAW	82	990036FPW	82	991001FMM	82	
980011FWH	83	990012FBN	82	990036FSS	82	991001FMW	82	
980012FWH	83	990012FBN-W	82	990048FAC	82	991001FPW	82	
980013FAS	18	990012FCW	82	990048FAW	82	991001FSS	82	
980015FAS-0016	25	990012FGT	82	990048FBN	82	992001FAC	82	
980015FAS-0017	23	990012FMB	82	990048FBN-W	82	992001FAW	82	
980015FAS-0066	51	990012FMM	82	990048FCW	82	992001FBN	82	



## We want you to enjoy your experience with Hinkley.

There is nothing complicated about it: we want to deliver a great product and treat you the way we'd like to be treated. So whether you are flipping through our catalog, surfing our site, getting inspired through social media, chatting with a member of our team or checking out our products in a retail shop—we want it to be time well-spent. Here's all you need to know:

#### CATALOG COLLECTIONS

Hinkley catalogs feature our current and complete product line along with important product specs and detailed photography. A must for the print-loving researcher who likes to tab their favorites. Stop by your local showroom for your own copy.

#### HINKLEY.COM

Dive in! Our easy-to-use site makes your product research process a snap, with the added benefit of tips, trends, installation guidelines and a quick connection to our retail partners.

#### SOCIAL CLIMBERS

We don't mean to brag, but we are connected.



#### REAL PEOPLE

Want to chat? Contact us at service@hinkley.com or 1.800.HINKLEY.

Hinkley stands behind the quality of our fixtures with product warranties that are among the strongest in the industry. For details of warranty coverage on specific products, please refer to hinkley.com or consult a qualified Hinkley retail distributor.

Several Hinkley products are protected under U.S. Patent and foreign patent, or patent pending. For current information regarding Hinkley's patent portfolio, please visit hinkley.com.

©2020 Hinkley, Inc. All rights reserved in all copyrightable works.





Hinkley is a proud partner of the American Lighting Association.



HINKLEY.COM

### GLOBAL HEADQUARTERS

33000 Pin Oak Parkway | Avon Lake, Ohio 44012 T 440 653 5500 | F 440 653 5555 | hinkley.com

#### SHOWROOM

Dallas Trade Mart 3210 | Dallas, Texas 75207









(a) (f (b) (p) (b) Connect with us | #hinkleystyle





