CHOICES

2014 Sform SUPPLEMENT













The Perfect Lighting Choice.™



WELCOME TO OUR ECATALOG!

Below you will find instructions on how to view our products using our online catalog. Each facet of the eCatalog is broken down and explained to better help you navigate and explore the eCatalog at your own pace or quickly get to a particular section.

TOP NAVIGATION BAR

These buttons are located on the top navigation bar:



- Download a pdf of the entire catalog.



- Crop and email and image.




- Print pages.



- Email or share to your favorite social websites.



- Adjust page shadow, flipping sound, tool tips and slide show timing.



 Place your own bookmarks on pages you select.



- Place notes on pages you select.



Switch from 2 page view to 1 page view and back.

MENU & SEARCH TABS

Located at the left of the browser are the Menu and Search tabs. The Menu tab displays the Contents of the catalog, a thumbnail view of all pages. The Search tab enables you to conduct a search in the catalog.

FLIPPING THE PAGES

Flip the pages by using navigation buttons at the bottom or click and drag the corners of the pages.

BOOKMARKS

Click on the bookmarks, to the right side of the cover, to g	o to that particular section.

ZOOMING

Click once anywhere on the page to zoom in and once again to zoom out. Use the zoom level on the footer to adjust the amount of zoom.

BOTTOM FOOTER NAVIGATION

The bottom footer navigation will allow you to scroll through the catalog, jump to the front and back cover, as well as, allow you to type in a certain page name or number to go right to that page.

FULL SCREEN VIEW

To view the catalog full screen, click the icon on the far right of the bottom footer. To exit full screen mode, close the window by clicking the black "x" in the upper right of the window.



The newest collection in our CHOICES line comes from the award-winning

Sform[®]

Justice Design Group is proud to bring a selection of these rich, elegant and dramatic architectural Ecoresins™ to light.

full circle

Manufactured in the USA STORM has made it a priority to provide high-design products while reducing their environmental footprint. The low-impact materials introduced here are 40% recycled content and are guiding the company on the Path to Zero waste.

Striking and contemporary, this specialty material features a range of handcrafted resins that are formed to our existing fixtures shown in this catalog.

Among these are two special products from the Full Circle line which takes a socially responsible stance and, with the help of artisans from around the world, transforms abundant local materials such as Chinese prayer leaves and spun silk from Nepal into valued products with modern design aesthetics.

SHADE AND METAL

SHADE FINISHES













METAL FINISHES











How To Build An Item Number



WALL SCONCES

3FRM - 5550 - TAKE - DBRZ

Shade Metal Shade Metal

Material Structure Finish Finish

(Collection)


COLLECTIONS

3FRMform ITEM 5541 No. -CONN -FIZZ -LEAF -TILE -TAKE -TWRL

FINIALS FAMILY: ADA WALL SCONCES

ADA







Shown: 3FRM-5541-LEAF-NCKL

ADA

ADA



Shown: 3FRM-5541-TWRL-NCKL

ADA



Shown: 3FRM-5541-TAKE-DBRZ

Item	WALL SCONCES	Size	Medium Base	Fluorescent	Metal	NOTES *
No.	Description	(MC = Mounting Center)	(Standard)	(Optional)	Finishes	
5541	FINIALS ADA Cylinder	12.5" H x 8" W x 4" Proj. (MC 4")	(2) 18W Screw-In CFL Max or (2) 15W Screw-In LED Max	(2) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

FINIALS FAMILY: ADA WALL SCONCES



COLLECTIONS

ADA

FINIALS ITEM 19 88 -CONN -FIZZ -LEAF -TILE -TAKE -TWRL

FINIALS FAMILY: ADA WALL SCONCES

ADA





Shown: 3FRM-8855-CONN-DBRZ

Shown: 3FRM-8855-TILE-NCKL







Item	WALL SCONCES	Size	Medium Base	Fluorescent	Metal	NOTES *
No.	Description	(MC = Mounting Center)	(Standard)	(Optional)	Finishes	
8855	ADA Wide Oval	9.75" H x 11.75" W x 4" Proj. (MC 3.25")	(2) 18W Screw-In CFL Max or (2) 15W Screw-In LED Max	(2) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

FINIALS FAMILY: ADA WALL SCONCES



COLLECTIONS

| CCIPS | CLIPS | S455 | S455

CLIPS FAMILY: ADA ROUND WALL SCONCES







Item No.	WALL SCONCES Description	Size (MC = Mounting Center)	Fluorescent (Standard)	Metal Finishes	NOTES *
5545	CLIPS ADA 12" Round	12.5" Dia. x 4" Proj. (MC 6.25")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5547	CLIPS ADA 16" Round	16.5" Dia. x 4" Proj. (MC 8.25")	(4) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5548	CLIPS ADA 24" Round	24.5" Dia. x 4" Proj. (MC 12.25")	(6) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

CLIPS FAMILY: ROUND FLUSH-MOUNTS

OPTIONS

COLLECTIONS



	Item No.		5547	5548
	-CONN	•	•	•
	-FIZZ	•	•	•
FINISHES	-LEAF	•	•	•
N N	-TILE	•	•	•
	-TAKE	•	•	~

-TWRL



Shown: 3FRM-5548-CONN-DBRZ Note: (6) 13W GU24 lamps included



Note: (2) 13W GU24 lamps included

Shown: 3FRM-5547-FIZZ-NCKL Note: (4) 13W GU24 lamps included

Item No.	FLUSH-MOUNT Description	Size	Fluorescent (Standard)	Metal Finishes	Approx. Weight	NOTES *
5545	CLIPS 12" Round	12.5" Dia. x 4" OAH	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL		С
5547	CLIPS 16" Round	16.5" Dia. x 4" OAH	(4) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	25 lbs.	С
5548	CLIPS 24" Round	24.5" Dia. x 4" OAH	(6) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	55 lbs.	С, О

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

SFRMCLIPS ITEM NO. 955 -CONN -FIZZ -LEAF -TILE -TAKE -TWRL -TWRL

CLIPS FAMILY: ADA WALL SCONCES

ADA



Shown: 3FRM-5550-TAKE-DBRZ Note: (1) 13W GU24 lamp included

ADA



Shown: 3FRM-5550-FIZZ-NCKL Note: (1) 13W GU24 lamp included

ADA



Shown: 3FRM-5550-TWRL-DBRZ Note: (1) 13W GU24 lamp included

Item	WALL SCONCES	Size	Fluorescent	Metal	NOTES *
No.	Description	(MC = Mounting Center)	(Standard)	Finishes	
5550	CLIPS ADA 8" Square	8.5" Sq. x 4" Proj. (MC 4.25")	(1) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

CLIPS FAMILY: ADA WALL SCONCES

OPTIONS

COLLECTIONS



	Item No.	5551	
	-CONN	~	
	-FIZZ	~	
INISHES	-LEAF	•	
ž			

-TAKE

-TWRL

ADA



Shown: 3FRM-5551-TILE-DBRZ Note: (2) 13W GU24 lamps included

ADA



Shown: 3FRM-5551-CONN-CROM Note: (2) 13W GU24 lamps included



Item	WALL SCONCES	Size	Fluorescent	Metal	NOTES *
No.	Description	(MC = Mounting Center)	(Standard)	Finishes	
5551	CLIPS ADA Rectangle	12.5" H x 8.5" W x 4" Proj. (MC 6.25")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

CLIPS FAMILY: ADA SQUARE WALL SCONCES

ADA





Shown: 3FRM-5555-LEAF-DBRZ Note: (2) 13W GU24 lamps included Shown: 3FRM-5557-TAKE-CROM Note: (4) 13W GU24 lamps included

ADA

ADA



Shown: 3FRM-5558-TILE-NCKL Note: (6) 13W GU24 lamps included

Item No.	WALL SCONCES Description	Size (MC = Mounting Center)	Fluorescent (Standard)	Metal Finishes	NOTES *
5555	CLIPS ADA 12" Square	12.5" Sq. x 4" Proj. (MC 6.25")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5557	CLIPS ADA 16" Square	16.5" Sq. x 4" Proj. (MC 8.25")	(4) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5558	CLIPS ADA 24" Square	24.5" Sq. x 4" Proj. (MC 12.25")	(6) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

CLIPS FAMILY: SQUARE FLUSH-MOUNTS

OPTIONS

COLLECTIONS



-LEAF

-TILE

-TAKE

-TWRL



Shown: 3FRM-5558-TWRL-MBLK
Note: (6) 13W GU24 lamps included







Shown: 3FRM-5557-FIZZ-NCKL Note: (4) 13W GU24 lamps included

Item No.	FLUSH-MOUNT Description	Size	Fluorescent (Standard)	Metal Finishes	Approx. Weight	NOTES *
5555	CLIPS ADA 12" Square	12.5" Sq. x 4" Proj. (MC 6.25")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL		С
5557	CLIPS ADA 16" Square	16.5" Sq. x 4" Proj. (MC 8.25")	(4) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	30 lbs.	С
5558	CLIPS ADA 24" Square	24.5" Sq. x 4" Proj. (MC 12.25")	(6) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	55 lbs.	С, О

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

FRAMED FAMILY: ADA WALL SCONCES

ADA



Shown: 3FRM-5561-TAKE-CROM Note: (1) 13W GU24 lamp included ADA



Shown: 3FRM-5560-TWRL-NCKL Note: (1) 13W GU24 lamp included

ADA

Shown: 5558-TWRL-MBLK
Note: (4) 13W GU24 lamps included



Shown: 3FRM-5561-CONN-NCKL Note: (1) 13W GU24 lamp included ADA



Shown: 3FRM-5560-LEAF-DBRZ
Note: (1) 13W GU24 lamp included

Item No.	WALL SCONCES Description	Size (MC = Mounting Center)	Fluorescent (Standard)	Metal Finishes	NOTES *
5560	FRAMED ADA 3-Sided Square	10" H x 12" W x 4" Proj. (MC 4")	(1) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5561	FRAMED ADA 4-Sided Square	12" H x 12" W x 4" Proj. (MC 6")	(1) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

FRAMED FAMILY: ADA WALL SCONCES

ADA

OPTIONS

COLLECTIONS



		RAME	D	
	Item No.	5562	5563	
	-CONN	•	•	
	-FIZZ			
FINISHES	-LEAF	•	•	
Ĭ	-TILE	•	•	
	-TAKE	~	~	

-TWRL



Shown: 3FRM-5563-CONN-DBRZ Note: (2) 13W GU24 lamps included



ADA

ADA



Shown: 3FRM-5563-TILE-NCKL Note: (2) 13W GU24 lamps included

ADA Shown: 3FRM-5562-TAKE-DBRZ Note: (2) 13W GU24 lamps included

Item No.	WALL SCONCES Description	Size (MC = Mounting Center)	Fluorescent (Standard)	Metal Finishes	NOTES *
5562	FRAMED ADA 3-Sided Rectangle	14" H x 12" W x 4" Proj. (MC 6")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С
5563	FRAMED ADA 4-Sided Rectangle	16" H x 12" W x 4" Proj. (MC 8")	(2) 13W GU24 Max	CROM, DBRZ, MBLK, NCKL	С

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

SEMI-FLUSH TEM NO. 1496 -CONN V V -FIZZ -LEAF V V -TILE V V

-TWRL

SEMI-FLUSH BOWLS







Shown: 3FRM-9671-35-TWRL-NCKL Note: (3) 13W GU24 lamps included



Shown: 3FRM-9672-35-LEAF-CROM Note: (6) 13W GU24 lamps included



Shown: 3FRM-9672-35-TAKE-DBRZ Note: (6) 13W GU24 lamps included

Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Fluorescent (Standardl)	Metal Finishes	Approx. Weight	NOTES*
9671	18" Bowl	18" Dia. x 7" OAH (.75" H x 5" Dia.)	Not Available	(3) 18W GU24 Max	ABRS, CROM, DBRZ, MBLK, NCKL		С
9672	24" Bowl	24" Dia. x 7" OAH (.75" H x 5" Dia.)	Not Available	(6) 18W GU24 Max	ABRS, CROM, DBRZ, MBLK, NCKL		С

^{*} To see NOTES, refer to Page 36.

SEMI-FLUSH BOWLS



U-Clips: Pendant Bowls



ROUND WI RING: SEMI-FLUSH BOWLS



METROPOLIS FAMILY: SEMI-FLUSH BOWLS



METROPOLIS FAMILY: PENDANT BOWLS



METROPOLIS FAMILY: SEMI-FLUSH BOWLS

COLLECTIONS



SLOPING CEILING
KIT OPTION
(-SLOPE)

See Page 36 Note "U"







Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
8111	METROPOLIS 18" Round Bowl	22" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
8112	METROPOLIS 24" Round Bowl	28" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

METROPOLIS FAMILY: PENDANT BOWLS

OPTIONS

COLLECTIONS



METROPOLIS

	2					
Item No.		8121	8122			
	-CONN	•	•			
	-FIZZ					
FINISHES	-LEAF	•	•			
Ψ	-TILE	•	•			
	-TAKE	•	•			
	-TWRL	•	/			

SLOPING CEILING KIT OPTION (-SLOPE)

See Page 36 Note "U"





Shown: 3FRM-8122-35-TILE-CROM

Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
8121	METROPOLIS 18" Round Bowl	22" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max. 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
8122	METROPOLIS 24" Round Bowl	28" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max. 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	CROM, DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

COLLECTIONS



Item No.		9611	9612	
	-CONN	•	·	
	-FIZZ			
FINISHES	-LEAF	•	~	
FINIS	-TILE	•	•	
	-TAKE	•	•	
	-TWRL	•	•	

SLOPING CEILING KIT OPTION (-SLOPE)

See Page 36 Note "U"



U-Clips: Semi-Flush Bowls







Shown: 3FRM-9612-35-TAKE-MBLK

Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9611	18" Bowl w/ U-CLIPS	21" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9612	24" Bowl w/ U-CLIPS	27" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

U-CLIPS: PENDANT BOWLS

OPTIONS

COLLECTIONS



SLOPING CEILING KIT OPTION (-SLOPE)

-TAKE

-TWRL

SEE PAGE 36 NOTE "U"



Shown: 3FRM-9622-35-CONN-DBRZ

Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9621	18" Bowl w/ U-CLIPS	21" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9622	24" Bowl w/ U-CLIPS	27" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

COLLECTIONS



	I APEREL) CLIP	5	
	гем 1 0.	9631	9632	
	-CONN	•	•	
	-FIZZ			
INISHES	-LEAF	•	•	
ž	-TILE		1	

SLOPING CEILING KIT OPTION (-SLOPE)

-TAKE

-TWRL

SEE PAGE 36



TAPERED CLIPS: SEMI-FLUSH BOWLS



Shown: 3FRM-9631-35-TAKE-NCKL

Shown: 3FRM-9631-35-CONN-DBRZ



Shown: 3FRM-9632-35-TILE-DBRZ



Shown: 3FRM-9632-35-LEAF-MBLK

Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9631	18" Bowl w/ TAPERED CLIPS	21" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9632	24" Bowl w/ TAPERED CLIPS	27" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

TAPERED CLIPS: PENDANT BOWLS



Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9641	18" Bowl w/ TAPERED CLIPS	21" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9642	24" Bowl w/ Tapered Clips	27" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

OPTIONS

COLLECTIONS

3FRMform

TAPERED CLIPES

	Item No.	9641	9642	
	-CONN	•	•	
	-FIZZ			
FINISHES	-LEAF	•	•	
Ϋ́	-TILE	•	•	
	-TAKE	•	•	
	-TWRL	•	~	

SLOPING CEILING KIT OPTION (-SLOPE)

See Page 36 Note "U"



COLLECTIONS

3FRMform

	гем 1 0.	9651	9652	
	-CONN	•	·	
	-FIZZ			
FINISHES	-LEAF	•	·	
Ĭ	-TILE	•	·	
	-TAKE	•	·	
	-TWRL	~	~	

SLOPING CEILING KIT OPTION (-SLOPE)

SEE PAGE 36



FINIALS: SEMI-FLUSH BOWLS







Shown: 3FRM-9652-35-CONN-DBRZ-F4

Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9651	18" Bowl w/ FINIALS	18" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9652	24" Bowl w/ FINIALS	24" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

FINIALS: PENDANTS BOWLS

OPTIONS

COLLECTIONS



SLOPING CEILING KIT OPTION (-SLOPE)

-TAKE

-TWRL

See Page 36 Note "U"



00	F1 Pair of Cylinder Finials
22	F2 Pair of Square Finials
MA	F3 Pair of Square w/ Point Finials
	F4 Large Square w/ Point Finial
	F5 Concentric Squares Finial
	F6 Concentric Circles Finial
	Shown: 3FRM-9662-35-TAKE-NCKL-F6

Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9661	18" Bowl w/ FINIALS	18" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	25 lbs.	C, M, N, R, U
9662	24" Bowl w/ FINIALS	24" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

COLLECTIONS



ROUND W/RING

Item No.		9681	9682	
	-CONN	•	•	
	-FIZZ			
SHES	-LEAF	•	•	
FINISHES	-TILE	•	•	
	-TAKE	~	~	
	-TWRL	~	V	

SLOPING CEILING KIT OPTION (-SLOPE)

See Page 36 Note "U"



ROUND W/ RING: SEMI-FLUSH BOWLS







Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9681	18" Round Bowl w/ RING	21" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
9682	24" Round Bowl w/ RING	27" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, S, U

ROUND W/ RING: PENDANT BOWLS

OPTIONS

COLLECTIONS



	Item No.	9691	9692	
	-CONN	•	•	
	-FIZZ			
FINISHES	-LEAF	•	•	
Ε̈́	-TILE	•	•	
	-TAKE	•	•	
	-TWRL	•	•	
	-	-		

SLOPING CEILING KIT OPTION (-SLOPE)

See Page 36 Note "U"



Shown: 3FRM-9692-35-LEAF-DBRZ

Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9691	18" Round Bowl w/ RING	21" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
9692	24" Round Bowl w/ RING	27" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, S, U

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

SLOPING CEILING KIT OPTION (-SLOPE)

-TAKE


-TWRL

See Page 36 Note "U"



Crossbar: Semi-Flush Bowls











Item No.	SEMI-FLUSH Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9711	18" Bowl w/ CROSSBAR	21" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 16"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
9712	24" Bowl w/ CROSSBAR	28" Dia. x 12" OAH (2" H x 6" Dia.)	Min. 12" Max. 20"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

Crossbar: Pendant Bowls

OPTIONS

COLLECTIONS



SLOPING CEILING KIT OPTION (-SLOPE)

-TWRL

SEE PAGE 36 NOTE "U"




Shown: 3FRM-9722-35-TAKE-DBRZ

Item No.	PENDANTS Description	Size (Canopy)	Custom OAH	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9721	18" Bowl w/ CROSSBAR	21" Dia. x 24" OAH (2" H x 6" Dia.)	Min. 18" Max 48"	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, M, N, R, U
9722	24" Bowl w/ CROSSBAR	28" Dia. x 30" OAH (2" H x 6" Dia.)	Min. 24" Max 72"	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, M, N, O, R, U

^{*} To see NOTES, refer to Page 36.

COLLECTIONS

Scrolls & Finials: Pendant Bowls







Shown: 3FRM-9741-35-TAKE-NCKL-F1

Shown: 3FRM-9742-35-TWRL-NCKL-F6

Item No.	PENDANTS Description	Size (Canopy)	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9741	18" Bowl w/ SCROLLS & FINIALS	24" Dia. x 19" H (1" H x 5.5" Dia.)	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, L, M
9742	24" Bowl w/ SCROLLS & FINIALS	31" Dia. x 22" H (1" H x 5.5" Dia.)	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, L, M, O

^{*} To see NOTES, refer to Page 36.



COLLECTIONS

FLAT BARS & FINIALS ITEM NO. 15 25 26 -CONN V V -FIZZ SHYNUL -TAKE V V -TWRL V V

FLAT BARS & FINIALS: PENDANT BOWLS







Shown: 3FRM-9751-35-TWRL-NCKL-F6

Shown: 3FRM-9752-35-TILE-MBLK-F2

Item No.	PENDANTS Description	Size (Canopy)	Medium Base (Standard)	Fluorescent (Optional)	Metal Finishes	Approx. Weight	NOTES *
9751	18" Bowl w/ FLAT BARS & FINIALS	24" Dia. x 19" H (1" H x 5.5" Dia.)	(3) 18W Screw-In CFL or (3) 15W Screw-In LED	(3) 18W GU24 Max	DBRZ, MBLK, NCKL	30 lbs.	C, L, M
9752	24" Bowl w/ FLAT BARS & FINIALS	31" Dia. x 22" H (1" H x 5.5" Dia.)	(6) 18W Screw-In CFL or (6) 15W Screw-In LED	(6) 18W GU24 Max	DBRZ, MBLK, NCKL	40 lbs.	C, L, M, O

^{*} To see NOTES, refer to Page 36.

FLAT BARS & FINIALS: PENDANT BOWLS



Shown: 3FRM-9752-35-TAKE-NCKL-F2 Note: See Page 34 for fixture data

Item Number	Catalog Page No.
5541	2, 3
8855	4, 5
5545	6, 7
5547	6, 7
5548	6, 7
5550	8
5551	9
5555	10, 11
5557	10, 11
5558	10, 11
5560	12

Item Number	Catalog Page No.
5561	12
5562	13
5563	13
8111	18, 20
8112	20
8121	21*
8122	19, 21
9611	22
9612	22
9621	16*, 23*
9622	16, 23

ltem Number	Catalog Page No.
9631	24
9632	24
9641	25*
9642	25
9651	26
9652	26
9661	27*
9662	27
9671	14
9672	14, 15
9681	28

Item Number	Catalog Page No.
9682	17, 28
9691	29*
9692	29
9711	30
9712	30
9721	31*
9722	31
9741	32
9742	32, 33
9751	34
9752	34, 35

Notes

GENERAL NOTES

INSTALLATION: Use only qualified electrician and follow all local building and electrical codes

FIXTURES: UL Suitable for Damp Locations unless otherwise noted

PORTABLES: UL Portable unless otherwise noted

Dimensions and fixture weights are approximate

Key: "MC" or "Mounting Center" is the dimension from the top of the fixture to the center of the J-box

Key: "OAH" (Overall Height) is the dimension from the ceiling to the bottom of the fixture (e.g., semi-flush or pendant bowl). OAH does not include finials, if any.

Fixtures labeled "ADA" comply with the Americans with Disabilities Act

Lamps are not included unless otherwise noted

GU24 Lamping Setup: 120v electronic standard. Fixture includes 13W self-ballasted non-dimming GU24 lamp(s) regardless of fixture's maximum wattage. Special dimming GU24 lamps, higher wattage lamps, and 277v electronic setup are available for additional charge.

Other Special Lamping Setups: Contact Justice Design for availability of 120v Magnetic Ballast, 120v Electronic Ballast, 277v Electronic Ballast, or 120v or 277v Dimming Electronic Ballast

IMPORTANT: For fixtures with 3form shades, use only fluorescent or LED lamps. Do not use incandescent lamps.

Energy Star Compliant Fixtures: Contact Justice Design

LAMPING & OTHER

C LED lamping option available.
See Page 37 for specifications.

BOWLS

L	Fixture includes 6 ft. of chain and 10 ft. of wire. Additional chain available for additional charge.	
M	Bowl fixture includes metal screen diffuser	
N	Bowl fixture OAH is NOT field adjustable. Fixture shipped with a standard OAH unless a Custom Overall Height (COAH) is specified.	
О	Heavy fixture requires supplemental mounting support independent of J-box	
Р	Large fixture shipped by truck carrier only	
R	Bowl fixture uses 4 stainless steel cables w/connectors	
S	Bowl fixture uses 6 stainless steel cables w/connectors	
Т	Bowl fixture uses 8 stainless steel cables w/connectors	
U	Sloping Ceiling Kit option available for additional charge. Includes 6 feet of chain.	

^{*} See this catalog page for data and photo of a similar fixture.

Index of Fixtures Available W/ LED Option

LE	LED Module Codes				
LED Module Code (Dimming)	LED Wattage	Initial Lumens (lm)			
LED-1000	13W	1,000 lm			
LED-2000	26W	2,000 lm			
LED-3000	39W	3,000 lm			
LED-5000	65W	5,000 lm			

Item Number	LED Module Code			
3form				
5541	LED-1000			
8855	LED-2000			
5545	LED-2000			
5547	LED-3000			
5548	LED-5000			
5550	LED-1000			
5551	LED-2000			
5555	LED-2000			
5557	LED-3000			
5558	LED-5000			
5560	LED-1000			

ltem Number	LED Module Code
3fo	rm
5561	LED-1000
5562	LED-2000
5563	LED-2000
8111	LED-3000
8112	LED-5000
8121	LED-3000
8122	LED-5000
9611	LED-3000
9612	LED-5000
9621	LED-3000
9622	LED-5000

Item Number	LED Module Code
3fo	rm
9631	LED-3000
9632	LED-5000
9641	LED-3000
9642	LED-5000
9651	LED-3000
9652	LED-5000
9661	LED-3000
9662	LED-5000
9671	LED-3000
9672	LED-5000
9681	LED-3000

Item Number	LED Module Code
3form	
9682	LED-5000
9691	LED-3000
9692	LED-5000
9711	LED-3000
9712	LED-5000
9721	LED-3000
9722	LED-5000
9741	LED-3000
9742	LED-5000
9751	LED-3000
9752	LED-5000

TECHNICAL DATA

ELECTRICAL *	
•	Input Voltage: 120V standard (277V option available)
•	Input Frequency: 50-60 Hz
•	Power Consumption per Light Engine: 13W
•	Dimming: Compatible with Incan/Triac or ELV dimmers (0-10V option available)
•	Driver Efficiency: > 80%

	ILLUMINATION AND EFFICACY *	
•	Light Output per Engine: 1,000 lumens (initial) (600 lumen option available)	
•	Light Engine Efficacy: 77 lumens per watt (initial)	
•	Correlated Color Temperature (CCT): 3045K (2700K option available)	
•	ANSI Binning: +/- 165K	
•	MacAdam Ellipse: 7-Step	
•	Minimum CRI: 90	
•	Incandescent Equivalent: 75W per engine	
٠	CFL Equivalent: 18W per engine	

	ILLUMINATION AND EFFICACY * (Cont.)	
•	Beam Angle: 120 ⁰	
•	Dimmability: Down to 5%	
•	We recommend installing LED fixtures on a dimmer switch	

	SAFETY AND RATINGS *	
•	UL Listing: UL Damp Locations	
•	Ambient Temperature Operating Range: -20 ^o C to +40 ^o C (-4 ^o F to +104 ^o F)	
•	EPA, TM-21/LM-80 LED rated life: L70 > 50,000 hours	
•	Warranty: 5 years**	

	NOTES	
*	Due to the rapidly evolving LED technology, the above specifications are accurate as of June 2014 and are subject to change.	
**	All components (modules, drivers, heat sinks) must be provided by Justice Design Group and fixture must be operated within allowable operating conditions.	





www.JDG.com



(213) 437.0102