


Collection + Extensions 2024





Welcome to SonnemanHaus: Where modern lighting meets contemporary living.

Sonneman celebrates the marriage of modernist design principles and contemporary living, with new creations from our Studio.


For 2024, we showcase the breadth of our designs to illuminate every space inside and outside the home with innovative, decorative architectural lighting — from iconic modern chandeliers for dramatic entry spaces, living and dining rooms, to contemporary luminaires for kitchens and bathrooms.

Our brand is built on the pioneering work of Robert Sonneman, who brought European modernist design principles of form and function to the art of lighting.

Today, our Design Studio, under creative direction of Nuno Pires da Silva, extends the ethos of modern design for contemporary living.



- <sup>6</sup> QB
- <sup>8</sup> LP
- <sup>10</sup> Kaliko
- <sup>12</sup> Base
- <sup>14</sup> Mist
- <sup>18</sup> Scepter
- <sup>20</sup> **Pi**
- Lithe Pendant & Wall Lamp
- <sup>26</sup> Fino Duo
- Ray Pendant & Wall Lamp
- 32 Sultana
- 34 Suspenders







QB

QB's minimalist, wall mounted aluminum cube reframes space while projecting light up and down through a clear lens. This timeless geometric form is ideal for any architectural space, including living spaces, luxury bathrooms, and outdoor spaces. This collection can be scaled for larger residential, hospitality and commercial settings.

QB is IP65 rated, making it an ideal solution for outdoor locations.

Aluminum Body Clear Optical Lens (45deg)


Natural Anodized .77
 Textured Black .97
 Textured White .98

Typology:

Small Sconce 7520 3.25H x 3.25W x 3.5ext

4.5W LED x 2 500 Lumens 3000K, 90 CRI

Typology: Large Sconce 7522
Dimensions: 5.25H x 5.25W x 5.5ext
Electrical: 7W LED x 2 750 Lumens 3000K, 90 CRI



Pared-down and straightforward, LP's refined, hard-edge wall mounted presence creates evenly diffused LED spatial compositions. This collection's indirect ambient light counters its round and square shapes and creates a halo effect against the wall or ceiling.


This timeless geometric form is ideal for any indoor or outdoor architectural space. This collection can be scaled for larger residential, hospitality and commercial settings. LP's IP65 rating paired with the subtle ambient light it projects make it an ideal collection for outdoor locations.

Aluminum Body Acrylic Diffuser

Finishes: • Textured Black .97 O Textured White .98 Typology: Dimensions:

Square Sconce 7525 7H x 7W x 1.5ext 12W LED 500 Lumens 3000K, 90CRI

Typology: Round Sconce 7527
Dimensions: ø7.5 × 1.5ext
Electrical: 12W LED
500 Lumens 3000K, 90 CRI









A perfect statement of volumetric simplicity, Kaliko's design features two apertures that transform space with contrasting intensities of LED light emanating from the top and bottom of the fixture.

Kaliko can be scaled for indoor and outdoor residential, hospitality and commercial settings for an enduring modern presence.

Acrylic Diffuser

Finishes: • Textured Black .97
• Textured White .98

Typology:

Sconce 7530 5H x 10W x 4.25ext 25.5W LED 1200 Lumens 3000K, 90 CRI



### Base

Designed with order and structural efficiency in mind, Base wall mounted sconces accentuate architectural horizons with directed LED light.

This timeless geometric form is ideal for commercial, hospitality, and residential settings, including living rooms, hallways, bedrooms, and elegant bathrooms. Base can be scaled across larger settings for an enduring modern presence.

Aluminum Body Optical Acrylic Diffuser

Finishes: • Textured Black .97
• Textured White .98

Typology: Dimensions:

Sconce 7535 5H x 16W x 4.5ext 25.5W LED 1800 Lumens 3000K, 90 CRI





### Mist

Crafted from etched glass that optimizes luminescence and subtle color, Mist produces a calming, free floating LED halo effect as light passes through the glass. This collection has three etched glass color options with round and square shapes.

Mist is ideal for a wide range of applications, from providing a sense of calming light in a modern bathroom to creating subtle elegance through a grand hallway.

Amber Etched Glass .98A
 Moss Etched Glass .98M
 Clear Etched Glass .98W

Aluminum Body Glass Etched Diffuser

Square Sconce 7540 6.5H x 6.5W x 2ext 7W LED 200 Lumens 3000K, 90 CRI






Materials:


Aluminum Body Etched Glass Diffuser

16









Pairing the ancestral drop forge process of solid brass with simple white cased glass, Scepter bath bars and sconces deliver beautifully distributed LED light. Deco meets Modern design to create an elegant powerful presence.

This collection is available in three bold finishes for a luxurious bathroom. Scepter bath bars can be mounted vertically or horizontally beside or above a mirror.

Materials: Brass Body White Etched Cased Glass

Polished Chrome .01Satin Brass .38Black Brass .51

Typology: 18" Sconce 3960
Dimensions: 19.5H x 4.5W x 4ext
Electrical: 12W LED

800 Lumens 3000K, 90 CRI

Typology: 24" Bath Bar 3962
Dimensions: 24H x 4.5W x 4ext
Electrical: 15W LED x2

1120 Lumens 3000K, 90 CRI

Typology: 36" Bath Bar 3963
Dimensions: 36H x 4.5W x 4ext
Electrical: 18W LED x2
1680 Lumens
3000K, 90 CRI

3000K, 90 CRI

Typology: 48" Bath Bar 3964
Dimensions: 48H x 4.5W x 4ext
Electrical: 20W LED x2
2240 Lumens

1



Suspended as a Pendant, surface mounted and now available as a recessed mount, the architectural presence of Pi punctuates the less is more idiom of Mies. Pi Recessed Mounts have been designed with a Satin White finish in two diameters — 20" and 12".

Aluminum Body Optical Acrylic Diffuser

Finishes: O Satin White .03

20

12" Round Recessed LED Panel 3997.03 ø14.75 × 3.75H 30W LED 1800 Lumens 3000K, 90 CRI Typology: Dimensions:

Electrical:

Typology: 20" Round Recessed LED Panel 3998.03-35
Dimensions: 022.5 × 3.75H
Electrical: 40W LED

3000 Lumens 3500K, 90 CRI

sonnemanlight.com

Referencing the industrial elegance of an H beam used in engineering and architecture, Lithe is designed to evenly distribute light in two directions.

This sleek and minimal collection is ideal for any modern space, including residential, hospitality and commercial settings. The family includes pendants and wall lamps in textured black, textured white, and natural anodized finishes.

### Lithe Pendant

Aluminum Body Acrylic Diffuser Materials:

 Natural Anodized .77
 Textured Black .97
 Textured White .98 Finishes:

Typology: 3' 2-Sided Pendant 3
Dimensions: 36L x .75W x 2.25h 3' 2-Sided Pendant 3463 Electrical: 26W LED 1000 Lumens 3000K, 90 CRI

Typology: 4' 2-Sided Pendant 3464 Dimensions: 48L x .75W x 2.25h Electrical: 29W LED 1300 Lumens 3000K, 90 CRI


Typology: 6' 2-Sided Pendant 3466
Dimensions: 72L x .75W x 2.25h
Electrical: 43.5W LED

2000 Lumens 3000K, 90 CRI

Typology: 8' 2-Sided Pendant 3468 Dimensions: 96L x .75W x 2.25h Electrical: 68.5W LED

3000 Lumens 3000K, 90 CRI









Lithe Wall Lamp

Aluminum Body Acrylic Diffuser

Finishes:

Natural Anodized .77

Textured Black .97

Textured White .98

 
 Typology:
 3' 2-Sided Wall Lamp 3453

 Dimensions:
 2.25H x 36W x 1ext

 Electrical:
 11W LED x 2
 1000 Lumens 3000K, 90 CRI


Typology: 4' 2-Sided Wall Lamp 3454
Dimensions: Electrical: 5W LED x 2
1300 Lumens
3000K, 90 CRI

Typology: 6' 2-Sided Wall Lamp 3456
Dimensions: 2.25H x 72W x 1ext
Electrical: 22W LED x 2

2000 Lumens 3000K, 90 CRI

Typology: 8' 2-Sided Wall Lamp 3458
Dimensions: 2.25H x 96W x 1ext
Electrical: 34W LED x 2

3000 Lumens 3000K, 90 CRI



Building on the minimally scaled LED Fino Bath Bar and Pendant design, Fino Duo signals graphic architectural presence with pairs of interconnected LED Fino metal bars. Ultra-thin and minimally scaled, these slender bars deliver powerful light symmetrically along a linear path.

Fino Duo Pendants are ideal above a kitchen island or long table, including dining spaces, conference rooms, and bars. A coupler kit may be ordered in conjunction with multiple Fino Pendants, to seamlessly connect multiple pendants together for larger spaces.

### Fino Duo

Aluminum Body Acrylic diffuser

Polished Chrome .01 Satin Black .25

Typology:

60" Pendant 3779 60L x 5W x 8.75H 30W LED x 2 3000 Lumens 3000K, 90 CRI

Juxtaposing formal structure with playful geometry, Ray offers an inventive array of LED luminaires with delicate arms and soft shades that come together to create a modernist statement piece. The chandelier design geometrically spaces light evenly around a space through three, five, or six luminaires.

Ray include a stem kit that allows the fixture to be installed at various hanging heights. Ray is available in three body finishes and five interchangeable shade finishes, including a signature Oxide Red finish.

Stainless Steel Body Etched Acrylic Diffuser or Aluminum Shade Materials:

Finishes: Warm Gray .17Warm Gray w/ Smoke .17K

Warm Gray w/ Opal .17W

Satin Black .25

Satin Black w/ Smoke .25K

Satin Black w/ Opal .25W

Oxide Red .73Oxide Red w/ Smoke .73K Oxide Red w/ Opal .73W

Typology: 3 Light Round Pendant 2033

ø35.75 × 12H Electrical: 8.5W LED x 3 1800 Lumens 3000K, 90 CRI

Typology: 5 Light Round Pendant 2035
Dimensions: 045.25 × 12H
Electrical: 8.5W LED x 5

3000 Lumens


3000K, 90 CRI

Typology: Typology: 6 Light Rectangle Pendant 2036 Dimensions: 67.75W x 45.25D x 12H

8.5W LED x 6 3000K, 90 CRI











Ray Wall Lamps feature soft shades and delicate arms that rotate on an axis for functional, elegant lighting. This collection has a wide range of applications, from a bedside wall lamp to a workspace or study, to a hospitality environment. Ray is available in three body finishes and five interchangeable shade finishes, including a signature Oxide Red finish.

Stainless Steel Body Etched Acrylic Diffuser

Finishes: Warm Gray .17
Warm Gray w/ Smoke .17K
Warm Gray w/ Opal .17W

Satin Black .25

 Satin Black w/ Smoke .25K Satin Black w/ Opal .25W

Oxide Red .73

Oxide Red w/ Smoke .73K
Oxide Red w/ Opal .73W

Typology: Dimensions: Electrical:

Short Wall Lamp 2030 6H x 6.25W x 6.25-25.25ext 8.5W LED

600 Lumens 3000K, 90 CRI

Typology: Dimensions: Long Wall Lamp 2031 8.5Hx 6.25W x 6.25-45ext Electrical:

8.5W LED 600 Lumens 3000K, 90 CRI



### Sultana

Sultana celebrates the luxuriously crafted, sculptural LED illuminated effect of hand-blown seeded crystal glass in dialogue with solid brass or polished chrome.

Sultana Chandeliers are available in 9-light, 12-light, and 24-light configurations, or can be hung as single pendants. This elegant fixture creates a statement in a dining room, entryway, lobby, or hospitality setting.

Materials: Brass Body Seeded Glass diffuser

Polished Chrome .01 Satin Brass .38

Typology: 1-Light Pendant 4160
Dimensions: Ø4.75 × 11H
Electrical: 6W LED

Electrical:

Electrical:

250 Lumens 3000K, 90 CRI

9-Light Round Pendant 4163 ø26 × 11H 6W LED x 9 Typology:


2250 Lumens 3000K, 90 CRI

12-Light Round Pendant 4164 ø26 × 11H 6W LED x 12 3000 Lumens 3000K, 90 CRI Typology: Dimensions:

Electrical:

Typology: 24-Light Round Pendant 4166
Dimensions: ø37.5 × 11H

6W LED x 24 6000 Lumens 3000K, 90 CRI



## White Suspenders

A delicately scaled, modular system of interconnected elements and suspended LED luminaires.

Suspenders can be configured and customized as individual lighting sculptures or as a tiered web of infinite scope and variety.

The Suspenders system harmoniously integrates functional and decorative luminaires providing the ability to add focused light or the soft of indirect illumination to a variety of lighting applications.

For 2024, we have expanded the functionality, performance, applications, and decorative options for the growing Suspenders system.

We are very excited to announce that we are introducing a white finish, height adjustability capabilities for newly designed luminaires, and new configurations that embrace softer shapes and organic patterns.



# Suspenders Path Square

12' x 12' 1 — Tier Path Square with Precise & Power Precise Smooth Cylinder Luminaires

SLS4239-K

Typology: Pendant/ Surface Mount Dimensions: 147W x 147L x 5H 3000K 90 CRI


SLS4239-W Shown with


Precise Direct Mount Smooth 1XDXXCH08W-X (x4)

Precise Bar-Mounted Aimable Smooth 1XDXXCH08W (x4)

Power Precise Direct Mount Smooth 1XDXXCH09W-X (x4)

Power Precise Bar-Mounted Aimable Smooth 1XDXXCH09W (x4)







# Suspenders Path 3 Bar Racetrack

40" x 88" Path 3 — Bar Racetrack with Height Adjustable Etched Globe Luminaires

Aluminum Body

White Etched Glass Diffuser

SLS4238-K O SLS4238-W

Typology: Pendant/ Surface Mount
43.5W x 93.75L x 12.75H
(plus luminaire drops)

Electrical:

3000K

SLS4238-W Shown with

Etched Globe Luminaire 1XDXXHA04W (x60)



# Suspenders Parallels

48" x 96" Parallels with Height Adjustable Etched Teardrop Luminaires

Aluminum Body White Etched Glass Diffuser


Finishes: SLS4237-K

SLS4237-W

Typology: Pendant/ Surface Mount Dimensions: 42.25W x 116.5L x 7.5H (plus luminaire drops)

Electrical: 3000K SLS4237-W Shown with

Etched Teardrop Luminaire 1XDXXHA01W (x40)





### Suspenders Path Matrix

3 — Tier Path Matrix with Etched Through Cylinder Luminaires

Materials: Aluminum Body
Clear Etched Acrylic Diffuser

Finishes: SLS4241-K SLS4241-W


Typology: Pendant Dimensions: 82W x 73L x 19H


82W x 73L x 19H (plus luminaire drops)

Electrical: 3000K 90 CRI SLS4241-W Shown with

Etched Through Cylinder Luminaire 1XDXXHA05W (x50)







### Suspenders Bar Offset Ring

32"/48" 2 — Bar Offset Ring with Light Curve Luminaires

Materials: Aluminum Body Optical Silicone Diffuser

Finishes: SLS4243-K O SLS4243-W

Typology: Pendant Dimensions: 48.5W x 82L x 44H

Electrical: 300

SLS4243-W Shown with

24" Light Curve Luminaire w/ 12" Height 1XDXXLC24W-12 (x3)

24" Light Curve Luminaire w/ 24" Height 1XDXXLC24W-24 (x3)


24" Light Curve Luminaire w/ 36" Height 1XDXXLC24W-36 (x3)

36" Light Curve Luminaire w/ 12" Height 1XDXXLC36W-12 (x1)


36" Light Curve Luminaire w/ 18" Height 1XDXXLC36W-18 (x1)

36" Light Curve Luminaire w/ 24" Height 1XDXXLC36W-24 (x1)


# Height Adjustability Instructions




- 1. Turn set screw counterclockwise to loosen.
- 2. Insert cable through bottom of hanger.




3. After setting correct cable length, turn set screw clockwise to tighten.




4. Bend both cables down into the side slots of the hanger.



5. Clip the hanger onto the bar from the bottom.



- 6. If necessary, make final adjustments to luminaire height by loosening the set screw, adjusting the cable, and tightening the set screw.
- 7. Snap the hanger cap onto the hanger.



8. Snip the excess cable.

4



SONNEMAN — A Way Of Light 103 Tower Drive Middletown, NY 10941

914 834 3600 csr@sonnemanawayoflight.com www.sonnemanlight.com

