

CRAFTMADE*

CRAFTMADE

Indoor and outdoor lighting, ceiling fans and accessories.

Designed to impress. Built to last. Backed by unbelievably great service.







TABLE OF CONTENTS

Lighting	5
Pendant & Foyers	50
Design & Combine	64
Vanities & Sconces	70
Flush, Semi-Flush & Convertibles	80
Outdoor Collections	86
Exterior Lighting	96
Hue	120
Ceiling Fans	124
Accessories & Bulbs, Finishes	216
Appendix	226



LIGHTING


Anillo	28
Aura	30
Bangle	18
Bastion	40
Dolby	24
Foundry	20
Gem	34
Hagen	14
Huxley	16
Lexi	26
Linked	48
Mira	22
Nico	42
Orion	46
Piltz	36
Pinnacle	32
Que	38
Roxx	8
State House	10
Tuli	6
Valdi	44




TULI COLLECTION



Lighting Goals! The Tuli collection is the ideal bridge between function and inspiration. Like a contemporary piece of art, the sleek curves accented with beautiful white glass encapsulated state-of-the-art LED lights are guaranteed to be a conversation starter.




53874-FB-LED - Island 43.3"L x 6.9"W x 20.38"H; 4 x 12" & 4 x 6" Downrods; 8' Cord 31.5 Watt LED, 1509 Lumens; White Frosted Glass



ROXX COLLECTION

The spectacular, natural beauty of the Roxx lighting series will leave you awestruck. The natural rock crystal is bound around a gilded finished frame. The Roxx can be featured as a sublime standalone piece or clustered together for celestial ambiance. As one of the stand out pieces in our elite, Gallery Collection, the Roxx's divine craftsmanship demands prominence in only the most significant spaces.





STATE HOUSE COLLECTION

Our State House Collection is a modern adaptation of classic decor. Concentric circles provide the base for this distinguished chandelier. Each bulb is held within an open dome glass casing and is suspended from the metal base. The exquisite design of the State House Collection provides bold and unprecedented style.



51215-PLN - 15 Light Chandelier 42"W x 42.25"H; 6' Chain, 8' Cord; 40 Watt Medium Base; Clear Glass Shade - 6"D



51224-PLN - 4 Light Chandelier 23.75"W x 27.25"H; 6' Chain, 8' Cord; 60 Watt Medium Base; Clear Glass Shade - 6"D



51228-PLN - 8 Light Chandelier 37.4"W x 34.8"H; 6' Chain, 8' Cord; 60 Watt Medium Base; Clear Glass Shade - 6"D

STATE HOUSE COLLECTION (CONT'D)



P830VB1 - 1 Light Pendant with Cord 7.75"W x 11.6"H; 8' Cord; 60 Watt Medium Base Smoked Clear/Clear Glass Shade - 7.75"D



P831PLN1-C - 1 Light Pendant with Cord 6"W x 9"H; 8' Cord; 60 Watt Medium Base Smoked Clear/Clear Glass Shade - 6"D



P832VB1 - 1 Light Pendant with Cord 7.75"W x 11.25"H; 8' Cord; 60 Watt Medium Base Smoked Clear/Clear Glass Shade - 7.75"D



P833VB1 - 1 Light Pendant with Cord 6.25"W x 15"H; 8' Cord; 60 Watt Medium Base Smoked Clear/Clear Glass Shade - 6.25"D



P834PLN1-C - 1 Light Pendant with Cord 8.63"W x 9.4"H; 8' Cord; 60 Watt Medium Base Smoked Clear/Clear Glass Shade - 8.6"D

FINISHES: POLISHED NICKEL (PLN), VINTAGE BRASS (VB) SOLID BRASS CONSTRUCTION



X8308-VB - 1 Light Semi Flush 7.87"W x 13.6"H; 60 Watt Medium Base; Smoked Clear/Clear Glass Shade - 7.8"D



X8326-PLN-C - 1 Light Semi Flush 7.75"W x 13.25"H; 60 Watt Medium Base; Smoked Clear/Clear Glass Shade - 7.75"D



X8317-PLN-C - 1 Light Semi Flush 6"W x 10.75"H; 60 Watt Medium Base; Smoked Clear/Clear Glass Shade - 6"D



HAGEN COLLECTION



Constructed in our vintage brass or polished nickel finish featuring crystal clear glass suspended from genuine leather, the Hagen collection is an instant classic that makes a statement. Designed to complement many of our Gallery Collection chandeliers, the clean design of the Hagen collection can easily be paired with many of our other Gallery Collection pieces or stand alone.



51391-PLN - 1 Light Pendant 7.87"W x 11"H; 8' Cord 60 Watt Medium Base; Clear Glass - 7.8"D




51361-VB - 1 Light Wall Sconce 6"W x 14.17"H x 7.25"E 60 Watt Medium Base; Clear Glass - 6"D



51362-PLN - 2 Light Wall Sconce $16\text{"W} \times 14.17\text{"H} \times 7\text{"E}$ 60 Watt Medium Base; Clear Glass - 6"D



51303-VB - 3 Light Vanity $26\text{"W} \times 14.17\text{"H} \times 7\text{"E}$ 60 Watt Medium Base; Clear Glass - 6"D



HUXLEY COLLECTION

The Huxley lighting series, a part of our Gallery Collection, was created for the designer who is adamant about quality and exacting about style. Solid brass elements in our vintage brass or polished nickel finish, adorned in genuine leather are paired with uncluttered traditional designs. The Huxley series is the premier choice for those who possess discerning tastes.



48118-PLN - 18 Light Chandelier 43.5"W x 33.17"H; 6' Chain, 8' Cord; 40 Watt Medium Base



48124-VB - 4 Light Chandelier 28"W x 20.75"H; 6' Chain, 8' Cord; 60 Watt Medium Base Finishes: VB only / Ecru Linen Shade - 8"D



48126-VB - 6 Light Chandelier 34.5"W x 20.75"H; 6' Chain, 8' Cord; 60 Watt Medium Base Finishes: VB only / Ecru Linen Shade - 8"D



48129-PLN - 9 Light Chandelier 34"W x 25"H; 6' Chain, 8' Cord; 60 Watt Medium Base



 $\begin{tabular}{ll} \bf 48161-VB - 1 Light Wall Sconce \\ 5''W \times 13.5''H \times 8''E \\ \hline \bf 60 Watt Medium Base; Ecru Linen Shade - 5''D \\ \hline \end{tabular}$



 $\begin{tabular}{ll} \bf 48162\text{-}PLN - 2 Light Wall Sconce} \\ 13''W \times 14.4''H \times 7.5''E \\ \end{tabular}$ 60 Watt Medium Base; Ecru Linen Shade - 5''D




BANGLE COLLECTION

Prized for its ability to delicately embellish a space, the Bangle pendant light fixture is sure to become the crown jewel of any room. The fun application of geometric shapes is layered around a circular structure of polished nickel or satin brass. Part of our Gallery Collection, the Bangle's lighthearted design wraps joyfully around the latest LED lighting technology.





49390-SB-LED - LED Light Pendant 31"W x 4.6"H; 8' Cord; 60 Watt LED; 1692 Lumens



FOUNDRY COLLECTION

Our Foundry lighting series is an expression of light and shadows. Fun and modern, this series uses metal arms at varying heights to create an abstract sculpture. The LED light source is partially eclipsed in the center of a gold leaf sphere to give the Foundry an experimental quality that is imaginative and visually stunning.



49223-MBKGL-LED - 3 Arm LED Chandelier 16"W x 20.63"H; 3 x 12" & 2 x 6" Downrods, 8' Wire; 15 Watt LED, 570 Lumens



49226-MWWGL-LED - 6 Arm LED Chandelier 17"W x 24.25"H; 3 x 12" & 2 x 6" Downrods, 8' Wire; 30 Watt LED, 1140 Lumens



49228-MWWGL-LED - 8 Arm LED Chandelier 19"W x 24.25"H; 3 x 12" & 2 x 6" Downrods, 8' Wire; 43 Watt LED, 1521 Lumens



49262-MBKGL-LED - 2 Arm LED Wall Sconce 7.75"W x 18"H x 3.25"E; 10 Watt LED, 380 Lumens Adjustable Arm - Left or Right

LED - COLOR TEMP: 3000K (DIMMABLE) CRI: 90 FINISHES: MATTE BLACK/GOLD LEAF (MB-KGL), MATTE WHITE/GOLD LEAF (MWWGL)




MIRA COLLECTION


Why be simple when you can be a show stopper? That's the thinking that inspired our Mira LED chandelier. Each chrome ring has a circle of LED lighting inside and is fully adjustable, so you can sculpt the Mira with your creativity. Form and function: Mira is both a stunning work of art and an extraordinary source of light.





SCAN FOR VIDEO





DOLBY COLLECTION

Our Dolby pendant light fixtures double as piece of modern art. The suspended frame open rings in matte black provide an ingenious structure to house state-of-the-art LED lighting technology. The Dolby fixture's clever, sculpted design will leave you mesmerized.





47891-MBK-LED - 1 LED Pendant 13.75"W x 16.50"H; 8' Cable; 32 Watt LED, 1444 Lumens



47890-MBK-LED - 1 LED Pendant 31.50"W x 34.25"H; 8' Cable; 71 Watt LED, 3269 Lumens



47893-MBK-LED - 3 LED Pendant 29.50"W x 16.50"H; 8' Cable; 83 Watt LED, 3742 Lumens



LEXI COLLECTION

If you're looking for a stand-out piece that will add drama to your décor, our Lexi collection is ideal from top to bottom. A leading choice for high ceilings and grand entrances, the Lexi cascade design is dripping with style and sophistication.



47587-CH-LED - 7 LED Flushmount 11.25"W x 10"H; 14 Watt LED, 630 Lumens Adjustable Configuration



47589-CH-LED - 9 LED Flushmount 13.75"W x 10"H; 18 Watt LED, 810 Lumens Adjustable Configuration



47595-CH-LED - 5 LED Pendant 9.88"W x 6.50"H; 8' Cable 10 Watt LED, 450 Lumens



47593-CH-LED - 3 LED Pendant 18.13"L x 4.75"W x 6.50"H; 8' Cable 6 Watt LED, 270 Lumens



47599-CH-LED - 9 LED Pendant 11.88"W x 6.50"H; 8' Cable 18 Watt LED, 810 Lumens



47594-CH-LED - 4 LED Pendant 26"L x 4.75"W x 6.50"H; 8' Cable 8 Watt LED, 360 Lumens



ANILLO COLLECTION

Send your décor into orbit with the Anillo LED collection. Featuring a prominent, three-ring configuration that tricks the eye, this suspended fixture is minimalism in motion.




42724-CH-LED - LED Pendant 31.50"L X 15.75"W x 1.38"H; 8' Wire 80 Watt LED, 3000 Lumens



42723-CH-LED - LED Pendant 12.25"L X 9.40"W x 21.63"H; 2 x 12" & 2 x 6" Downrods 8' Wire; 30 Watt LED, 1050 Lumens Extra 12" Downrods: Part# 427-Downrod-CH




42722-CH-LED - LED Pendant 21"W x 39.50"H; 2 x 12" & 2 x 6" Downrods*; 8' Wire 70 Watt LED, 2800 Lumens Extra 12" Downrods: Part# 427-Downrod2-CH



AURA COLLECTION

If you are looking for a chandelier that can double as a work of art, behold the Aura. Sleek, stylish and a guaranteed conversation piece, just changing the angles of the articulated arms of the Aura allows you to create your own masterpiece and bring modern art into everyday living. The sculpted Chrome frame and single panel LED illumination give the Aura an abstract quality worthy of a museum but created for the home.





PINNACLE COLLECTION


The interactive quality of our Pinnacle LED lighting collection is truly cutting edge. The suspended, horizontal starburst pattern features slim metal arms that can be reconfigured for an ever-changing dynamic.



45724-CH-LED - 4 Arm LED Chandelier 30.50" Max W x 23.75"H; 8' Cable 40 Watt LED, 1661 Lumens Adjustable Configuration



45728-CH-LED - 8 Arm LED Chandelier 35.50"L x 15"W x 5"H; 8' Cable 43 Watt LED, 1915 Lumens



45726-CH-LED - 6 Arm LED Chandelier 28.88" Max W x 23.75"H; 8' Cable 68 Watt LED, 2502 Lumens Adjustable Configuration



45754-CH-LED - 4 Arm LED Semi Flush 35.50" Max W x 26.50" Max H

45756-CH-LED - 6 Arm LED Semi Flush 28.88" Max W x 26.25" Max H 71 Watt LED, 2983 Lumens Adjustable Configuration



SCAN FOR VIDEO


FINISHES: CHROME (CH)



TRANSITIONAL COLLECTION

GEM COLLECTION

Prized for its exquisite shape and movement, the Gem pendant light fixture boasts a delicate, feminine quality. The single bulb illumination makes a spectacular centerpiece, forming graceful light and shadows.





PILTZ COLLECTION

Take your décor to new heights with our eclectic, orb-shaped Piltz lighting collection. Bulbs housed within transparent glass spheres and suspended from above, this collection is suggestive of a solar configuration that will revolutionize the look of your interior space.



 $\label{eq:4556-SB} \textbf{ - 6 Light Chandelier} \\ 30''W \times 23.75''H; 3 \times 12'' \& 1 \times 6''Downrod; 10' Wire \\ 40 Watt Candelabra; Clear Glass Globe - 5.88''D$



45524-PLN - 4 Light Chandelier 22"W x 18"H; 3 x 12" & 1 x 6"Downrod; 10' Wire 40 Watt Candelabra; Clear Glass Globe - 5.88"D



45591-SB - 1 Light Mini Pendant 14.5"W x 12"H; 3 x 12" & 1 x 6"Downrod; 10' Wire 40 Watt Candelabra; Clear Glass Globe - 6.88"D



45551-PLN - 1 Light Semi Flush 14.5"W x 13"H 40 Watt Candelabra; Clear Glass Globe - 6.88"D



45574-PLN - 4 Light Island 40"L x 6"W x 17.25"H; 3 x 12" & 1 x 6" Downrods; 10' Wire 40 Watt Candelabra; Clear Glass Globe - 5.88"D



45503-SB - 3 Light Vanity 23"W x 11"H x 7.5"E 40 Watt Candelabra; Clear Glass Globe - 5.88"D



QUE COLLECTION



Make a statement with the striking silhouettes of the Que collection. Clear seeded glass globes in updated silhouettes offer a fresh look to brighten any space.



53326-CH - 6 Light Chandelier 28.5"W x 36"H; 6' Chain, 10' Wire 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53301-CH - 1 Light Wall Sconce 5.5"W x 10.5"H x 7.25"E 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53302-FB - 2 Light Vanity 14.5"W x 10.5"H x 7.25"E 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53395-CH - 5 Light Pendant 14.75"W x 39.25"H; 6' Chain, 10' Wire 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53399-FB - 9 Light Pendant 16.25"W x 39.75"H; 6' Chain, 10' Wire 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53303-CH - 3 Light Vanity 23.75"W x 10.5"H x 7.25"E 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



53304-FB - 4 Light Vanity 32.5"W x 10.5"H x 7.25"E 40 Watt Candelabra; Clear Seeded Glass - 5.5"D



BASTION COLLECTION

The masterfully crafted Bastion lighting series is a bold choice. Fashioned from fired steel, this stunning fixture yields an LED glow to complement the strength of design. Reflecting the very light it creates, the jagged steel displays an array of colors to show off a look that is utterly fearless.



49470-FS-LED - LED Island 59.38"L x 17.75"W x 11"H; 8' Cable, 9.5' Cord 120 Watt LED; 3868 Lumens



49490-FS-LED - LED Pendant 20.75"W x 12"H; 8' Cable, 9.5' Cord 40 Watt LED; 1290 Lumens



49491-FS-LED - LED Pendant 30.25"W x 11"H; 8' Cable, 9.5' Cord 80 Watt LED; 2579 Lumens



NICO COLLECTION

With our Nico Collection, your decor doesn't have to choose between your love of traditional design and contemporary innovation. Paying tribute to the classic pendant chandelier, the Nico's ceramic body and solid white finish are as unexpected as the shapes and shadows created by the die cut design that both diffuses and disperses the light from within.



 ${\bf 50920\text{-}W\text{-}LED}$ - LED Chandelier 10.13"W x 24"H; 6' Chain, 8' Cord; 30 Watt LED; 906 Lumens



50921-W-LED - LED Chandelier 15"W x 35.6"H; 6' Chain, 8' Cord; 42 Watt LED; 1629 Lumens

FINISHES: WHITE (W)



VALDI COLLECTION

The Valdi series draws inspiration from conventional lighting design and then presents an update on the ordinary. Full of romance, this well-rounded series uses polished nickel or satin brass along with tubular glass to diffuse the light from the integrated LED light sources. The curvature created by the Valdi series gives the illusion of upward movement.



49610-PLN-LED -10 Light Chandelier 26.5"W x 19.5"H; 4 x 12" & 2 x 6" Downrods; 8' Wire 30 Watt LED; 1300 Lumens



49663-SB-LED -3 Light Wall Sconce 5.5"W x 15"H x 4.5"E 12 Watt LED; 450 Lumens



49615-SB-LED -15 Light Chandelier 32.5"W x 20.25"H; 4 x 12" & 2 x 6" Downrods; 8' Wire 45 Watt LED; 1700 Lumens




CONTEMPORARY COLLECTION

ORION COLLECTION

The prominent, geometric design of our Orion Collection won't go unnoticed! The soft glow of illuminated globes suspended from the pyramid-shaped frame is sure to become the star of your decor. With the Orion, you can light up the room with stylish intensity.



50776-FB - 6 Light Island 45.25″L x 9.88″W x 15″H; 4 x 12″ & 4 x 6″ Downrods, 4′ Wire; 60 Watt Candelabra; 6″ White Frosted Globe



LINKED COLLECTION

The Linked lighting series is a hub of rectangular shapes suspended from a single pendant to create movement and visual interest. The brushed gold interior finish complements the hues of the aged bronze brushed outer finish. This unconventional chandelier series registers as a striking transitional accessory.



48552-ABZ - 2 Light Semi Flush 10.5"D x 14"W x 11.63"H 60 Watt Medium Base



48592-ABZ - 2 Light Pendant 11.38"D x 18"W x 19.25"H; 2 x 12" & 2 x 6" Downrods 6.6' Wire; 60 Watt Medium Base



48593-ABZ - 3 Light Pendant 17.5"D × 22"W × 14.5"H; 2 × 12" & 2 × 6" Downrods 6.6' Wire; 60 Watt Medium Base



48595-ABZ - 5 Light Pendant 24.38"D x 28"W x 20.38"H; 2 x 12" & 2 x 6" Downrods 6.6' Wire; 60 Watt Medium Base



ACCENTS

PENDANTS & FOYERS



P950BNK1 - Brushed Polished Nickel Pendant w/Cord ; Clear Glass Shade - 8.78"D 8.8"W x 12.5"H; 8' Cord 60 Watt Medium Base



P951BNK1 - Brushed Polished Nickel Pendant w/Cord ; Clear Glass Shade - 11.34"D 11.3"W x 16.2"H; 8' Cord 60 Watt Medium Base



P726BNK1 - Brushed Polished Nickel Pendant w/Rod; Clear Hammered Glass - 9"D 9"W x 17"H; 3 x 12" & 1 x 6" Downrod; 10' Cord 60 Watt Medium Base Extra 12" Downrods: Part# P726-DOWNROD-BNK



P687BNK1 - Brushed Polished Nickel Pendant w/Chain ; Concrete Shade - 10.88"D 10.88"W x 9.88"H; 10' Chain, 11' Cord 60 Watt Medium Base



P688BNK1 - Brushed Polished Nickel Pendant w/Cord ; Concrete Shade - 6.75"D 6.75"W x 11.5"H; 10' Cord 60 Watt Medium Base



P689BNK1 - Brushed Polished Nickel Pendant w/Chain ; Concrete Shade - 9"D 9"W x 15.35"H; 10' Chain, 11' Cord 60 Watt Medium Base





P610CH1 - Chrome Pendant w/Cord; Clear Glass - 10.5"D 10.5"W x 9.88"H; 10' Cord 60 Watt Medium Base



Pendant w/Cord; Clear Glass - 10.5"D 10.5"W x 17.25"H; 10' Cord 60 Watt Medium Base



P860BNK1 - Brushed Polished Nickel Pendant w/Cord; Gold/Clear - 8.63"D 8.63"W x 14.63"H; 10' Cord 60 Watt Medium Base



P820NBZ1 - Nordic Bronze Pendant w/Cord & Rope; Clear Glass - 9.3"D 11"W x 14.63"H; 8' Cord 60 Watt Medium Base



P821NBZ1 - Nordic Bronze Pendant w/Cord & Rope; Clear Glass - 11"D 13.75"W x 18"H; 8' Cord 60 Watt Medium Base



P852PLN1 - Polished Nickel Pendant w/Rod; White Frosted - 14"D 14"W x 12.88"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 100 Watt Medium Base Extra 12" Downrods: Part# P85-DOWNROD-PLN



P850PLN1 - Polished Nickel Pendant w/Rod; White Frosted -8.75"D, 8.75"W x 15.75"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 100 Watt Medium Base Extra 12" Downrods: Part# P85-DOWNROD-PLN



P851PLN1 - Polished Nickel Pendant w/Rod; White Frosted -8.75"D, 8.75"W x 9.38"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 100 Watt Medium Base



P853PLN3 - Polished Nickel 3 Light Pendant w/Rod; White Frosted -16"D, 16"W x 12.5"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 60 Watt Medium Base Extra 12" Downrods: Part# P85-DOWNROD-PLN Extra 12" Downrods: Part# P85-DOWNROD-PLN



P910W1 - White
Pendant w/Cord ; Blue & White Woven - 18.11"D
18.11"W x 18.11"H; 10' Cord
60 Watt Medium Base



P935STG1 - Steel Gray Pendant w/Cord ; Woven Rattan - 9.88"D 9.88"W x 13.75"H; 10' Cord 60 Watt Medium Base



43738-TBDO - Textured Black/Distressed Oak 8 Light Pendant w/Rod 21.25"W x 21.25"H; 2 x 12" & 2 x 6" Downrods; 6.6' Wire 60 Watt Medium Base Extra 12" Downrods: Part# 437-DOWNROD-TBDO



P915ESP1 - Espresso Pendant w/Cord ; Woven Straw - 19.75"D 19.75"W x 19.75"H; 10' Cord 60 Watt Medium Base



P930STG1 - Steel Gray
Pendant w/Cord ; Woven Rattan - 15.75"D
15.75"W x 17.75"H; 10' Cord
60 Watt Medium Base



P945ESP1 - Espresso
Pendant w/Cord ; Woven Bamboo - 23.63"D
23.63"W x 18"H; 10' Cord
60 Watt Medium Base



P920MBK1 - Matte Black Pendant w/Cord ; Woven Rattan - 18"D 18"W x 17.75"H; 10' Cord 60 Watt Medium Base



P925STG1 - Steel Gray Pendant w/Cord ; Woven Rattan - 11.75"D 11.75"W x 19.75"H; 10' Cord 60 Watt Medium Base



P940MBK1 - Matte Black Pendant w/Cord ; Woven Rattan - 23.63"D 23.63"W x 27.5"H; 10' Cord 60 Watt Medium Base





44591-ESP - Espresso Pendant w/Cord 9.75"W x 12.5"H; 10' Cord 60 Watt Medium Base



44592-ESP - Espresso Pendant w/Cord 15"W x 19"H; 10' Cord 60 Watt Medium Base



44593-ESP - Espresso Pendant w/Cord 18.5"W x 24"H; 10' Cord 60 Watt Medium Base



45091-ESP - Espresso Pendant w/Cord 9"W x 14"H; 10' Cord 60 Watt Medium Base



P455AGC1 - Aged Copper Pendant w/Cord; Aged Copper w/Clear Water -5.75"D, 5.75"W x 11.38"H; 10' Cord 100 Watt Medium Base



P465AGC1 - Aged Copper Pendant w/Cord; Aged Copper w/Clear Water -6.88"D, 6.88"W x 10"H; 10' Cord 100 Watt Medium Base



Pendant w/Rod; Ceramic - 10"D

10"W x 12"H; 3 x 12" & 1 x 6" Downrod; 10' Wire

60 Watt Medium Base

Extra 12" Downrods: Part# P88-DOWNROD-BNK



P635LB1 - Legacy Brass
Pendant w/Rod; Clear Glass 12"D,12"W x 10"H;
2 x 12" & 2 x 6" Downrods; 5.6' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P64-DOWNROD-LB



P640LB1 - Legacy Brass
Pendant w/Rod; Clear Glass 11"D, 11"W x 12"H;
2 x 12" & 2 x 6" Downrods; 5.6' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P64-DOWNROD-LB



P955SB3 - Satin Brass
3 Light Pendant w/Rod; Satin Brass Shade 16"D, 16"W x 20"H;
3 x 12" & 1 x 6" Downrods; 10' Wire
60 Watt Medium Base
Extra 12" Downrods: Part# P955-DOWNROD-SB



51191-FB-HUE - Flat Black
Pendant w/Cable; Flat Black - 11.8"D
11.8"W x 13"H; 8' Cord
30 Watt LED; 830 Lumens; 3000k,
90 CRI, Dimmable
Hue Bridge Required



51190-FB-HUE - Flat Black Pendant w/Cable; Flat Black - 15.7"D 15.7"W x 15.4"H; 8' Cord 40 Watt LED; 1267 Lumens; 3000k, 90 CRI, Dimmable Hue Bridge Required



P686BNK1 - Brushed Polished Nickel Pendant w/Cord; Concrete, Silver Inside - 7.25"D 7.25"W x 7"H; 10' Cord 60 Watt Medium Base



P800PLN-LED - Polished Nickel Pendant w/Rod; Polished Nickel - 8.5"D 8.5"W x 7"H; 2 x 12" & 2 x 6" Downrods; 6' Wire 8 Watt LED; 600 Lumens Extra 12" Downrods: Part# P800-DOWNROD-PLN



P310ABZ1 - Aged Bronze Brushed Pendant w/Cord; Aged Bronze - 5.13"D 5.13"W x 10"H; 6.5' Cord 60 Watt Candelabra



P310BNK1 - Brushed Polished Nickel Pendant w/Cord; Brushed Nickel - 5.13"D 5.13"W x 10"H; 6.5' Cord 60 Watt Candelabra



P485CH-LED - Chrome
Pendant w/Cord; Clear/Frosted Etched - 3"D
5.13"W x 12.25"H; 6.5' Cord
6 Watt LED; 400 Lumens; 3000k, 85 CRI



P716MBK1 - Matte Black Pendant w/Cord; Matte Black - 6"D 6"W x 17"H; 10' Cord 60 Watt Medium Base



P715MBK1 - Matte Black Pendant w/Cord; Matte Black - 6.75"D 6.75"W x 22.5"H; 10' Cord 60 Watt Medium Base



P816MSCH-LED - Matte Silver/Chrome Pendant w/Cable 7.5"W x 9.75"H; 9' Cable 18 Watt LED; 906 Lumens Finishes: MG, MSCH



P817MSCH-LED - Matte Silver/Chrome Pendant w/Cable 13.5"W x 15.9"H; 9' Cable 42 Watt LED; 2252 Lumens Finishes: MG, MSCH



47290-CH-LED - Chrome Pendant 23.5"W x 5.5"H; 8' Cable 89 Watt LED; 3197 Lumens



P780CH2-LED - Chrome Pendant w/Cable; Clear Seeded K9 Crystal -2.13"D, 9.13"L x 4.75"W x 16.13"H; 8.3' Cable 9 Watt LED; 298 Lumens



P781CH6-LED - Chrome Pendant w/Cable; Clear Seeded K9 Crystal -2.13"D, 15"W x 16.13"H; 8.3' Cable 29 Watt LED; 973 Lumens



42721-CH-LED - Chrome
Pendant w/Rod
17.13"W x 17.13"H;
2 x 12" & 2 x 6" Downrods; 8' Wire
20 Watt LED; 750 Lumens
Extra 12" Downrods: Part# 427-DOWNROD-CH



P776CH1-LED - Chrome
Pendant w/Rod
15.75"L x 6.75"W x 7.9"H;
2 x 12" & 2 x 6" Downrods
4' Wire; 20 Watt LED; 632 Lumens
Extra 12" Downrods: Part# P775-DOWNROD-CH



P771CH1-LED - Chrome
Pendant w/Cable; Acrylic w/Crystal Effect - 4"W
4.75"W x 9"H; 9' Cable
12 Watt LED; 678 Lumens



P770CH3-LED - Chrome
Pendant w/Cable; Acrylic w/Crystal Effect - 4"W
11"W x 9"H; 8' Cable
27 Watt LED; 1695 Lumens



P760GTPAB1 - Gold Twilight/Patina Aged Brass P760MBKPAB1 - Matte Black/Patina Aged Brass Pendant w/Cord; Gold Twilight - 7"D 7"W x 8.63"H; 10' Cord 60 Watt Medium Base



Pendant w/Cord; Matte Black - 7"D 7"W x 8.63"H; 10' Cord 60 Watt Medium Base



P760NIVNI1 - Natural Iron/Vintage Iron Pendant w/Cord; Vintage Iron - 7"D 7"W x 8.63"H; 10' Cord 60 Watt Medium Base



P430ESP1 - Espresso Pendant w/Rod; Clear Glass - 7.5"D 7.5"W x 16.5"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 6"W x 12"H; 3 x 12" & 1 x 6" Downrod; 10' Wire 60 Watt Medium Base Extra 12" Downrods: Part# P43-DOWNROD-ESP Extra 12" Downrods: Part# P43-DOWNROD-ESP



P435ESP1 - Espresso Pendant w/Rod; Clear w/Rope Accent - 6"D 60 Watt Medium Base



P515ABZ1 - Aged Bronze Brushed Pendant w/Cord; Clear Glass - 4"D 4.7"W x 10.63"H; 8' Cord 100 Watt Medium Base



PN903WL-PNK-W - Brushed Polished Nickel Pendant w/Cord; White Linen - 4.13"W 5"W x 9.25"H; 8' Cord 10 Watt Medium Base LED; Dimmable Hue Bridge Required



P525ABZ1 - Aged Bronze Brushed Pendant w/Cord; Aged Bronze Brushed Cage -3.15"D, 4.7"W x 16.5"H; 8' Cord 100 Watt Medium Base; Shown with Bulb# 5465



P525AGV1 - Aged Galvanized Pendant w/Cord; Aged Galvanized Cage -3.15"D, 4.7"W x 16.5"H; 8' Cord 100 Watt Medium Base; Shown with Bulb# 5465



P340BNK1 - Brushed Polished Nickel Pendant w/Cord; Brushed Polished Nickel Cage 10"W x 10.5"H; 6' Cord 60 Watt Medium Base



P340MBK1 - Matte Black Pendant w/Cord; Matte Black Cage - 10"D 10"W x 10.5"H; 6' Cord 60 Watt Medium Base



P350MBK1 - Matte Black Pendant w/Cord; Matte Black Cage - 7"D 7"W x 9"H; 6' Cord 60 Watt Medium Base



P565BNK1 - Brushed Polished Nickel
Pendant w/Rod; Clear Glass - 10.88"D
10.88"W x 22.75"H;
3 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P55-DOWNROD-BNK



P5650B1 - Oiled Bronze
Pendant w/Rod; Clear Glass - 10.88"D
10.88"W x 22.75"H;
3 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P55-DOWNROD-OB



P565TS1 - Tarnished Silver
Pendant w/Rod; Clear Glass - 10.88"D
10.88"W x 22.75"H;
3 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P55-DOWNROD-TS



P550BNK1 - Brushed Polished Nickel
Pendant w/Rod; Brushed Polished Nickel - 14"D
14"W x 18.88"H;
3 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P55-DOWNROD-BNK



P5500B1 - Oiled Bronze
Pendant w/Rod; Oiled Bronze - 14"D
14"W x 18.88"H;
3 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P55-DOWNROD-OB



P460BNK1 - Brushed Polished Nickel Pendant w/Cord; Brushed Nickel w/Clear - 6.5"D 6.5"W x 9.75"H; 10' Cord 100 Watt Medium Base



P720BNK1 - Brushed Polished Nickel Pendant w/Cord; Burst Glass - 6"D 6"W x 12.5"H; 10' Cord 60 Watt Medium Base



P725BNK1 - Brushed Polished Nickel Pendant w/Cord; Clear Hammered - 6.63"D 6.63"W x 13"H; 10' Cord 60 Watt Medium Base



P445BNK1 - Brushed Polished Nickel Pendant w/Cord; Clear - 6"D 6"W x 11.75"H; 10' Cord 60 Watt Medium Base



P350BNK1 - Brushed Polished Nickel Pendant w/Cord; Brushed Polished Nickel Cage 7"W x 9"H; 6' Cord 60 Watt Medium Base



P330MBK1 - Matte Black Pendant w/Cord; Matte Black Cage 7"W x 13.5"H; 6' Cord 60 Watt Medium Base



P330BNK1 - Brushed Polished Nickel Pendant w/Cord; Brushed Polished Nickel Cage 7"W x 13.5"H; 6' Cord 60 Watt Medium Base



P615CH1 - Chrome Pendant w/Cord; Clear w/ Blue - 7"D 7"W x 10.5"H; 10' Cord 60 Watt Medium Base



P620CH1 - Chrome Pendant w/Cord; Clear w/Blue - 8.5"D 8.5"W x 13.63"H; 10' Cord 60 Watt Medium Base



P360BNK1 - Brushed Polished Nickel Pendant w/Cord; Blue - 10"D 10"W x 16"H; 8' Cord 100 Watt Medium Base



P595CH1 - Chrome
Pendant w/Rod; Set Crystal - 9"D
9"W x 12.5"H;
2 x 12" & 2 x 6" Downrods; 10' Wire
100 Watt Medium Base
Extra 12" Downrods: Part# P595-DOWNROD-CH



KPM553-JBZ - Aged Bronze Pendant w/Cord; Clear Glass - 11"D 11"W x 10.4"H; 8' Cord 60 Watt Medium Base



KPM554-PNK - Brushed Polished Nickel Pendant w/Cord; Clear Glass - 12"D 12"W x 8.8"H; 8' Cord 60 Watt Medium Base



P520ABZ1 - Aged Bronze Brushed Pendant w/Cord; Aged Bronze Hammered 10"W x 4.5"H; 8' Cord 100 Watt Medium Base



KPMK557-ABZ - Aged Bronze Brushed Keyed Socket Pendant w/Cord; Clear Glass 7"W x 10.5"H; 8' Cord 60 Watt Medium Base



KPMK552-ABZ - Aged Bronze Brushed Keyed Socket Pendant w/Cord; Clear Glass 10"W x 10.6"H; 8' Cord 60 Watt Medium Base



P730CH1 - Chrome Pendant w/Chain; Chrome - 13"D 13"W x 11"H; 5.8' Chain, 10' Cord 60 Watt Medium Base



P735MBKG1 - Matte Black Gilded Pendant w/Cord; Matte Black Gilded - 13.5"D 13.5"W x 6.75"H; 10' Cord 60 Watt Medium Base



P740CH1 - Chrome Pendant w/Cord; Chrome - 13"D 13"W x 6"H; 10' Cord 60 Watt Medium Base





P834VB1-C - Vintage Brass Pendant w/Cord; Clear Glass - 8.63"D 8.63"W x 9.4"H; 8' Cord 60 Watt Medium Base



P833VB1-C - Vintage Brass Pendant w/Cord; Clear Glass - 6.25"D 6.25"W x 15"H; 8' Cord 60 Watt Medium Base



P834VB1 - Vintage Brass Pendant w/Cord; Smoked Glass - 8.63"D 8.63"W x 9.4"H; 8' Cord 60 Watt Medium Base



P833VB1 - Vintage Brass Pendant w/Cord; Smoked Glass - 6.25"D 6.25"W x 15"H; 8' Cord 60 Watt Medium Base



P834PLN1-C - Polished Nickel Pendant w/Cord; Clear Glass - 8.63"D 8.63"W x 9.4"H; 8' Cord 60 Watt Medium Base



P833PLN1-C - Polished Nickel Pendant w/Cord; Clear Glass - 6.25"D 6.25"W x 15"H; 8' Cord 60 Watt Medium Base



P831VB1-C - Vintage Brass Pendant w/Cord; Clear Glass - 6"D 6"W x 9"H; 8' Cord 60 Watt Medium Base



P832VB1 - Vintage Brass Pendant w/Cord; Smoked - 7.75"D 7.75"W x 11.25"H; 8' Cord 60 Watt Medium Base



P830VB1-C - Vintage Brass Pendant w/Cord; Clear Glass - 7.75"D 7.75"W x 11.6"H; 8' Cord 60 Watt Medium Base



P831PLN1-C - Polished Nickel Pendant w/Cord; Clear Glass - 6"D 6"W x 9"H; 8' Cord 60 Watt Medium Base



P832PLN1-C - Polished Nickel Pendant w/Cord; Clear - 7.75"D 7.75"W x 11.25"H; 8' Cord 60 Watt Medium Base



P830PLN1-C - Polished Nickel Pendant w/Cord; Clear Glass - 7.75"D 7.75"W x 11.6"H; 8' Cord 60 Watt Medium Base



P400-ABZ - Aged Bronze Brushed Pulley Pendant; Aged Bronze Brushed - 11.75"D 11.75"W x 6.88"H; 15' Cord 100 Watt Medium Base



P400-TS - Tarnished Silver Pulley Pendant; Tarnished Silver - 11.75"D 11.75"W x 6.88"H; 15' Cord 100 Watt Medium Base



P590FSNW1 - Fired Steel/Natural Wood Pendant w/Chain 7"W x 23"H; 10' Chain, 12' Cord 60 Watt Medium Base



P402-ABZ - Aged Bronze Brushed 2 Light Pulley Pendant; Aged Bronze Brushed - 12"D 38.25"L x 12"W x 6.88"H; 15' Cord 100 Watt Medium Base



P402-TS - Tarnished Silver
2 Light Pulley Pendant; Tarnished Silver - 12"D
38.25"L x 12"W x 6.88"H; 15' Cord
100 Watt Medium Base



P591FSNW3 - Fired Steel/Natural Wood 3 Light Pendant w/Chain 11.5"W x 31.5"H; 10' Chain, 12' Cord 60 Watt Candelabra



P403-ABZ - Aged Bronze Brushed
3 Light Pulley Pendant; Aged Bronze Brushed - 12"D
52.13"L x 12"W x 6.88"H; 15' Cord
100 Watt Medium Base



P403-TS - Tarnished Silver
3 Light Pulley Pendant; Tarnished Silver - 12"D
52.13"L x 12"W x 6.88"H; 15' Cord
100 Watt Medium Base



P592FSNW4 - Fired Steel/Natural Wood 4 Light Pendant w/Chain 16.5"W x 39.88"H; 10' Chain, 12' Cord 60 Watt Candelabra



35139-WP - Weathered Pine/Bronze Winton 9 Light Foyer w/Chain 24"W x 38"H; 10' Chain, 12' Cord 60 Watt Candelabra



35135-WP - Weathered Pine/Bronze Winton 5 Light Foyer w/Chain 19"W x 32"H; 10' Chain, 12' Cord 60 Watt Candelabra



38739-AGTB - Aged Bronze/Textured Black Stafford 9 Light Foyer w/Chain 30.63"W x 49.75"H; 9' Chain, 10' Cord 60 Watt Candelabra



36533-TBWB - Textured Black/Whiskey Barrel Ashwood 3 Light Foyer w/Chain 16"W x 27.5"H; 10 Chain, 12' Cord 60 Watt Candelabra Finishes: PLNGRW, TBWB



36539-PLNGRW - Polished Nickel/Grey Wood Ashwood 9 Light Foyer w/Chain 20"W x 42"H; 10 Chain, 12' Cord 60 Watt Candelabra Finishes: PLNGRW, TBWB



36545-TBWB - Textured Black/Whiskey Barrel Ashwood 5 Light Pendant w/Chain 26"W x 39.3"H; 10 Chain, 12' Cord 60 Watt Candelabra Finishes: PLNGRW, TBWB



24233-MB - Mocha Bronze Barrett Place 3 Light Foyer w/Chain 16"W x 24"H; 6' Chain, 10' Cord 60 Watt Candelabra



24236-MB - Mocha Bronze Barrett Place 6 Light Foyer w/Chain 24"W x 36"H; 6' Chain, 10' Cord 60 Watt Candelabra



24239-MB - Mocha Bronze Barrett Place 9 Light Foyer w/Chain 32"W x 44"H; 6' Chain, 10' Cord 60 Watt Candelabra



41538-ABZ - Aged Bronze Brushed Cubic 8 Light Foyer w/Chain 20.5"W x 46.5"H; 6' Chain, 10' Cord 60 Watt Medium Base Tinted Bulbs Included (Bulb# 5467) Finishes: ABZ, CH, FSNW



41536-CH - Chrome Cubic 6 Light Foyer w/Chain 15.5"W x 35"H; 6' Chain, 10' Cord 60 Watt Medium Base Clear Bulbs Included (Bulb# 5468) Finishes: ABZ, CH, FSNW



41534-FSNW - Fired Steel/Natural Wood Cubic 4 Light Foyer w/Chain 10.63"W x 24.63"H; 6' Chain, 10' Cord 60 Watt Medium Base Tinted Bulbs Included (Bulb# 5467) Finishes: ABZ, CH, FSNW



52734-NWABZ - Natural Wood/Aged Bronze Brushed **51934-CWESP** - Cottage White/Espresso Aberdeen 4 Light Foyer w/Chain 14"W x 22"H; 6' Chain, 10' Cord 60 Watt Candelabra



Suffolk 4 Light Foyer w/Chain 14"W x 23.88"H; 6' Chain, 10' Cord 60 Watt Candelabra



52434-CWESP - Cottage White/Espresso Carina 4 Light Foyer w/Chain 14"W x 23.63"H; 6' Chain, 10' Cord 60 Watt Candelabra




40135-CH - Chrome Berkeley 5 Light Foyer w/Chain 25.5"W x 30.13"H; 9' Chain, 12' Cord 60 Watt Candelabra Finishes: CH, ESP



26736-MBS - Mocha Bronze/Silver Accents Boulevard 6 Light Foyer w/Chain 21"W x 39"H; 6' Chain, 10' Cord 60 Watt Candelabra



41734-PLN - Polished Nickel Helena 4 Light Foyer w/Chain 14"W x 24.5"H; 9' Chain, 12' Cord 60 Watt Candelabra Finishes: OB, PLN





52936-FB - Flat Black Flynt Large 4 Light Pendant w/Chain 19"W x 29"H; 6' Chain, 10' Wire 60 Watt Candelabra



52935-FB - Flat Black Flynt Medium 4 Light Pendant w/Chain 16"W x 23.25"H; 6' Chain, 10' Wire 60 Watt Candelabra



52934-FB - Flat Black Flynt Small 4 Light Pendant w/Chain 12"W x 17.7"H; 6' Chain, 10' Wire 60 Watt Candelabra



45834-OB - Oiled Bronze Hudson Small 4 Light Foyer w/Chain 12"W x 26"H; 10 Chain, 10' Cord 60 Watt Candelabra Finishes: OB, PLN



45835-PLN - Polished Nickel Hudson 4 Light Foyer w/Chain 15.75"W x 32.25"H; 10 Chain, 10' Cord 60 Watt Candelabra Finishes: OB, PLN



45836-OB - Oiled Bronze Hudson 6 Light Foyer w/Chain 19"W x 36.25"H; 10 Chain, 10' Cord 60 Watt Candelabra Finishes: OB, PLN




44934-ESP - Espresso Portrait 4 Light Foyer w/Chain 15.5"W x 21.5"H; 6' Chain, 10' Cord 60 Watt Candelabra Finishes: ESP, GT




44936-GT - Gold Twilight Portrait 6 Light Foyer w/Chain 19"W x 28"H; 6' Chain, 10' Cord 60 Watt Candelabra Finishes: ESP, GT



44938-ESP - Espresso Portrait 8 Light Foyer w/Chain 21"W x 33"H; 6' Chain, 10' Cord 60 Watt Candelabra Finishes: ESP, GT





ACCENTS

DESIGN & COMBINE

Our Design and Combine collection offer the ultimate experience in customization.

Choose your fixture and then select the glass or shade from our large assortment to create the perfect fixture to complement your décor. Want a quick update? Order a few shade or glass options to change out as your décor changes.

STEP ONE: Choose your fixture



STEP TWO: Choose your glass or shade







STEP THREE: Your final design





CPM-PNK - Brushed Polished Nickel Pendant w/Cord 5"W x 2.5"H; 8' Cord 60 Watt Medium Base



CPM-MBK - Matte Black Pendant w/Cord 5"W x 2.5"H; 8' Cord 60 Watt Medium Base



CPM-JBZ - Aged Bronze Pendant w/Cord 5"W x 2.5"H; 8' Cord 60 Watt Medium Base



CPMKPW-1ABZ - Aged Bronze Brushed Wall Sconce 5"W x 11.25"H x 6.25"E; 10' Cord 100 Watt Medium Base



CPMKPW-1AGV - Aged Galvanized Wall Sconce 5"W x 11.25"H x 6.25"E; 10' Cord 100 Watt Medium Base



CPMKP-2ABZ - Aged Bronze Brushed 2 Light Pendant w/Cord 7.5"W x 19.25"H; 10' Cord 100 Watt Medium Base



CPMKP-2AGV - Aged Galvanized 2 Light Pendant w/Cord 7.5"W x 19.25"H; 10' Cord 100 Watt Medium Base



CPMKC-1ABZ - Aged Bronze Brushed Keyed Socket Pendant w/Cord 4.7"W x 3"H; 8' Cord 100 Watt Medium Base



CPMKB-3ABZ - Aged Bronze Brushed 3 Light Keyed Socket Pendant w/Cord 7.75"W x 2.75"H; 8' Cord 60 Watt Medium Base



CPMKB-3BCP - Brushed Copper 3 Light Keyed Socket Pendant w/Cord 7.75"W x 2.75"H; 8' Cord 60 Watt Medium Base



CPMK-1ABZ - Aged Bronze Keyed Socket Pendant w/Cord 4.75"W x 2.75"H; 8' Cord 60 Watt Medium Base



CPMK-1AGV - Aged Galvanized Keyed Socket Pendant w/Cord 4.75"W x 2.75"H; 8' Cord 60 Watt Medium Base



CPMKB-1ABZ - Aged Bronze Keyed Socket Pendant w/Cord 4.75"W x 2.75"H; 8' Cord 60 Watt Medium Base Finishes: ABZ, AGV, BCP



CPMKB-1AGV - Aged Galvanized Keyed Socket Pendant w/Cord 4.75"W x 2.75"H; 8' Cord 60 Watt Medium Base Finishes: ABZ, AGV, BCP



N902HM - Hammered Mercury Mini Pendant Glass 4.25"W x 7.63"H Medium Base Socket Fit



N902M - Mercury Mini Pendant Glass 4.25"W x 7.63"H Medium Base Socket Fit



N885HM - Hammered Mercury Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N885M - Mercury Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N902HRC - Hammered Clear Mini Pendant Glass 4.25"W x 7.63"H Medium Base Socket Fit



N902BR - Tiger's Eye Mini Pendant Glass 4.25"W x 7.63"H Medium Base Socket Fit



N902SY - Arctic Flurry Mini Pendant Glass 4.25"W x 7.63"H Medium Base Socket Fit



N903WL - White Linen Mini Pendant Glass 4.13"W x 6.88"H Medium Base Socket Fit



CG100-ABZ - Aged Bronze Mini Pendant Shade 5.88"W x 8.88"H Medium Base Socket Fit Not for Use with CPM-(Finish) Pendants



CG100-AGV - Aged Galvanized Mini Pendant Shade 5.88"W x 8.88"H Medium Base Socket Fit Not for Use with CPM-(Finish) Pendants



CG110-ABZ - Aged Bronze Mini Pendant Shade 5.63"W x 5.7"H Medium Base Socket Fit Not for Use with CPM-(Finish) Pendants



CG110-AGV - Aged Galvanized Mini Pendant Shade 5.63"W x 5.7"H Medium Base Socket Fit Not for Use with CPM-(Finish) Pendants



N552C - Clear Glass Mini Pendant Glass 10"W x 7.9"H Medium Base Socket Fit Includes JBZ, PNK and W Socket Sleeves



N553C - Clear Glass Mini Pendant Glass 11"W x 7.9"H Medium Base Socket Fit Includes JBZ, PNK and W Socket Sleeves



N554C - Clear Glass Mini Pendant Glass 12"W x 6.3"H Medium Base Socket Fit Includes JBZ, PNK and W Socket Sleeves



N892F - Frost Mini Pendant Glass 5"W x 6"H Medium Base Socket Fit



CG120-ABZ - Aged Bronze
Mini Pendant Shade
5.38"W x 8.88"H
Medium Base Socket Fit
Not for Use with CPM-(Finish) Pendants



N882WS - White Scale Mini Pendant Glass 5"W x 6"H Medium Base Socket Fit



N557C - Clear Glass Mini Pendant Glass 7"W x 7.75"H Medium Base Socket Fit



M10JBZ - Aged Bronze Mini Pendant Shade 9.88"W x 4.88"H Candelabra/Medium Base Socket Fit



N550RC - Clear w/Rope Accent Mini Pendant Glass 7.55"W x 7.75"H Candelabra/Medium Base Socket Fit



N203BG - River Stone Mini Pendant Glass 4.6"W x 7.63"H Medium Base Socket Fit



N336FL - Spun White Satin Mini Pendant Glass 4.75"W x 7.88"H Medium Base Socket Fit



N885BC - Black Cherry Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N885SC - Stone Crackle Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N885SG - Sun Gold Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N885SY - Sun Yellow Mini Pendant Glass 4.75"W x 7.25"H Medium Base Socket Fit



N331GM - Granite Storm Mini Pendant Shade 4.75"W x 7.88"H Medium Base Socket Fit



N336DBL - Sapphire Fury Mini Pendant Shade 4.75"W x 7.88"H Medium Base Socket Fit



N336BT - Jupiter Blaze Mini Pendant Shade 4.75"W x 7.88"H Medium Base Socket Fit



N885GS - Silver Swirl Mini Pendant Shade 4.75"W x 7.25"H Medium Base Socket Fit



53301-FB- Flat Black 5.5"W x 10.5"H x 7.25"E

ACCENTS

VANITIES & SCONCES

VIBE COLLECTION WHITE OPAL





11317BNK-LED - LED Vanity 16.9"W x 4.7"H x 2"E; 4.7"W x 4.7"H Backplate 18 Watt LED; 1526 Lumens, 3000k, 90 CRI, Dimmable



11324BNK-LED - LED Vanity 23.6"W x 4.7"H x 2"E; 4.7"W x 4.7"H Backplate 30 Watt LED; 2714 Lumens, 3000k, 90 CRI, Dimmable



11335BNK-LED - LED Vanity 35.4"W x 4.7"H x 2"E; 4.7"W x 4.7"H Backplate 40 Watt LED; 3472 Lumens, 3000k, 90 CRI, Dimmable

DOTTI COLLECTION WHITE FROSTED





53961-BNK - 1 Light Wall Sconce/Ceiling Flush Mount 6"W x 6"H x 7"E; 5.9"D Backplate 60 Watt Medium Base



53902-SB - 2 Light Vanity 14.5"W x 6"H x 7"E; 14.5"W x 6"H Backplate 60 Watt Medium Base



53903-BNK - 3 Light Vanity 23.25"W x 6"H x 7"E; 23.25"W x 6"H Backplate 60 Watt Medium Base



53904-SB - 4 Light Vanity 32"W x 6"H x 7"E; 32"W x 6"H Backplate 60 Watt Medium Base

FLIP COLLECTION WHITE FROSTED NIGHTLIGHT FUNCTIONALITY WITH THE FLIP OF A SWITCH






12220BNK-LED - LED Vanity 20"W x 6.25"H x 3.13"E; 6.25"D Backplate 21 Watt LED; 1200 Lumens, 3000k, 90 CRI



12227BNK-LED - LED Vanity 27.5"W x 6.25"H x 3.13"E; 6.25"D Backplate 25 Watt LED; 1532 Lumens, 3000k, 90 CRI

HORIZON COLLECTION





45661-CH-LED - LED Wall Sconce 4.75"W x 16.38"H x 3.25"E; 4.75"W x 4.75"H Backplate 11 Watt LED; 607 Lumens, 3000k, 90 CRI, Dimmable

SEGER COLLECTION WHITE OPAL





 $\label{eq:continuity} \textbf{16.9''W} \times 4.7''H \times 2''E; 4.7''W \times 4.7''H \ Backplate$ 15 Watt LED; 1196 Lumens, 3000k, 90 CRI, Dimmable



 ${\bf 11124BNK-LED} \text{ - LED Vanity} \\ 23.6"W \times 4.7"H \times 2"E; 4.7"W \times 4.7"H \text{ Backplate} \\ 19 \text{ Watt LED; 1383 Lumens, 3000k, 90 CRI, Dimmable} \\$



11135BNK-LED - LED Vanity 35.4"W x 4.7"H x 2"E; 4.7"W x 4.7"H Backplate 31 Watt LED; 2055 Lumens, 3000k, 90 CRI, Dimmable

BEVI COLLECTION CLEAR OUTER, PRESSED INNER



19305CH1-LED - LED Vanity 5"W x 5.75"H x 6.75"E; 4.5"W x 4.75"H Backplate 8 Watt LED; 517 Lumens, 3000k, 90 CRI, Dimmable



19320CH3-LED - LED Vanity 19.75"W x 5.75"H x 6.75"E; 19.75"W x 4.75"H Backplate 22 Watt LED; 1510 Lumens, 3000k, 90 CRI, Dimmable



 $\label{eq:continuous} \textbf{19327CH4-LED} \text{ - LED Vanity} \\ 26.38\text{"W} \times 5.75\text{"H} \times 6.75\text{"E}; 26.38\text{"W} \times 4.75\text{"H} \text{ Backplate} \\ 29 \text{ Watt LED}; 2122 \text{ Lumens, 3000k, 90 CRI, Dimmable} \\ \end{aligned}$

QUE COLLECTION CLEAR SEEDED





53301-FB - 1 Light Wall Sconce 5.5"W x 10.5"H x 7.25"E; 5"D Backplate 40 Watt Candelabra



53302-CH - 2 Light Vanity 14.5"W x 10.5"H x 7.25"E; 5"D Backplate 40 Watt Candelabra



53303-FB - 3 Light Vanity 23.75"W x 10.5"H x 7.25"E; 5"D Backplate 40 Watt Candelabra



53304-CH - 4 Light Vanity 32.5"W x 10.5"H x 7.25"E; 5"D Backplate 40 Watt Candelabra

ESSEX COLLECTION CLEAR GLASS



19507FB1 - 1 Light Wall Sconce 7"W x 12.13"H x 9"E; 5.5"D Backplate 60 Watt Medium Base



19518BNK2 - 2 Light Vanity 17.5"W x 12.13"H x 9"E; 5.5"D Backplate 60 Watt Medium Base



19528SB3 - 3 Light Vanity 27.75"W x 12.13"H x 9"E; 5.5"D Backplate 60 Watt Medium Base



19538FB4 - 4 Light Vanity 38"W x 12.13"H x 9"E; 5.5"D Backplate 60 Watt Medium Base



19548SB5 - 5 Light Vanity 48.25"W x 12.13"H x 9"E; 5.5"D Backplate 60 Watt Medium Base

STELLEN COLLECTION CLEAR SEEDED





12406BNK1 - 1 Light Wall Sconce 5.5"W x 9.25"H x 7"E; 4.25"W x 5.88"H Backplate 60 Watt Medium Base



12413SB2 - 2 Light Vanity 13"W x 9.25"H x7"E; 4.25"W x 5.88"H Backplate 60 Watt Medium Base



12422BNK3 - 3 Light Vanity 22"W x 9.25"H x 7"E; 5.88"W x 4.25"H Backplate 60 Watt Medium Base



12430SB4 - 4 Light Vanity 30.25"W x 9.25"H x 7"E; 12"W x 4.25"H Backplate 60 Watt Medium Base

THATCHER COLLECTION



50601-FB - 1 Light Wall Sconce 5.5"W x 11"H x 7"E; 5.5"D Backplate 100 Watt Medium Base



50602-FBBNK - 2 Light Vanity 12"W x 11"H x 7"E; 5.5"D Backplate 100 Watt Medium Base



50603-FBSB - 3 Light Vanity 19"W x 11"H x 7"E; 5.5"D Backplate 100 Watt Medium Base



50604-FBBNK - 4 Light Vanity 26"W x 11"H x 7"E; 5.5"D Backplate 100 Watt Medium Base

DISTRICT COLLECTION WHITE OPAL





12305FB1 - 1 Light Wall Sconce 4.75"W x 7.75"H x 6.5"E; 4.75"W x 7.5"H Backplate 60 Watt Medium Base




12314BNK2 - 2 Light Vanity 13.5"W x 7"H x 6.5"E; 7.5"W x 4.75"H Back Plate 60 Watt Medium Base



12322FB3 - 3 Light Vanity 22.25"W x 7"H x 6.5"E; 7.5"W x 4.75"H Backplate 60 Watt Medium Base



12331BNK4 - 4 Light Vanity 31.25"W x 7"H x 6.5"E; 7.5"W x 4.75"H Backplate 60 Watt Medium Base



X6613-BNK- Frsoted Lens 13"W x 1.5"H

ACCENTS

FLUSH, SEMI-FLUSH & CONVERTIBLES



X6609-SB-LED - LED Flushmount 9"W x 1.5"H; Frosted Lens Cover 12 Watt LED; 600 Lumens, 3000k, 90 CRI, Dimmable



X6611-BNK-LED - LED Flushmount 11"W x 1.5"H; Frosted Lens Cover 18 Watt LED; 900 Lumens, 3000k, 90 CRI, Dimmable



 $\label{eq:continuous} \textbf{X6613-OB-LED} \text{ -} \text{LED Flushmount} \\ 13\text{"W} \times 1.5\text{"H}; \text{Frosted Lens Cover} \\ 22 \text{ Watt LED; } 1050 \text{ Lumens, } 3000\text{k, } 90 \text{ CRI, Dimmable} \\$



X6509-PLN-LED - LED Flushmount 9"W x 1.5"H; Frosted Lens Cover 12 Watt LED; 600 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, OB, PLN



X6511-OB-LED - LED Flushmount 11"W x 1.5"H; Frosted Lens Cover 18 Watt LED; 900 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, OB, PLN



7.4"W x 1.4"H; Frosted Lens Cover

13 Watt LED; 846 Lumens; 3000k, 90 CRI, Dimmable

Finishes: BNK, W

X6207-BNK-LED - LED Flushmount

X6513-BNK-LED - LED Flushmount 13"W x 1.5"H; Frosted Lens Cover 22 Watt LED; 1050 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, OB, PLN



X6207-W-LED - LED Flushmount 7.4"W x 1.4"H; Frosted Lens Cover 13 Watt LED; 846 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, W



X6206-W-LED - LED Flushmount 5.91"W x 1"H; Frosted Lens Cover 12 Watt LED; 700 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, W



X6206-BNK-LED - LED Flushmount 5.91"W x 1"H; Frosted Lens Cover 12 Watt LED; 700 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, W



X6211-W-LED - LED Flushmount 11.22"W x 2.28"H; Frosted Lens Cover 19 Watt LED; 1100 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, W



X6211-BNK-LED - LED Flushmount 11.22"W x 2.28"H; Frosted Lens Cover 19 Watt LED; 1100 Lumens; 3000k, 90 CRI, Dimmable Finishes: BNK, W



X8308-PLN-C - Semi Flush 7.87"W x 13.6"H; Clear Glass 60 Watt Medium Base



X8326-PLN-C - Semi Flush 7.75"W x 13.25"H; Clear Glass 60 Watt Medium Base



X8317-VB - Semi Flush 6"W x 10.75"H; Smoked Clear Glass 60 Watt Medium Base



XP11ABZ-2A - 2 Light Flushmount 11"W x 5.5"H; Amber Glass 60 Watt Medium Base Finishes: ABZ, OB

ALSO AVAILABLE IN 13" & 15"



XP13BN-2W - 2 Light Flushmount 13"W x 6"H; White Glass 60 Watt Medium Base Finishes: ABZ, BN, BNK, FB, OB, W

ALSO AVAILABLE IN 11" & 15"



XPP130B-2W - 2 Light Flushmount 13"W x 5.25"H; White Frosted Glass 60 Watt Medium Base Finishes: BN, OB

ALSO AVAILABLE IN 11" & 15"



X213-OB - 2 Light Flushmount 13"W x 6"H; Alabaster Swirl Glass 60 Watt Medium Base Finishes: BN, OB

ALSO AVAILABLE IN 11" & 15"



X225-BN - 3 Light Pendant 15"W x 19"H; Alabaster Swirl Glass 100 Watt Medium Base Finishes: BN, OB



X224-BN - 2 Light Semi Flush 16.56"W x 14.25"H; Alabaster Swirl Glass 100 Watt Medium Base Finishes: BN, OB



XPS15ABZ-2W - 2 Light Semi Flush 15"W x 14.2"H; White Frosted Glass 60 Watt Medium Base Finishes: ABZ, BN, BNK, OB



X5716-AG - 3 Light Flushmount 16"W x 8"H; Tea Stained Glass 60 Watt Medium Base



XPS150B-2A - 2 Light Semi Flush 15"W x 14.2"H; Amber Frosted Glass 60 Watt Medium Base



X5816-AG - 3 Light Semi Flush 17.5"W x 17"H; Tea Stained Glass 60 Watt Medium Base




XPPS15BN-2W - 2 Light Semi Flush 15"W x 14.2"H; White Frosted Glass 60 Watt Medium Base Finishes: BN, OB



X1611-EB - 2 Light Flushmount 11.6"W x 8.89"H; Alabaster Glass 60 Watt Medium Base

FINISHES: AGED BRONZE BRUSHED (ABZ), AGED BRONZE (AG), BRUSHED SATIN NICKEL (BN), BRUSHED POLISHED NICKEL (BNK), EUROPEAN BRONZE (EB), OILED BRONZE (OB)



OUTDOOR COLLECTIONS

Crosspoint	90
Homestead	94
Pyrmont	88
Union	92



OUTDOOR COLLECTIONS

PYRMONT COLLECTION



Bold and sturdy with a masculine edge, The Pyrmont Collection combines classic good looks with modern sophistication and superior UV protection to protect against fading.



54125-OBG - 5 Light Chandelier 25"W x 29.5"H; 2 x 12" & 2 x 6" Downrods, 5.5' Cord 60 Watt Medium Base; Hammered Water Glass Extra 12" Downrods: Part# 540-DOWNROD2-OBG



Z2604-OBG - Small Wall Mount 5.51"W x 14.65"H x 6.75"E; 5.5"W x 5.9"H Backplate 60 Watt Medium Base; Hammered Water Glass



ADDITIONAL PRODUCTS
AVAILABLE IN
EXTERIOR LIGHTING




Z2621-OBG - Pendant 8.15"W x 23.82"H; 3' Chain, 10' Wire 60 Watt Medium Base; Hammered Water Glass



54173-OBG - 3 Light Island 36.5"L x 6.75"W x 14"H; 8 x 12" & 2 x 6" Downrods, 5.5' Cord 60 Watt Medium Base; Hammered Water Glass Extra 12" Downrods: Part# 540-DOWNROD-OBG

FINISHES: OILED BRONZE GILDED (OBG)



OUTDOOR COLLECTIONS

CROSSPOINT COLLECTION

Our Crosspoint outdoor collection is what happens when strength meets style. Glass canisters extend from a sturdy, angular base to merge form and function. The collection shows what is possible when outstanding design comes together.



52124-ESP - 4 Light Chandelier 18.25"W x 24.88"H; 3 x 12" & 1 x 6" Downrod; 6.5' WIre 60 Watt Medium Base; Clear Glass - 5"D



52191-ESP - 1 Light Mini Pendant 5"W x 10.13"H; 3 x 12" & 1 x 6" Downrod; 6.5' Wlre 60 Watt Medium Base; Clear Glass - 5"D



30.25"W x 32.38"H; 3 x 12" & 1 x 6" Downrod; 6.5' Wlre 60 Watt Medium Base; Clear Glass - 5"D



52161-ESP - 1 Light Wall Sconce 7"W x 18.75"H x 7.13"E 60 Watt Medium Base; Clear Glass - 5"D




OUTDOOR COLLECTIONS

UNION COLLECTION



Adding a warm and welcoming touch to your outdoor space, the Union Collection with it's clean and uncluttered styling reminiscent of vintage farmhouse lighting is built to last indoors or out with superior UV protection against fading.







ADDITIONAL PRODUCTS
AVAILABLE IN
FANS & EXTERIOR LIGHTING

54073-SA - 3 Light Island 37"L x 9"W x 24"H; 4 x 12" & 4 x 6" Downrods, 5.5' Cord 60 Watt Medium Base Extra 12" Downrods: Part# 540-DOWNROD-(Finish)

FINISHES: OILED BRONZE GILDED (OBG), SATIN ALUMINUM (SA)



OUTDOOR COLLECTIONS

HOMESTEAD COLLECTION

When it comes to outdoor decor, your lighting should embody a ruggedness capable of withstanding the elements. The artisan style of our Homestead Collection uses bulbs protected in glass canisters and suspended from a pendant fixture wrapped in twisted rope. The Homestead is an outdoor lighting collection built to last.



52024-ESP - 4 Light Chandelier 24"W x 22.5"H; 3 x 12" & 1 x 6" Downrod; 6.5' Wlre 60 Watt Medium Base; Clear Glass - 4.9"D




52091-ESP - 1 Light Mini Pendant 5.88"W x 17"H; 3 x 12" & 1 x 6" Downrod; 6.5' WIre 60 Watt Medium Base; Clear Glass - 4.9"D




52026-ESP - 6 Light Chandelier 27"W x 27.5"H; 3 x 12" & 1 x 6" Downrod; 6.5' Wlre 60 Watt Medium Base; Clear Glass - 4.9"D



52061-ESP - 1 Light Wall Sconce 5.5"W x 12"H x 8"E 60 Watt Medium Base; Clear Glass - 4.9"D



Allure	113
Arcus	106
Aria	100
Aria II	99
Carmel	110
Deka	111
Duo	105
Enzo	119
Farnsworth	109
Fusion	104
Heights	117
Luna	107
Lux	118
Lynk	101
Ontario	112
Peak	108
Pillar	102
Pyrmont	114
Rens	98
Union	116
Wedge	103









Clean lines, contemporary styling and ADA compliant low profile make the Rens collection ideal for many applications indoors or outside. Intense dimmable integrated LED light, multiple sizes and finishes with superior UV protection against fading guaranteed for 5 years make the Rens a powerful first impression for years to come.



ZA2600-MN-LED - Wall Mount 4.75"W x 16"H x 2.88"E; 4.75"W x 4.75"H Backplate 20 Watt LED, 1000 Lumens



ZA2610-BAO-LED - Wall Mount 4.75"W x 19.65"H x 2.88"E; 4.75"W x 4.75"H Backplate 30 Watt LED, 1500 Lumens



ZA2620-MN-LED - Wall Mount 4.75"W x 24"H x 2.88"E; 4.75"W x 4.75"H Backplate 40 Watt LED, 2000 Lumens



ZA1220-TB-LED - Wall Mount 7.13"W x 9.38"H; 9 Watt LED

EXTERIOR LIGHTING

ARIAII COLLECTION

The Aria was designed to build the intensity of your property's front walkway. A stunning piece all on its own, the beauty of the Aria is that it also works seamlessly with each decorative element of your property's exterior. Affixed to a metal base, the oxygen infused glass feature will light your front entry with grace and beauty.



ZA1220-TB-LED - Wall Mount 7.13"W x 9.38"H x 4.25"E; 5.8"W x 5.8"H Backplate Oxygen Infused Glass; 9 Watt LED, 800 Lumens



ZA1200-SA-LED - Wall Mount 5.75"W x 5.88"H x 3.13"E; 5.8"W x 5.8"H Backplate 6"W x 7.75"H x 3.75"E; 5.8"W x 5.8"H Backplate Oxygen Infused Glass; 5 Watt LED, 450 Lumens Oxygen Infused Glass; 7 Watt LED, 600 Lumens



ZA1210-TB-LED - Wall Mount



ARIA COLLECTION 💆



The Aria was designed to build the intensity of your property's front walkway. A stunning piece all on its own, the beauty of the Aria is that it also works seamlessly with each decorative element of your property's exterior. Affixed to a metal base, the oxygen infused K-9 Crystal feature will light your front entry with grace and beauty.




Z1624-TB-LED - Wall Mount 6.5"W x 23"H x 4"E; 5.5"W x 5.5"H Backplate Oxygen Infused K-9 Crystal; 12 Watt LED, 960 Lumens



Z1604-TB-LED - Wall Mount 5.5"W x 15"H x 3"E; 5.5"W x 5.5"H Backplate Oxygen Infused K-9 Crystal; 12 Watt LED, 960 Lumens



Z1614-SA-LED - Wall Mount 5.5"W x 19.5"H x 3.5"E; 5.5"W x 5.5"H Backplate Oxygen Infused K-9 Crystal; 12 Watt LED, 960 Lumens



Z9622-AC-LED - Wall Mount 10.25"W x 17.25"H; 18 Watt LED

EXTERIOR LIGHTING

LYNK COLLECTION 🚨



The Lynk outdoor sconce was created to complement your property's bold exterior. Fusing glass and metal components for maximum visual impact, the Lynk provides superior illumination to round out your home's luxurious façade.



Z9602-AC-LED - Wall Mount 7.5"W x 12.6"H x 2.83"E; 7.5"W x 12.6"H Backplate Heavy Seeded Cast Artisan Glass 11 Watt LED, 935 Lumens



Z9622-AC-LED - Wall Mount 10.25"W x 17.25"H x 3.56"E; 10.25"W x 17.25"H Backplate Heavy Seeded Cast Artisan Glass 18 Watt LED, 1530 Lumens



Z9612-AC-LED - Wall Mount 9"W x 15.13"H x 3.3"E; 9"W x 15.13"H Backplate Heavy Seeded Cast Artisan Glass 14 Watt LED, 1190 Lumens



PILLAR COLLECTION

With our Pillar Collection, you won't miss an opportunity to let your impeccable attention to details shine outdoors as well as indoors. Sleek and understated, the Pillar presents a sophisticated design in outdoor lighting that not only complements, but adds to the beauty of your space.



ZA2120-TB-LED - Wall Mount 4.5"W x 11.88"H x 7"E; 4.5"W x 4.5"H Backplate 20 Watt LED, 1700 Lumens



ZA2124-TB-LED - Wall Mount 4.5"W x 7.88"H x 7"E; 4.5"W x 4.5"H Backplate 10 Watt LED, 850 Lumens



Z9322-OBO-LED - Wall Mount 7.13"W x 17.63"H: 14 Watt LED

EXTERIOR LIGHTING

WEDGE COLLECTION 3



Craftmade Lighting's Wedge uses shape and shadows that bring an element of surprise to any contemporary property. The Wedge, named for its simple form, gives a nod to mid-century modern style with an emphasis on minimalism.



Z9322-BAO-LED - Wall Mount 7.13"W x 17.63"H x 3"E; 6.9"W x 17"H Backplate 14 Watt LED, 1190 Lumens



Z9302-OBO-LED - Wall Mount 4.5"W x 11"H x 2.25"E; 4.3"W x 10.4"H Backplate 8 Watt LED, 637 Lumens



Z9312-BAO-LED - Wall Mount 6.3"W x 15.35"H x 2.75"E; 6"W x 10.75"H Backplate 9 Watt LED, 765 Lumens



FUSION COLLECTION

The Fusion outdoor light fixture was not created to merely light up your front walkway, it was designed to illuminate your lifestyle. Combining beauty with functionality, this outdoor fixture becomes the hallmark of your modern lighting concept.



Z6202-SA-LED - Wall Mount 6.3"W x 15"H x 6.29"E; 6.3"W x 15"H Backplate 12 Watt GU24 LED, 800 Lumens



Z6202-BBNSA-LED - Wall Mount 6.3"W x 15"H x 6.29"E; 6.3"W x 15"H Backplate 12 Watt GU24 LED, 800 Lumens





Z4612-SS-LED - Wall Mount 8"W x 14"H; 16 Watt LED

DUO COLLECTION

Our Duo light fixture brings two unlikely elements and sculpts them together to represent the heart of your property. The soft glass embraced by a strong metal casing perfectly reflects your property as both a refuge and an open door to your guests.



 ${\bf Z4602\text{-}MN\text{-}LED} \text{ - Wall Mount} \\ 6"W \times 11"H \times 2.5"E; 4.3"W \times 6.7"H \text{ Backplate} \\ \text{Heavily Seeded Cast Artisan Glass; 8 Watt LED, 600 Lumens} \\$



 $\begin{tabular}{ll} \bf Z4612\text{-}SS\text{-}LED & Wall Mount \\ 8"W \times 14"H \times 5.5"E; 5.7"W \times 8.5"H Backplate \\ Heavily Seeded Cast Artisan Glass; 16 Watt LED, 1200 Lumens \\ \end{tabular}$



ARCUS COLLECTION 3



Bold and playful, the Arcus will stand out in any outdoor setting. This fixture's subtle arched design allows for multiple uses in your exterior spaces without overpowering. The Arcus' simple structure is the perfect statement piece for any front entry.



Z1900-AC-LED - Wall Mount 4.5"W x 16"H x 3.5"E; 4.5"W x 5.5"H Backplate 10 Watt LED, 850 Lumens



Z1910-BAO-LED - Wall Mount 5.75"W x 20"H x 4"E; 5.75"W x 6.9"H Backplate 18 Watt LED, 1530 Lumens





Z9412-SA-LED - Wall Mount 4.4"W x 21"H; 17 Watt LED

LUNA COLLECTION

The long lines and gentle curve of our Luna series casts a seductive glow on your property's exterior. The strength of the metal working against the lightweight crescent shape creates a look that is sleek, symmetrical and simply out of this world.



 $\bf Z9402\text{-}MN\text{-}LED$ - Wall Mount 4.38"W x 17"H x 2.3"E; 4.38"W x 17"H Backplate Frosted Acrylic Lens; 13 Watt LED, 1392 Lumens



Z9412-SA-LED - Wall Mount 4.38"W x 21"H x 2.5"E; 4.38"W x 21"H Backplate Frosted Acrylic Lens; 17 Watt LED, 1890 Lumens



PEAK COLLECTION 3



With its distinct, masculine look, the Peak, wall-mounted outdoor fixture will take the look of your exterior spaces over-the-top. The simplicity of style provides versatility that makes the Peak a strong choice for your modern



Z3422-TBSB-LED - Wall Mount 5"W x 18"H x 2.25"E; 4.7"W x 17.8"H Backplate 18 Watt LED, 1530 Lumens



Z3402-TBBA-LED - Wall Mount 5"W x 10"H x 2.25"E; 4.7"W x 9.8"H Backplate 10 Watt LED, 850 Lumens



Z3412-TBSB-LED - Wall Mount 5"W x 14"H x 2.25"E; 4.7"W x 13.8"H Backplate 14 Watt LED, 1190 Lumens



Z9922-MNPAB - 3 Light Wall Mount 10.13"W x 20.25"H; 60 Watt Medium Base

EXTERIOR LIGHTING

FARNSWORTH COLLECTION

Perfect for more modern or transitional properties, the Farnsworth outdoor collection adds an informal elegance to your property. The rectangular shape and candle-style bulbs bring a sense of nobility while the textured glass panes provide a natural look that you'll love.



Z9902-MNPAB - 1 Light Small Wall Mount 6.13"W x 12.38"H x 4.5"E; 5.12"W x 11.89"H Backplate Clear Seeded Glass; 60 Watt Medium Base



 $\label{eq:continuous} \textbf{Z9912-MNPAB} - 3 \ \text{Light Medium Wall Mount} \\ 8.13"W \times 16.25"H \times 5.88"E; \ 7"W \times 15.83"H \ \text{Backplate} \\ \text{Clear Seeded Glass; 60 Watt Medium Base}$




Z9922-MNPAB - 3 Light Large Wall Mount 10.13"W x 20.25"H x 7.38"E; 9.13"W x 19.84"H Backplate Clear Seeded Glass; 60 Watt Medium Base



Z9925-MNPAB - 4 Light Post Mount 10.13"W x 23.63"H Clear Seeded Glass; 60 Watt Medium Base



Z9921-MNPAB - 4 Light Pendant 10.13"W x 23.13"H; 6' Chain, 12' Wire Clear Seeded Glass; 60 Watt Medium Base





CARMEL COLLECTION

Inspired by the natural beauty of Big Sur and the Pacific coast, the new Carmel exterior collection features a separate outer slatted cover that delivers beautiful protection for the clear seeded glass pillar and our Superior UV finish with protection against fading guaranteed for 5 years.



 $\label{eq:2.1} \textbf{ZA2800-TB} - \text{Wall mount} \\ 5''\text{W} \times 14''\text{H} \times 5''\text{E}; 3.8''\text{W} \times 12.8''\text{H} \ \text{Backplate} \\ \text{Clear Seeded Glass; 60 Watt Medium Base} \\$



 $\begin{tabular}{ll} {\bf ZA2810-TB} &- {\bf Wall mount} \\ {\it 6"W} \times 16.5"H \times 6.5"E; 4.6"W \times 15"H Backplate \\ {\it Clear Seeded Glass; 60 Watt Medium Base} \\ \end{tabular}$



Z4524-CM-SC - Wall Mount 4.85"W x 20.25"H; 100 Watt Medium Base

EXTERIOR LIGHTING

DEKA COLLECTION

Sometimes the most innovative designs are the simplest. That's definitely true of our Deka wall-mounted lantern. A single bulb encased by the delicate look of square glass panes, this timeless fixture will show off your style and your impeccable attention to detail.



Z4504-CM-SC - Small Wall Mount 4.25"W x 11.87"H x 6.83"E; 4.5"W x 5.6"H Backplate 100 Watt Medium Base, Clear Square Pattern Glass



Z4514-MN-SC - Medium Wall Mount 4.5"W x 16.87"H x 6.87"E; 4.5"W x 8.2"H Backplate 100 Watt Medium Base, Clear Square Pattern Glass



Z4525-MN-SC - Post Mount 4.85"W x 18.94"H; Clear Square Pattern Glass 100 Watt Medium Base



:



Z4524-CM-SC - Large Wall Mount 4.85"W x 20.25"H x 7.25"E; 4.5"W x 8.2"H Backplate 100 Watt Medium Base, Clear Square Pattern Glass

FINISHES: CHROMITE (CM), MIDNIGHT (MN)



ONTARIO COLLECTION

An exciting design of bold shapes and flowing lines, Ontario by Craftmade is fashion-forward in every sense of the phrase. Its light comes from advanced LEDs that use a fraction of the energy.



Z2524-BT-LED - Large Wall Mount 8"W x 19"H x 6.5"E; 6"W x 8.6"H Backplate 14 Watt LED, 960 Lumens; Clear Seeded Glass



Z2504-MN-LED - Small Wall Mount 5.5"W x 12"H x 4.5"E; 4.25"W x 5.4"H Backplate 8 Watt LED, 600 Lumens; Clear Seeded Glass



Z2514-BT-LED - Medium Wall Mount 6.5"W x 15.38"H x 5.25"E; 4.9"W x 7"H Backplate 8 Watt LED, 600 Lumens; Clear Seeded Glass



Z3622-SS-LED - Wall Mount 5.5"W x 22"H; 21 Watt LED

ALLURE COLLECTION 3



Modern and sexy, the Allure draws you in and whispers a seductive "hello." The long, clean lines and soft light casts an irresistible glow. The ribbed glass and Stainless Steel details help this fixture set the mood while adding curb appeal.




Z3622-SS-LED - Wall Mount 5.5"W x 22"H x 2.38"E; 4.6"W x 21"H Backplate Frosted Fluted Glass; 21 Watt LED, 1600 Lumens



Z3602-SS-LED - Wall Mount 5.25"W x 14"H x 2.38"E; 4.3"W x 13"H Backplate Frosted Fluted Glass; 10 Watt LED, 800 Lumens



Z3612-SS-LED - Wall Mount 5.25"W x 18"H x 2.38"E; 4.3"W x 17.75"H Backplate Frosted Fluted Glass; 16 Watt LED, 1200 Lumens





PYRMONT COLLECTION

Bold and sturdy with a masculine edge, the Pyrmont Collection combines classic good looks with modern sophistication. The solid aluminum frame provides a rugged design element while the enclosed hammered glass shows off a softer side. Simple yet spectacular, the Pyrmont Collection puts your sense of style in the spotlight.



Z2604-OBG - Small Wall Mount 5.51"W x 14.65"H x 6.75"E; 5.5"W x 5.9"H Backplate 60 Watt Medium Base; Hammered Water Glass



Z2614-OBG - Medium Wall Mount 6.8"W x 19.34"H x 8.63"E; 5.5"W x 5.9"H Backplate 60 Watt Medium Base; Hammered Water Glass



FINISHES: OILED BRONZE GILDED (OBG)

PYRMONT COLLECTION (CONT'D)



Z2621-OBG - Pendant 8.15"W x 23.82"H; 3' Chain, 10' Wire 60 Watt Medium Base; Hammered Water Glass




Z2625-OBG - Post Mount 8.15"W x 27.11"H 60 Watt Medium Base; Hammered Water Glass



Z2624-OBG - Large Wall Mount 8.15"W x 22.85"H x 10.25"E; 5.5"W x 5.9"H Backplate 60 Watt Medium Base; Hammered Water Glass







UNION COLLECTION

Designed to replicate vintage farmhouse lighting, the Union is classic Americana for your outdoor space. Uncluttered and clean, the Union collection is offered in Oiled Bronze Gilded and Satin Aluminum. Choose from an array of sizes and mounting options. This timeless series will illuminate your property indoors and out.



Z4401-OBG - Small Pendant

8"W x 6.5"H; 3 x 12" Downrods, 5.5' WIre

60 Watt Medium Base

Z4414-SA - Medium Wall Mount 12"W x 12.75"H x 12.75"E; 4.5"D Backplate 100 Watt Medium Base



Z4411-OBG - Medium Pendant 12"W x 9.5"H; 3 x 12" Downrods, 5.5' WIre 60 Watt Medium Base Extra 12" Downrods: Part# RP-9126 (OBG) Part# RP-9194 (SA)





Z4421-OBG - Large Pendant 15"W x 11"H; 3 x 12" Downrods, 5.5' WIre 100 Watt Medium Base Extra 12" Downrods: Part# RP-9127 (OBG) Part# RP-9197 (SA)







Z4415-OBG - Medium Post Mount 12"W x 21.13"H x 15.25"E 100 Watt Medium Base



Z4404-SA - Small Wall Mount 8"W x 9.2"H x 8.63"E; 4.5"D Backplate 60 Watt Medium Base



ADDITIONAL PRODUCTS **AVAILABLE IN OUTDOOR AND FANS**

FINISHES: OILED BRONZE GILDED (OBG), SATIN ALUMINUM



 ${\tt ZA2522\text{-}WBMN\text{-}LED}$ - Wall Mount 8.5"W x 24"H; 30 Watt LED



Elevate your property with the architectural details of the Heights exterior lighting collection. Available in multiple sizes and two finish options featuring our five-year superior UV protection finish and dimmable LED light encased in striking white frosted glass, the Heights is designed to deliver bold style that is built to last.



 $\label{eq:2.2} \textbf{ZA2502-SSMN-LED} - \text{Wall Mount} \\ 5.25''W \times 15''H \times 5''E; 4.3''W \times 13.4''H \ Backplate \\ \text{White Frosted Glass; 10 Watt LED, 500 Lumens} \\$



ZA2512-WBMN-LED - Wall Mount 6.89"W x 19.7"H x 6.25"E; 6.1"W x 17.75"H Backplate White Frosted Glass; 20 Watt LED, 1000 Lumens



 $\begin{tabular}{ll} ZA2522-SSMN-LED & Wall Mount \\ 8.5"W \times 24"H \times 7.75"E; 7.5"W \times 22"H Backplate \\ White Frosted Glass; 30 Watt LED, 1500 Lumens \\ \end{tabular}$

LED - COLOR TEMP: 3000K (DIMMABLE) CRI: 90 FINISHES: STAINLESS STEEL/MIDNIGHT (SSMN),
WHISKEY BARREL/MIDNIGHT (WBMN)



LUX COLLECTION 3



An elegant statement piece, our Lux exterior sconce outshines the competition. The exquisite form and tasteful parallel accents work in unison to give off a unique quality of light. The simple geometric shapes and soft illumination will give your space a restrained look of luxury.



Z9502-AC-LED - Wall Mount 5.25"W x 16.38"H x 2.5"E; 4.3"W x 15.75"H Backplate 11 Watt LED, 935 Lumens Heavily Seeded Cast Artisan Glass



Z9512-BAO-LED - Wall Mount 5.67"W x 18.42"H x 2.5"E; 4.9"W x 17.75"H Backplate 15 Watt LED, 1275 Lumens Heavily Seeded Cast Artisan Glass



Z9522-AC-LED - Wall Mount 6.5"W x 20.5"H x 2.5"E; 5.5"W x 19.75"H Backplate 18 Watt LED, 1530 Lumens Heavily Seeded Cast Artisan Glass



Z4812-MN-LED - Wall Mount 5.25"W x 17.75"H; 17 Watt LED

ENZO COLLECTION



Turn up the volume on your property's exterior with our Enzo outdoor lighting collection. The fresh,contemporary design will give your outdoor space just the right amount of illumination. The softcurve creates a stunning silhouette that makes a powerful first impression.



Z4802-SA-LED - Wall Mount 5.25"W x 13.5"H x 2.75"E; 4.5"W x 12.75"H Backplate Frosted Acrylic Lens; 12 Watt LED, 1392 Lumens




Z4812-MN-LED - Wall Mount 5.25"W x 17.75"H x 2.75"E; 4.5"W x 17"H Backplate Frosted Acrylic Lens; 17 Watt LED, 1890 Lumens

LED - COLOR TEMP: 3000K (DIMMABLE)

CRI: 90

FINISHES: MIDNIGHT (MN), SATIN ALUMINUM (SA)





ACCENTS

HUE COLLECTION

The Hue Collection incorporates Philips Hue smart technology to create a easy to use WIFI enabled lighting system that allows you to take control and set the mood for any occasion using just your voice or the convenient app on your smart phone.



51190-FB-HUE - Flat Black LED Dome Pendant; Flat Black Shade - 15.7"D 15.7"W x 15.4"H; 8' Cable, 8' Cord 40 Watt LED; 1267 Lumens; 90 CRI, 3000k Hue Bridge Required.



51191-FB-HUE - Flat Black LED Dome Pendant; Flat Black Shade - 11.8"D 11.8"W x 13"H; 8' Cable, 8' Cord 30 Watt LED; 830 Lumens; 90 CRI, 3000k Hue Bridge Required.







13.5"W x 15.9"H; 9' Cable 34 Watt LED; 2080 Lumens; 90 CRI, 3000k



P815MG3-HUE - Matte Gold

LED Pendant

19.25"W x 9.75"H; 8' Cable


35 Watt LED; 1948 Lumens; 90 CRI, 3000k

Hue Bridge Required.

Finishes: MG, MSCH












P781CH6-HUE - Chrome LED Pendant; Clear Seeded K9 Crystal - 2.13"W 13.8"W x 16.13"H; 8.3' Cable 25 Watt LED; 1207 Lumens; 90 CRI, 3000k Hue Bridge Required.



47991-W-HUE - White LED Pendant 7.6"W x 10.63"H; 9' Cable 5 Watt LED; 203 Lumens; 90 CRI, 3000k Hue Bridge Required.



47993-W-HUE - White LED Pendant 13.8"W x 10.63"H; 9' Cable 14 Watt LED; 567 Lumens; 90 CRI, 3000k Hue Bridge Required.



47891-PAB-HUE - Patina Aged Brass LED Pendant 13.75"W x 16.5"H; 8' Cable 30 Watt LED; 1256 Lumens; 90 CRI, 3000k Hue Bridge Required. Finishes: Matte Black (MBK), Patina Aged Brass (PAB)



45623-CH-HUE - Chrome LED Chandelier 34.25"W x 1.75"H; 8' Cable 30 Watt LED; 1863 Lumens; 90 CRI, 3000k Hue Bridge Required.





PN336DBL-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 10.25"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



PN336FL-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 10.25"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



PN892F-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 8.5"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



PN903WL-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 9.25"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



PN882WS-PNK-(BULB TYPE) Brushed Polished Nickel; Pendant 5"W x 8.5"H; 8' Cord 10 Watt Medium Base; 800 Lumens Hue Bridge Required.



PN902SY-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 10"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



PN336BT-PNK-(BULB TYPE)
Brushed Polished Nickel; Pendant
5"W x 10.25"H; 8' Cord
10 Watt Medium Base; 800 Lumens
Hue Bridge Required.



For Philips Hue White Light Bulb Add "-W" at the end of model number.



For Philips Hue White Ambiance Light Bulb Add "-TW" to the end of model number.





For Philips Hue White/Color Ambiance Light Bulb Add "-WC" to the end of model number



CEILING FANS

Bordeaux	132
Connery	162
Dalton	160
Fortitude	164
Freestyle	136
Helios	142
Inspo	128
Laval 52"	144
Nikia	168
Optimum	166
Phaze 3	152
Phaze 4	150
Phaze 5	148
Pireos	140
Pro Builder 209	170
Pro-Contemporary Flushmount	172
Sloan 52" & 56"	158
Sonnet 70"	126
Stellar	130
Targas 52"	146
Teana	138
Utility	156
Velocity	154
Wisp	134



SONNET 70"


(Also available in 60" and 52" - visit www.craftmade.com for details.)

Stripped free of decorative embellishments and extraneous detail, the Sonnet beautifully expresses the art of the ceiling fan at its most basic and elemental. The sleek Chrome, Espresso, Flat Black or Satin Brass housings accommodate three extraordinary blades and LED lighting.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- · Custom Blades Sold Separately
- Integrated LED Light Source (Dimmable)
- Optional Lens Cover Included
- NEW 95% Transmittance Poly Carbonate Lens
- IDC Remote and Wall Controls (Included)

DRAWN SPECS



A 6" DR 16.76"

B 6" DR - 12.91"

C 6.32"

D 5.12"

E 9.17" **DR** Downrod

SPECS

Blade Sweep Number of Blades Blade Pitch Motor Size (MM) AMPS (Hi Speed) Shipping Wt. (lbs) CU. FT. in Carton Energy Guide Airflow (Cubic Feet Per Minute) Energy Guide Wattage Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost*

6,321 21 Watts 298

70"

Variable

165x25

3

<1

1.2

32.78

\$6 Airflow at High Speed (Cubic Feet Per Minute) 9,166 LED SPECS

Color Temp 3000K Lumens 1,300 lm 83.7 CRI Watts 14 *LED Module is Guaranteed for 5 Years.









^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A CHROME 70" SONNET

Model SON52CH

Light Integrated, White Glass

Blades BSON70-LOK, Light Oak, Sold Separately

B ESPRESSO 70" SONNET

Model SON52ESP

Light Integrated, White Glass

Blades BSON70-GW, Greywood, Sold Separately

C CHROME 70" SONNET

Model SON52CH

Light Integrated, White Glass

Blades BSON70-GW, Greywood, Sold Separately

D FLAT BLACK 70" SONNET

Model SON52FB

Light Integrated, White Glass

Blades BSON70-FB, Flat Black, Sold Separately

E SATIN BRASS 70" SONNET

Model SON52SB

Light Integrated, White Glass

Blades BSON70-GW, Greywood, Sold Separately

F SATIN BRASS 70" SONNET

Model SON52SB

Light Shown with Optional Lens Cover

Blades BSON70-GW, Greywood, Sold Separately

FAN FINISHES

Chrome-CH



Espresso-ESP



Flat Black-FB



Satin Brass-SB



MODEL SPECIFIC BLADE FINISHES

(Sold Separately)

BSON70-DW Driftwood



BSON70-FB Flat Black



BSON70-GW Greywood



BSON70-WAL Walnut

FAN CONTROL OPTIONS





IDC Remote and Wall Controls (Included)



Scan to view video on DC remote control operation















INSPO




The Craftmade Inspo ceiling fan with its low profile, minimalist styling, multiple finishes, three speed reversible motor and included wall control is the inspired choice for any room.

FEATURES

- Heavy Duty 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Not Light Kit Adaptable
- Hard Wired Wall Control (Included)

CEILING DROP DIMENSIONS



A 6" DR - 13.21"

B 6" DR - 11.07"

C 9.21"

D 5.91"

E 5.49"

DR Downrod

SPECS

54" Blade Sweep Number of Blades 3 14° Blade Pitch Motor Size (MM) 172x17 AMPS (Hi Speed) <1 25 lbs. Shipping Wt. (lbs) CU. FT. in Carton 1.8 Energy Guide Airflow (Cubic Feet Per Minute) 4,342 Energy Guide Wattage 41 Watts Energy Guide Efficiency (CFM Per Watt) 107 Energy Guide Estimated Yearly Cost* \$11 Airflow at High Speed (Cubic Feet Per Minute) 6.651





^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

BRUSHED POLISHED NICKEL 54" INSPO

INS54BNK3 Model Light Not Adaptable Silver, Included Blades

FLAT BLACK 54" INSPO

INS54FB3 Model Not Adaptable Light Flat Black, Included Blades

C WHITE 54" INSPO

Model INS54W3 Not Adaptable Light Blades White, Included



FAN FINISHES



Flat Black-FB



White-W



MODEL SPECIFIC **BLADE FINISHES**

Silver

Flat Black

White



FAN CONTROL OPTIONS



Hard Wired CM-6W Wall Control Included






STELLAR

Whether your property is traditional, transitional or modern, the clean style of the Stellar 52" ceiling fan is perfect. Streamlined in either Brushed Polished Nickel or Satin Brass finishes with an integrated white frost light kit.

FEATURES

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4.5" Downrod (Included)
- Limited Lifetime Warranty
- Custom Reversible Stellar Blades Included
- Integrated LED Light Source (Dimmable)
- Hard-Wired Dual Wall Control Included-4 Speed Fan Control and Full Range Dimmer OR request with UCI-2000 remote or wall control

CEILING DROP DIMENSIONS



- **A** 4.5" DR -16"
- **B** 4.5" DR 10.5"
- **c** 8.66"
- **D** 5.98"
- **E** 10.0"
- **DR** Downrod

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13.5°
Motor Size (MM)	172x17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	22.27
CU. FT. in Carton	1.66
Energy Guide Airflow (Cubic Feet Per Minute) Energy Guide Wattage	3,657 45 Watts
Energy Guide Efficiency (CFM Per Watt)	81
Energy Guide Estimated Yearly Cost*	\$13
Airflow at High Speed (Cubic Feet Per Minute)	5,408

LED SPECS

Color Tem	р 3000К
Lumens	900 lm
CRI	90
Watts	12
*LED Modu	ule is
Guarantee	d for 5 Years.







^{*}Blades Included.
*Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" STELLAR

Model STE52BNK5

Light Integrated, White Frosted Glass

Blades Reversible Brushed Nickel/Maple Included

B SATIN BRASS 52" STELLAR

Model STE52SB5

Light Integrated, White Frosted Glass
Blades Reversible Flat Black/Walnut Included

FAN FINISHES

Brushed Polished Nickel-BNK



Satin Brass-SB



REVERSIBLE BLADE FINISHES

Brushed Nickel/Maple





FAN CONTROL OPTIONS

Standard Configuration: CM-7W-LED Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer Included



Alternate Configuration: UCI-2000 remote or wall control



OR




Use these order codes: STE52BNK5-UCI STE52SB5-UCI












BORDEAUX

Pour on the breeze with the Craftmade Bordeaux ceiling fan. This eye-catching three blade fan with its LED light source can be installed on a down rod or semi-Flushmounted for lower ceilings. Quench your thirst for style with this striking fan.

FEATURES

- Heavy-Duty, 3 Speed Reversible Motor
- Tri-mount System, Standard with both semi-Flushmount and ball hanger mounting systems for flat or angled ceilings
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated LED Light Source (Dimmable)
- Optional Lens Cover Included
- Hard-Wired Dual Wall Control Included 4 Speed Fan Control and Full Range
 Dimmer OR request with UCI-2000 remote or wall control

CEILING DROP DIMENSIONS



A 6" DR - 18.6" **A2** Flushmount - 13.6" **B** 6" DR - 15.51"

B2 Flushmount - 10.5"

C 8.66"

D 5.85"

E 11.12"

DR Downrod

SPECS

Blade Sweep	52"	
Number of Blades	3	
Blade Pitch	16°	
Motor Size (MM)	172x17	,
AMPS (Hi Speed)	<1	7
Shipping Wt. (lbs)	21.78	(
CU. FT. in Carton	2.01	
Energy Guide Airflow (Cubic Feet Per Minute)	3,942	
Energy Guide Wattage	30 Watts	
Energy Guide Efficiency (CFM Per Watt)	133	
Energy Guide Estimated Yearly Cost*	\$8	
Airflow at High Speed (Cubic Feet Per Minute)	5,426	

LED SPECS

Color Temp	3000K
Lumens	1,350 lm
CRI	90
Watts	17
*LED Module is	
Guaranteed	for 5 Years







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

POLISHED NICKEL 52" BORDEAUX

Model BRD52PLN3

Light Integrated, Frosted White Clear Acrylic, Included Blades

SATIN BRASS 52" BORDEAUX

Model BRD52SB3

Light Integrated, Frosted White Blades Clear Acrylic,Included

POLISHED NICKEL 52" BORDEAUX

Model BRD52PLN3-FB

Integrated, Frosted White Light Flat Black, Included Blades

SATIN BRASS 52" BORDEAUX

Model BRD52SB3-FB

Light Shown with Optional Lens Cover

Blades Flat Black, Included

FAN FINISHES

Polished Nickel-PLN



Satin Brass-SB



BLADE FINISHES

Clear Acrylic









FAN CONTROL OPTIONS

Standard Configuration: CM-7W-LED Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer Included



Alternate Configuration: UCI-2000 remote or wall control





Use these order codes: BRD52PLN3-UCI BRD52PLN3-FB-UCI BRD52SB3-UCI BRD52SB3-FB-UCI








WISP

The Wisp fan from Craftmade merges bold, contemporary design with delightfully delicate features. This mighty, two-blade fan shows it all. Brushed Polished Nickel inner workings and integrated LED light source are always on show through the clear acrylic body and blades. It's minimalist to the max.

FEATURES

- Energy Saving DC Motor
- · Downrod Only
- 12" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Integrated LED Light Source (Dimmable)
- IDC2 Remote and Wall Controls (Included)

CEILING DROP DIMENSIONS



A 12" DR 19.55" **B** 12" DR - 16.18"

C 7.28" **D** 5.91"

E 3.64"

DR Downrod

SPECS

70" Blade Sweep Number of Blades 2 Blade Pitch Variable Motor Size (MM) 153x16 AMPS (Hi Speed) 16.31 Shipping Wt. (lbs) CU. FT. in Carton 1.3 Energy Guide Airflow (Cubic Feet Per Minute) 6,413 23 Watts Energy Guide Wattage

Energy Guide Wattage 23 W Energy Guide Efficiency (CFM Per Watt) 282

Energy Guide Estimated Yearly Cost* \$6

Airflow at High Speed (Cubic Feet Per Minute) 8,217

LED SPECS

 Color Temp
 3000K

 Lumens
 1,257 lm

 CRI
 90

 Watts
 16

*LED Module is Guaranteed for 5 Years.









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

BRUSHED POLISHED NICKEL 70" WISP

Model WSP70BNK2 Light Integrated LED Blades Clear Acrylic

FAN FINISHES

BLADE FINISHES

Brushed Polished Clear Acrylic Nickel-BNK



FAN CONTROL OPTIONS





IDC2 Remote and Wall Controls (Included)



IDC2 Remote and Wall Controls (Included)




FREESTYLE

If you cannot be constrained by the ordinary, then Craftmade's Freestyle fan is for you. This modern, three-blade fan with 56" sweep is created for those who want latitude in their design options. Equipped with a powerful DC motor and LED light source, the Freestyle is the choice for those wanting to show style without limitations.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- · ABS Blades Included
- Integrated LED Light Source (Dimmable)
- Optional Lens Cover Included
- IDC Remote and Wall Controls (Included)

CEILING DROP DIMENSIONS



A 6" DR - 15.86"

B 6" DR - 9.80"

C 6.61"

D 5.91"

E 10.9"

DR Downrod

SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	13°
Motor Size (MM)	165x25
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	23.87
CU. FT. in Carton	4.5
Energy Guide Airflow (Cubic Feet Per Minute)	2,445
Energy Guide Wattage	21 Watts
Energy Guide Efficiency (CFM Per Watt)	117
Energy Guide Estimated Yearly Cost*	\$6
Airflow at High Speed (Cubic Feet Per Minute)	3,610

LED SPECS

Color Temp 3000K Lumens 733 lm CRI 90 Watts 22 *LED Module is Guaranteed for 5 Years.









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 56" FREESTYLE

Model FRE56BNK3

Light Integrated, Frost White Glass Blades Brushed Nickel, Included

B ESPRESSO 56" FREESTYLE

Model FRE56ESP3

Light Integrated, Frost White Glass

Blades Espresso, Included

C WHITE 56" FREESTYLE

Model FRE56W3

Light Integrated, Frost White Glass

Blades White, Included



FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



White-W



BLADE FINISHES

Brushed Nickel



Espresso

White



Shown with Optional Lens Cover

FAN CONTROL OPTIONS





IDC Remote and Wall Controls (Included)



Scan to view video on DC remote control operation








TEANA

High style and value set the tone for the Teana ceiling fan by Craftmade. The simple yet handsome cylindershaped Teana encompasses striking blade holders and plank blades. And to keep you in control, the Teana offers either a hard-wired wall or a hand-held wireless remote.

FEATURES

- · Standard, 3-Speed Reversible Motor
- Tri-mount System, Standard with both semi-Flushmount and ball hanger mounting systems for flat or angled ceilings
- 6" Downrod (Included)
- Limited Lifetime Warranty
- · Custom Teana Blades Included
- Integrated LED Light Source (Dimmable)
- Optional Lens Cover Included
- Hard-Wired Dual Wall Control Included -
- 4 Speed Fan Control and Full Range Dimmer OR request with UCI-2000 Remote or Wall Control

CEILING DROP DIMENSIONS



A 6" DR 15.55"

B 6" DR - 12.28"

C 7.09"

D 5.12"

E 9.02"

DR Downrod

SPECS

LED SPECS 52" Color Temp 3000K Blade Sweep Number of Blades 4 1045 lm Lumens Blade Pitch 11.5° CRI 90 Motor Size (MM) 153x15 Watts 22 AMPS (Hi Speed) <1 *LED Module is Shipping Wt. (lbs) 36.84 Guaranteed for 5 Years. 1.18 CU. FT. in Carton Energy Guide Airflow (Cubic Feet Per Minute) 2,852 Energy Guide Wattage 41 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* Airflow at High Speed (Cubic Feet Per Minute) 3,737







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" TEANA

Model TEA52BNK4

Light Integrated, LED with White Frosted Glass
Blades Reversible Brushed Nickel/Walnut, Included

B CHROME 52" TEANA

Model TEA52CH4

Light Integrated, LED with White Frosted Glass
Blades Reversible Brushed Nickel/Walnut, Included

C ESPRESSO 52" TEANA

Model TEA52ESP4

Light Integrated, LED with White Frosted Glass
Blades Reversible Espresso/Walnut, Included

D WHITE 52" TEANA

Model T

TEA52W4

Light Integrated, LED with White Frosted Glass

Blades White, Included

E SATIN BRASS 52" TEANA

Model TEA52SB4

Light Integrated, LED with White FrostedGlass Blades Reversible Flat Black/Mesquite, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Chrome-CH



Espresso-ESP



Satin Brass-SB



White-W



REVERSIBLE BLADE FINISHES

Brushed Nickel/Walnut





Espresso/Walnut



White



A Shown with Reversible Walnut Blade Finish







FAN CONTROL OPTIONS

Standard Configuration: CM-7W-LED, Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer Included



Alternate Configuration: UCI-2000 remote or wall control



Use these order codes: TEA52BNK4-UCI TEA52CH4-UCI TEA52ESP4-UCI TEA52W4-UCI








PIREOS

Curves have never been this sexy! The bentwood, tri-blade design provides a distinct look along with exceptional air movement. The simplicity of style makes the Pireos a focal point whether your room is modern, mid-century modern or anything in between.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Pireos Blades Included
- IDC2 Remote and Wall Controls (Included)

CEILING DROP DIMENSIONS



- **A** 6" DR 12.5"
- **B** 6" DR 9.84"
- **C** 6.69"
- **D** 5.83"
- **E** 4.13"
- **DR** Downrod

SPECS

Blade Sweep 48" 3 Number of Blades Blade Pitch 15° 90x12 Motor Size (MM) AMPS (Hi Speed) <1 Shipping Wt. (lbs) 10.8 CU. FT. in Carton 1.3 Energy Guide Airflow (Cubic Feet Per Minute) 2,922 20 Watts Energy Guide Wattage Energy Guide Efficiency (CFM Per Watt) 149 Energy Guide Estimated Yearly Cost* \$5

Airflow at High Speed (Cubic Feet Per Minute) 4,063







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 48" PIREOS

Model PIR48BNK3 Light Not Adaptable Blades Teak, Included

B ESPRESSO 48" PIREOS

Model PIR48ESP3 Light Not Adaptable Blades Teak, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



BLADE FINISHES

Teak



Геак

FAN CONTROL OPTIONS






IDC2 Remote and Wall Controls (Included)



Scan to view video on DC remote control operation










HELIOS

Simply modern, the Helios ceiling fan is stylish and sophisticated. Now equipped with an LED light source, the Helios is an even smarter choice.

FEATURES

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Helios Blades Included
- Integrated LED Light Source (Dimmable)
- NEW 95% Transmittance Polycarbonate Lens
- Remote and Wall Controls Available (Optional)

CEILING DROP DIMENSIONS



- **A** 6" DR 17.3"
- **B** 6" DR 12.1"
- **C** 12.36"
- **D** 5.65"
- **E** 9.5"
- **DR** Downrod

SPECS

Blade Sweep	52"	(
Number of Blades	5	-
Blade Pitch	13°	(
Motor Size (MM)	172x17	١
AMPS (Hi Speed)	<1	*
Shipping Wt. (lbs)	22.71	(
CU. FT. in Carton	2.34	
Energy Guide Airflow (Cubic Feet Per Minute)	3,922	
Energy Guide Wattage	44 Watts	
Energy Guide Efficiency (CFM Per Watt)	89	
Energy Guide Estimated Yearly Cost*	\$12	
A : f		

Airflow at High Speed (Cubic Feet Per Minute) 5,590

LED SPECS

Color Temp	3000K
Lumens	1,200 lm
CRI	90
Watts	12
*LED Module	e is
Guaranteed t	for 5 Years







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

WHITE 52" HELIOS

HE52W5-LED Model

Integrated, LED with White Frost Acrylic Lens Light

Blades White, Included

OILED BRONZE GILDED 52" HELIOS

Model HE52OBG5-LED

Light Integrated, LED with Amber Frost Acrylic Lens Reversible Oiled Bronze/Walnut, Included Blades

OILED BRONZE GILDED 52" HELIOS

Model HE52OBG5-WG-LED

Light Integrated, LED with White Frost Acrylic Lens Blades Reversible Oiled Bronze/Walnut, Included

BRUSHED POLISHED NICKEL 52"HELIOS

Model HE52BNK5-LED

Light Integrated, LED with White Frost Acrylic Lens

Blades Brushed Nickel, Included


FAN FINISHES

Brushed Polished Nickel-BNK



Oiled Bronze Gilded-OBG

White-W



BLADE FINISHES

Brushed Nickel

Oiled Bronze/Walnut



White







Shown with Reversible Oiled Bronze Blade Finish



FAN CONTROL OPTIONS








LAVAL 52"

The versatile Laval ceiling fan is designed to fit any space. With the selection of finishes available, Laval is an easy decision.

FEATURES

- Heavy-Duty, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Integrated LED Light Source (Dimmable)
- Remote Control Optional

CEILING DROP DIMENSIONS



- **A** 6" DR 15.34"
- **B** 6" DR 11.82"
- **C** 10.75"
- **D** 5.85"
- **E** 9.02"
- **DR** Downrod

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	172x17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.10
CU. FT. in Carton	2.1
Energy Guide Airflow (Cubic Feet Per Minute)	3,862
Energy Guide Wattage	46 Watts
Energy Guide Efficiency (CFM Per Watt)	85
Energy Guide Estimated Yearly Cost*	\$13
Airflow at High Speed (Cubic Feet Per Minute)	5,494

LED SPECS

	Color Temp	3000K
	Lumens	1,200 lm
	CRI	90
	Watts	14
	*LED Module	
	Guaranteed	for 5 Years.
5		







^{*}Blades Included.
*Based on 12 cents per Kwh and 6.4 hours use per day.

A ESPRESSO 52" LAVAL

Model LAV52ESP4LK-LED

Light Integrated, LED Opal Frosted Glass
Blades Reversible Espresso/Dark Walnut, Included

B MATTE WHITE 52" LAVAL

Model LAV52MWW4LK-LED

Light Integrated, LED Opal Frosted Glass

Blades Matte White, Included

C BRUSHED SATIN NICKEL 52" LAVAL

Model LAV52BN4LK-LED

Light Integrated, LED Opal Frosted Glass
Blades Reversible Brushed Nickel/Maple, Included

FAN FINISHES

Brushed Satin Nickel-BN



Espresso-ESP




Matte White-MWW



REVERSIBLE BLADE FINISHES





Matte White



FAN CONTROL OPTIONS














TARGAS 52"


Modern and minimalist, the Targas 52" features a sleek tri-blade design, LED lighting and your choice of hard-wired or wireless speed and light control.

FEATURES

- 4-Speed Reversible Motor
- Tri-Mount System, Standard with Both Semi-Flushmount and Ball Hanger Mounting Systems for Flat or Angled Ceilings (Included)
- 6" Downrod (Included)
- Limited Lifetime Warranty
- · Blades Included
- Integrated LED Light Source (Dimmable)
- NEW 95% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately PHA-40(finish)
- Hard-Wired Dual Wall Control Included -
- 4 Speed Fan Control and Full Range

Dimmer OR request with UCI-2000 remote or wall control

CEILING DROP DIMENSIONS



A2 6" DR - 11.37" **A1** 6" DR - 16.73"

B2 6" DR - 6.12"

B1 6" DR - 11.79"

C 10.24"

D 5.12"

E 8.96"

DR Downrod

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	10.5°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	17.53
CU. FT. in Carton	2.13
Energy Guide Airflow Cubic Feet Per Minute)	3,156
Energy Guide Wattage	40 Watts
Energy Guide Efficiency CFM Per Watt)	80
Energy Guide Estimated Yearly Cost*	\$11

LED SPECS

Color Temp	3000K	
Lumens	1,577 lm	
CRI	90	
Watts	22	
*LED Module is Guaranteed for 5 Years.		

Airflow at High Speed (Cubic Feet Per Minute) 4,149









^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" TARGAS

Model TG52BNK3

Light Integrated, LED with Frosted White Glass Blades Reversible Walnut/Dark Oak,Included

B CUSTOM, BRUSHED POLISHED NICKEL 52" TARGAS

Model TG52BNK3-52BN

Light Integrated, LED with White Frost Acrylic Lens-

Blades Brushed Nickel, Included

C ESPRESSO 52" TARGAS

Model TG52ESP3

Light Integrated, LED with White Frost Acrylic Lens

Blades Reversible Mahogany/Teak, Included

D GLOSS BLACK 52" TARGAS

Model TG52GBK5

Light Integrated, LED with White Frost Acrylic Lens

Blades Gloss Black, Included

E CUSTOM, BRUSHED POLISHED NICKEL 52" TARGAS

Model TG52BNK3-52BN Light Shown with Lens Cover Blades Brushed Nickel, Included

WHITE 52" TARGAS

Model TG52W3

Light Integrated, LED with White Frost Acrylic Lens


Blades White, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Brushed Polished Nickel-BNK



Espresso-ESP



Gloss Black-GBK




White-W



REVERSIBLE BLADE FINISHES



Brushed Nickel



Mahogany/Teak

Gloss Black

iloss Black

White

FAN CONTROL OPTIONS

Standard Configuration: CM-7W-LED Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer Included



Alternate Configuration: UCI-2000 remote or wall control



Use these order codes: TG52BNK3-UCI TG52BNK3-52BN-UCI TG52ESP3-UCI TG52GB3-UCI TG52W3-UCI











Shown with optional lens cover and as flushmount.






PHAZE 5

This is no passing phase. Craftmade's Phaze 5 five blade ceiling fan with multiple finishes offers a versatile design at a great value.

FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated Light Kit with 2 x 9W LED Medium Base **Bulbs Included**
- NEW 95% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately-PHA-40(Finish)
- Remote & Wall Controls (Optional)

CEILING DROP DIMENSIONS



A2 6" DR - 11.37" **A1** 6" DR - 16.73"

B2 6" DR - 6.12" **B1** 6" DR - 11.79"

C 10.24"

D 5.12" **E** 8.96"

LED SPECS

DR Downrod

1,560 lm

80

18

SPECS

Blade Sweep 52" Color Temp 3000K Number of Blades 5 Lumens 10.5° Blade Pitch CRI Motor Size (MM) 153x15 Watts AMPS (Hi Speed) <1 Shipping Wt. (lbs) 17.5 CU. FT. in Carton 2.13 Energy Guide Airflow (Cubic Feet Per Minute) 2,951 37 Watts Energy Guide Wattage Energy Guide Efficiency (CFM Per Watt) 79 Energy Guide Estimated Yearly Cost* \$10 Airflow at High Speed (Cubic Feet Per Minute) 3,972







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" PHAZE 5

Model PHA52BNK5

Light Integrated, LED with White Frost Acrylic Lens
Blades Reversible Walnut/Dark Oak, Included

B BRUSHED POLISHED NICKEL 52" PHAZE 5

Model PHA52BNK5-BNGW

Light Integrated, LED with White Frost Acrylic Lens
Blades Reversible Brushed Nickel/Greywood, Included

C ESPRESSO 52" PHAZE 5

Model PHA52ESP5

Light Integrated, LED with White Frost Acrylic Lens
Blades Reversible Espresso/Walnut, Included

D WHITE 52" PHAZE 5

Model PHA52W5

Light Integrated, LED with White Frost Acrylic Lens

Blades White, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP

CRAFTMADE

White-W

ERAFIMADI

Brushed Polished Nickel-BNK

REVERSIBLE BLADE FINISHES

Walnut/Dark Oak



Espresso/Walnut



Brushed Nickel/Greywood



A Shown with Walnut Blace Finish







FAN CONTROL OPTIONS





Fan Control Alternate UCI Configurations using these model numbers:

PHA52BNK5-BNGW-UCI PHA52BNK5-UCI PHA52ESP5-UCI PHA52W5-UCI

See Pages 219-221








PHAZE 4

This is no passing phase. Craftmade's Phaze 4 four blade ceiling fan with multiple finishes offers versatile design and value.

FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Blades Included
- ullet Integrated Light Kit with 2 x 9W LED Medium Base **Bulbs Included**
- NEW 95% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately-PHA-40(Finish)
- Remote & Wall Controls (Optional)
- 4-Speed Wall Control Included with PHA52BNK3-BNGW Only

CEILING DROP DIMENSIONS



A2 6" DR - 11.37" **A1** 6" DR - 16.73" **B2** 6" DR - 6.12" **B1** 6" DR - 11.79" **C** 10.24"

D 5.12" **E** 8.96"

DR Downrod

SPECS		LED SPECS
Blade Sweep	52"	Color Temp
Number of Blades	4	Lumens
Blade Pitch	10.5°	CRI
Motor Size (MM)	153x15	Watts
AMPS (Hi Speed)	<1	
Shipping Wt. (lbs)	17.5	
CU. FT. in Carton	2.13	
Energy Guide Airflow (Cubic Feet Per Minute)	3,108	
Energy Guide Wattage	38 Watts	
Energy Guide Efficiency (CFM Per Watt)	83	
Energy Guide Estimated Yearly Cost*	\$11	
Airflow at High Speed (Cubic Feet Per Minute)	4.196	

5	Color Temp Lumens CRI Watts	3000K 1,560 lm 80 18
ts		







^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

BRUSHED POLISHED NICKEL 52" PHAZE 4

Model PHA52BNK4

Light Integrated, LED with White Frost Acrylic Lens Reversible Walnut/Dark Oak, Included Blades

ESPRESSO 52" PHAZE 4

Model PHA52ESP4

Light Integrated, LED with White Frost Acrylic Lens Blades Reversible Espresso/Walnut, Included

WHITE 52" PHAZE 4

Model PHA52W4

Light Integrated, LED with White Frost Acrylic Lens

White, Included Blades

BRUSHED POLISHED NICKEL 52" PHAZE 4

Model PHA52BNK4-BNGW

Integrated, LED with White Frost Acrylic Lens Light Reversible Brushed Nickel/Greywood, Included Blades

FAN FINISHES

Brushed Polished Nickel-BNK CRAFTMADE



CRALIMA

White-W

Brushed Polished Nickel-BNK RAFTMADE

REVERSIBLE **BLADE FINISHES**

Walnut/Dark Oak



Espresso/Walnut

White

Brushed Nickel/Greywood



Shown with Walnut Blade Finish







FAN CONTROL OPTIONS





Fan Control Alternate UCI Configurations using these model numbers:

PHA52BNK4-BNGW-UCI PHA52BN4-UCI PHA52ESP4-UCI PHA52W4-UCI

See Pages 219-221








PHAZE 3

This is no passing phase. Craftmade's Phaze 3 three blade ceiling fan with multiple finishes offers versatile design and value.

FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Blades Included
- Integrated Light Kit with 2 x 9W LED Medium Base **Bulbs Included**
- NEW 95% Transmittance Polycarbonate Lens
- Optional Lens Cover Sold Separately-PHA-40(Finish)
- Remote & Wall Controls (Optional)

CEILING DROP DIMENSIONS



A2 6" DR - 11.37" **A1** 6" DR - 16.73" **B2** 6" DR - 6.12" **B1** 6" DR - 11.79" **C** 10.24" **D** 5.12" **E** 8.96"

DR Downrod

1,560 lm 80 18

LED SPECS

Blade Sweep	52"	Color Tem	np 3000K
Number of Blades	3	Lumens	1,560 ln
Blade Pitch	10.5°	CRI	80
Motor Size (MM)	153x	15 Watts	18
AMPS (Hi Speed)	<1		
Shipping Wt. (lbs)	17.5		
CU. FT. in Carton	2.13		
Energy Guide Airflo (Cubic Feet Per Mir		3	
Energy Guide Watta	age 38 W	atts	
Energy Guide Effici (CFM Per Watt)	ency 81		
Energy Guide Estimated Yearly Co	ost* \$11		
Airflow at High Spe (Cubic Feet Per Mir		7	







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" PHAZE 3

Model PHA52BNK3

Light Integrated, LED with White Frost Acrylic Lens

Blades Reversible Walnut/Dark Oak, Included

B ESPRESSO 52" PHAZE 3

Model PHA52ESP3

Light Integrated, LED with White Frost Acrylic Lens

Blades Reversible Espresso/Walnut, Included

C WHITE 52" PHAZE 3

Model PHA52W3

Light Integrated, LED with White Frost Acrylic Lens

Blades White. Included

D BRUSHED POLISHED NICKEL 52" PHAZE 3

Model PHA52BN3-BNGW

Light Integrated, LED with White Frost Acrylic Lens
Blades Reversible Brushed Nickel/Greywood, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



White-W


RAFIMADE

Brushed Polished Nickel-BNK




REVERSIBLE BLADE FINISHES

Walnut/Dark Oak



Espresso/Walnut



White

Brushed Nickel/Greywood









FAN CONTROL OPTIONS





Fan Control Alternate UCI Configurations using these model numbers:

PHA52BNK3-BNGW-UCI PHA52BNK3-UCI PHA52ESP3-UCI PHA52W3-UCI

See Pages 219-221








VELOCITY

The aerodynamic Velocity ceiling fan is part retro, part modern, part Industrial/Loft and totally cool. The cutting-edge 3-blade design performs brilliantly with the heavy-duty 4-speed motor, which includes a 4-speed wall control. Finished in three appealing options – Flat Black with custom Flat Black blades, White with custom White blades, or Brushed Polished Nickel with Brushed Nickel Blades.

FEATURES

- Heavy-Duty, 3 Speed Non-Reversible Motor
- Dual Mount
- 12" Downrod (Included)
- · Limited Lifetime Warranty
- Custom ABS Blades (Included)
- Not Light Kit Adaptable
- 4-Speed Wall Control (Included)

CEILING DROP DIMENSIONS



- **A** 12" DR 21.25"
- **B** 12" DR 18.5"
- **c** 7.50"
- **D** 4.75"
- **E** 7.01"
- **DR** Downrod

Blade Sweep	58"
Number of Blades	3
Blade Pitch	19.5°
Motor Size (MM)	188x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	19.84
CU. FT. in Carton	1.27
Energy Guide Airflow (Cubic Feet Per Minute)	4,691
Energy Guide Wattage	46 Watts
Energy Guide Efficiency (CFM Per Watt)	103
Energy Guide Estimated Yearly Cost*	\$13
Airflow at High Speed (Cubic Feet Per Minute)	7,053





^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A FLAT BLACK 58" VELOCITY

Model VE58FB3 Light Not Adaptable Blades Flat Black, Included

B WHITE 58" VELOCITY

Model VE58W3 Light Not Adaptable Blades White, Included

C BRUSHED POLISH NICKEL 58" VELOCITY

Model VE58BNK3 Light Not Adaptable


Blades Brushed Nickel, Included

FAN FINISHES

BLADE FINISHES

Brushed Polished Nickel-BNK Brushed Nickel













White



FAN CONTROL OPTIONS



4-Speed Wall Control (Included) CM-4SDH










UTILITY

With its slender profile and sleek appearance the industrial-chic Utility is a striking example of minimalist design. The five-speed motor and three gracefully proportioned blades move a surprising amount of cooling air effectively and efficiently.

FEATURES

- · Heavy-Duty, 5 Speed Motor
- Downrod Mount Only
- 12" Downrod (Included)
- · Limited Lifetime Warranty
- Blades Included
- 5-Speed Wall Control Included

CEILING DROP DIMENSIONS



- **A** 12" DR 18.07"
- **B** 12" DR 16.02"
- **C** 7.87"
- **D** 5.75"
- **E** 6.60"
- **DR** Downrod

SPECS

Blade Sweep 56" 3 Number of Blades Blade Pitch Motor Size (MM) 170x12 AMPS (Hi Speed) <1 15.24 Shipping Wt. (lbs) CU. FT. in Carton 1.23 Energy Guide Airflow (Cubic Feet Per Minute) 4,201 **Energy Guide Wattage** 53 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost*

Airflow at High Speed (Cubic Feet Per Minute) 4,985





^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A WHITE 56" UTILITY

Model UT56WW3M Light Not Adaptable Blades White, Included

B TITANIUM/BRUSHED NICKEL 56" UTILITY

Model UT56TBNK3M Light Not Adaptable Blades Titanium, Included

FAN FINISHES

BLADE FINISHES

Titanium/Brushed Nickel-TBNK Titanium

COMMENSATIONS

White


White-W

CBALLMADE


FAN CONTROL OPTIONS



5-speed Wall Control Included







SLOAN

The Sloan collection provides a unique statement in Transitional styling, perfectly complimenting today's most sought-after finish and wood combinations.


56" FEATURES

- Heavy-Duty, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Sloan Blades Included
- Light Kit Optional
- Universal Remote Control Optional

52" FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Sloan Blades Included
- Light Kit Optional
- Universal Remote Control Optional

CEILING DROP DIMENSIONS



56"	52"
A 6" DR - 16.61"	A 6" DR - 15.47"
B 6" DR - 14.82"	B 6" DR - 13.47"
C 13.66"	C 11.81"
D 7 17"	D 5 12"

C 13.66" C 11.81"
D 7.17" D 5.12"
E 10.55" E 5.91"
DR Downrod DR Downrod

Blade Sweep	56"	52"
Number of Blades	5	5
Blade Pitch	12°	11°
Motor Size (MM)	172x20	153x15
AMPS (Hi Speed)	<1	<1
Shipping Wt. (lbs)	23.81	18.08
CU. FT. in Carton	2.45	2.4185
Energy Guide Airflow (Cubic Feet Per Minute)	4,141	2,724
Energy Guide Wattage	40 Watts	37 Watts
Energy Guide Efficiency (CFM Per Watt)	103	73
Energy Guide Estimated Yearly Cost*	\$11	\$10
Airflow at High Speed (Cubic Feet Per Minute)	5,958	xxx







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

The new SLOAN 52 available in BNK, FB and SB finishes.

BRUSHED POLISHED NICKEL 56" SLOAN

Model SLN56BNK5 Light Optional

Blades Reversible Weathered Mesquite/Dark

Cedar Included

B SATIN BRASS 56" SLOAN

Model SLN56SB5 Light Optional

Blades Reversible Flat Black/Black Walnut Included

C OILED BRONZE 56" SLOAN

Model SLN56OB5 Light Optional

Blades Reversible Oiled Bronze/Dark Cedar

Included

D BRUSHED POLISHED NICKEL 52" SLOAN

Model SLN52BNK5 Light Optional

Blades Reversible Weathered Mesquite/Dark

Cedar Included

E SATIN BRASS 52" SLOAN

Model SLN52SB5 Light Optional

Blades Reversible Flat Black/Black Walnut Included

F FLAT BLACK 52" SLOAN

Model SLN52FB5 Light Optional

Blades Reversible Flat Black/Black Walnut Included


FAN FINISHES

Brushed Polished Nickel-BNK

Flat Black-FB



Oiled Bronze-OB



Satin Brass-SB



REVERSIBLE BLADE FINISHES

Weathered Mesquite/Dark Cedar



Oiled Bronze/Dark Cedar



LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits



Customize Your Own







FAN CONTROL OPTIONS



















DALTON




The Dalton 48" ceiling fan by Craftmade available in multiple finishes features a clear seeded glass integrated LED light combined with clean transitional styling accented with industrial details.

FEATURES

- Standard, 3-Speed Reversible Motor
- Downrod Mount Only
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Integrated LED Light Source (Dimmable)
- Universal Remote Control Optional

CEILING DROP DIMENSIONS



- **A** 6" DR 15.79"
- **B** 6" DR 10.0"
- **C** 7.09"
- **D** 5.79"
- **E** 11.09"

DR Downrod

SPECS

31 203	
Blade Sweep	48"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	15.87
CU. FT. in Carton	1.14
Energy Guide Airflow (Cubic Feet Per Minute)	3,483
Energy Guide Wattage	49 Watts
Energy Guide Efficiency (CFM Per Watt)	71
Energy Guide Estimated Yearly Cost*	\$14

Airflow at High Speed (Cubic Feet Per Minute) 4,641

LED SPECS

Color Temp	3000K
Lumens	1,250 lm
CRI	90
Watts	16
*LED Module	e is
Guaranteed	for 5 Years.







^{*}Blade options included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 48" DALTON

Model DAL48BNK4

Light Integrated with Clear Seeded Glass
Blades Reversible Greywood/Driftwood Blades

Included

B ESPRESSO 48" DALTON

Model DAL48ESP4

Light Integrated with Clear Seeded Glass
Blades Reversible Espresso/Walnut Blades

Included

C FLAT BLACK 48" DALTON

Model DAL48FB4

Light Integrated with Clear Seeded Glass
Blades Reversible Flat Black/Grey Wood Blades

Included

D SATIN BRASS 48" DALTON

Model DAL48SB4

Light Integrated with Clear Seeded Glass
Blades Reversible Flat Black/Mesquite Blades

Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



Flat Black-FB



Satin Brass-SB



BLADE FINISHES


Greywood/Driftwood



Espresso/Walnut



999



FAN CONTROL OPTIONS














CONNERY

Craftmade's Connery ceiling fan offers a distinctively modern look with state-of-the art performance to match. An integrated, energyefficient light fixture shines with a lustrous warmth. The whisper-quiet motor is reversible for year-round comfort.

FEATURES

- Standard, 3-Speed Reversible Motor
- Downrod Mount Only
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Integrated LED Light Source (Dimmable)
- Universal Control Adaptable (UCI-2000-2) (Optional)

CEILING DROP DIMENSIONS



A 6" DR - 19"

B 6" DR - 13"

C 7.09" **D** 5.79"

E 11.09"

DR Downrod

SPECS

Blade Sweep	48"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x12
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	15.87
CU. FT. in Carton	1.14
Energy Guide Airflow (Cubic Feet Per Minute)	3,466
Energy Guide Wattage	46 Watts
Energy Guide Efficiency (CFM Per Watt)	75
Energy Guide Estimated Yearly Cost*	\$13

Airflow at High Speed (Cubic Feet Per Minute) 4,595

LED SPECS

Color Temp	3000K
Lumens	1,250 lm
CRI	90
Watts	16
*LED Module Guaranteed f	







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 48" CONNERY

Model CON48BNK4C1

Light Integrated, LED with White Frosted Glass
Blades Reversible Ash/Wenge Wood Included

B WHITE 48" CONNERY

Model CON48W4C1

Light Integrated, LED with White Frosted Glass Blades Reversible White/Whitewash Included

C AGED BRONZE BRUSHED 48" CONNERY

Model CON48ABZ4C1

Light Integrated, LED with White Frosted Glass
Blades Reversible Golden Maple/Mahogany Included

FAN FINISHES

Aged Bronze Brushed-ABZ



Brushed Polished Nickel-BNK

White-W

ERAL IMADE

REVERSIBLE BLADE FINISHES

Golden Maple/Mahogany



Ash/Wenge Wood

White/Whitewash















FAN CONTROL OPTIONS







FORTITUDE




Clean lines, transitional styling and dual mount capability make the Fortitude an easy choice for any setting. Available in multiple finishes, the Fortitude delivers with its powerful 3-speed reversible motor. Optional light kit and remote control options available (sold separately).

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- Blades Included
- Light Kit Adaptable
- Universal Control Adaptable (UCI-2000-2) (Optional)

CEILING DROP DIMENSIONS



A 6" DR - 14.84" **B** 6" DR - 12.79"

C 11.42"

D 5.18"

E 4.33"

DR Downrod

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x18
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	18.3
CU. FT. in Carton	1.8
Energy Guide Airflow (Cubic Feet Per Minute)	3,524
Energy Guide Wattage	37 Watts
Energy Guide Efficiency (CFM Per Watt)	94
Energy Guide Estimated Yearly Cost*	\$11
Airflow at High Speed (Cubic Feet Per Minute)	4,946





^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" FORTITUDE

Model FOR52BNK5 Light Optional

Blades Reversible Brushed Nickel/Driftwood Blades

Included

B ESPRESSO 52" FORTITUDE

Model FOR52ESP5 Light Optional

Blades Reversible Espresso/Mesquite Blades Included

C FLAT BLACK 52" FORTITUDE

Model FOR52FB5 Light Optional

Blades Reversible Flat Black/Greywood Blades

Included

D SATIN BRASS 52" FORTITUDE

Model FOR52SB5 Light Optional

Blades Reversible Flat Black/Walnut Blades

Included

E WHITE 52" FORTITUDE

Model FOR52W5 Light Optional

Blades White Blades Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



Flat Black-FB



Satin Brass-SB



White-W



MODEL SPECIFIC

BLADE FINISHES



Espresso/Mesquite







White

LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits

Light Kits

Customize Your Own







FAN CONTROL OPTIONS







Shown with Reversible Brushed Nickel Blade Finish











OPTIMUM




The Optimum 52" ceiling fan is the obvious choice with it's powerful energy saving DC motor for superior airflow, dual mount capability and selection of finishes ideal for any room.

FEATURES

- Energy Saving 4-Speed DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Light Kit Adaptable (Optional)
- DC Remote or Wall Controls Optional

CEILING DROP DIMENSIONS



A 4" DR - 14.92"

B 4" DR - 12.91"

C 11.02"

D 5.91"

E 4.47"

DR Downrod

Blade Sweep	52
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	125x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	15.4
CU. FT. in Carton	1.80
Energy Guide Airflow (Cubic Feet Per Minute)	3,481
Energy Guide Wattage	21
Energy Guide Efficiency (CFM Per Watt)	166
Energy Guide Estimated Yearly Cost*	\$6
Airflow at High Speed (Cubic Feet Per Minute)	5,274









^{*}Blades Included.
*Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL OPTIMUM

Model OPT52BNK5 Light Adaptable, Optional

Blades Reversible Brushed NickelDriftwood Blades Included

B ESPRESSO OPTIMUM

Model OPT52ESP5 Light Adaptable, Optional

Blades Reversible Espresso/Walnut Blades Included

C FLAT BLACK OPTIMUM

Model OPT52FB5 Light Adaptable, Optional

Blades Reversible Flat Black/Greywood Blades Included

D WHITE OPTIMUM

Model OPT52W5

Light Adaptable, Optional Blades White Blades Included

FAN FINISHES


Brushed Polished Nickel-BNK



Espresso-ESP



Flat Black-FB



White-W

GRAFIMADE







Flat Black/Greywood



White



Shown with Reversible Walnut Blades

С

Α

LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits



Customize Your Own










Shown with Reversible Flat Black Blades

FAN CONTROL OPTIONS





Remote and Wall Control Adaptable-IDC See Pages 219-221






NIKIA

The Nikia fan by Craftmade blends contemporary and minimalist elements into a maximum value.

FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 4" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Reversible Blades Included
- Integrated Light Kit with 2 x 4W LED Candelabra **Bulbs Included**
- Remote & Wall Controls (Optional)

DRAWN SPECS



A 6" DR 15.94"

B 6" DR - 11.02"

C 11.26" **D** 5.12"

E xx"

DR Downrod

SPECS

Blade Sweep 52" Number of Blades 5 Blade Pitch 10.5° Motor Size (MM) 153x18 AMPS (Hi Speed) <1 19.8 Shipping Wt. (lbs) CU. FT. in Carton 2.118 Energy Guide Airflow (Cubic Feet Per Minute) 3,176 Energy Guide Wattage 40 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost*

Airflow at High Speed (Cubic Feet Per Minute) 4,432







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 52" NIKIA

Model NIK52BNK5

Light Integrated, Frosted White Glass

Blades Reversible Silver/Walnut Blades, Included

B ESPRESSO 52" NIKIA

Model NIK52ESP5

Light Integrated, Frosted White Glass

Blades Reversible Espresso/Walnut Blades, Included

C WHITE 52" NIKIA

Model NIK52W5

Light Integrated, Frosted White Glass

Blades Reversible White/Whitewash Blades, Included

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



White-W




REVERSIBLE BLADE FINISHES

Silver/Walnut



Espresso/Walnut



White/Whitewash

FAN CONTROL OPTIONS




















PRO BUILDER 209 SERIES

Offering a vast array of finishes and blades, the Pro Builder Series makes it easy for you to bring Craftmade quality to your space. Pro Builder ceiling fans deliver an ideal combination of excellent performance and exceptional value.

FEATURES

- Standard, 3 Speed Reversible Motor
- Dual Mount
- 4" Downrod (Included)
- Limited Lifetime Warranty
- Blades Sold Separately
- Light Kit Integrated with 2x9W LED Medium Base Bulbs Included
- Universal Remote Control (Optional)

CEILING DROP DIMENSIONS



A 4" DR 17.0"

B 4" DR - 10.71"

C 11.65"

D 6.17"

E 4.13"

DR Downrod

SPECS

Blade Sweep 42" to 52" Number of Blades 12° Blade Pitch Motor Size (MM) 153x13 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 15.39 CU. FT. in Carton 1.95 Energy Guide Airflow (Cubic Feet Per Minute) 3,767 Energy Guide Wattage 38 Watts Energy Guide Efficiency (CFM Per Watt) 100 Energy Guide Estimated Yearly Cost* Airflow at High Speed (Cubic Feet Per Minute) 4,391







^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A AGED BRONZE BRUSHED PRO BUILDER 209

Model C209ABZ

Light Integrated with Opal White Glass
Blades BCD52-DOK, Dark Oak, Sold Separately

B BRUSHED POLISHED NICKEL PRO BUILDER 209

Model C209BNK

Light Integrated with Opal White Glass
Blades BCD52-WB6, Walnut, Sold Separately

C WHITE PRO BUILDER 209

Model C209W

Light Integrated with Opal White Glass Blades BCD52-W, White, Sold Separately

D BRUSHED SATIN NICKEL PRO BUILDER 209

Model C209BN

Light Integrated with Opal White Glass

Blades BCD52-BN, Brushed Nickel, Sold Separately

E FLAT BLACK PRO BUILDER 209

Model C209FB

Light Integrated with Opal White Glass
Blades BCD52P-FB, Flat Black, Sold Separately

Flat Black-FB

White-W

RAFTMADE

FAN FINISHES

Aged Bronze Brushed-ABZ



Brushed Satiff Nickel-BN

Brushed Polished Nickel-BNK

Brushed Polished Nickel-BNI

BLADE OPTIONS

Sold Separately (See Craftmade Fan Catalog)

Type 5 Blades



FAN CONTROL OPTIONS


















PRO CONTEMPORARY FLUSHMOUNT

An update to traditional "hugger" ceiling fans, the Pro Contemporary Flushmount is smart and savvy, too. Designed for rooms with lower ceilings, the detailing at the top of the housing brings more than a distinctive look. It keeps the fan motor cool for a lifetime of quiet trouble-free operation.

FEATURES

- Standard, 3 Speed Reversible Motor
- Small Space Flushmount Installation
- Limited Lifetime Warranty
- Blades Sold Separately
- Light Kit Adaptable (Optional)
- Universal Remote Control (Optional)

CEILING DROP DIMENSIONS



F 7.99" **G** 7.0"

H 11.57"I 4.65"

SPECS

42" to 52" Blade Sweep Number of Blades 12° Blade Pitch Motor Size (MM) 153x15 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 10.1 CU. FT. in Carton Energy Guide Airflow (Cubic Feet Per Minute) 2,109 Energy Guide Wattage 36 Watts Energy Guide Efficiency (CFM Per Watt) 59 Energy Guide Estimated Yearly Cost* \$10 Airflow at High Speed (Cubic Feet Per Minute) 2,937





^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A OILED BRONZE PRO CONTEMPORARY FLUSHMOUNT

Model PFC52OB

Light Adaptable, Optional

Blades BCD52P-OB, Oiled Bronze, Sold Separately

B WHITE PRO CONTEMPORARY FLUSHMOUNT

Model PFC52W

Light Adaptable, Optional

Blades BCD52-W, White, Sold Separately

C BRUSHED SATIN NICKEL PRO CONTEMPORARY FLUSHMOUNT

Model PFC52BN

Light Adaptable, Optional

Blades BCD52P-LOK, Light Oak, Sold Separately

D FLAT BLACK PRO CONTEMPORARY FLUSHMOUNT

Model PFC52FB

Light Adaptable, Optional

Blades BCD52P-GW, Greywood, Sold Separately

FAN FINISHES

Brushed Satin Nickel-BN



Flat Black-FB



Oiled Bronze-OB



White-W

RESECUTE ENTYTHE

BLADE OPTIONS

Sold Separately (See Craftmade Fan Catalog)

Type 5 Blades



LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits

Light Kits

Customize Your Own







FAN CONTROL OPTIONS

















OUTDOOR CEILING FANS

Acadian	188
Bellows Duo	196
Bellows I	198
Bellows I Hard-Wired	200
Bellows II	202
Bellows III	204
Bellows IV	206
Cavallo 100"	186
Colossus 96"	208
Eastwood 70"	194
Enduro	214
Fleming 100"	176
Fluid	178
Garrick	180
Limerick	192
Mobi	190
Mondo 72"	182
South Beach	212
Supreme Air Plus 62"	210
Windswept 120"	184



FLEMING 100"




(Also available in 70" - visit www.craftmade.com for details.)

Engineered for large indoor or outdoor spaces, the captivating, contemporary, industrial style and energy saving DC motor of the Fleming provides a look and feel that delivers maximum performance with the added convenience of a dimmable integrated LED light. The fan includes an optional cover and handheld remote and wall controls.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6.5" Downrod (Included)
- · Limited Lifetime Warranty
- Blades Included
- Integrated LED Light Source (Dimmable)
- Lens Cover Included (Optional)
- IDC Remote and Wall Controls (Included)
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



- **A** 6.5" DR 15.76"
- **B** 6.5" DR 13.92"
- **C** 7.56" **D** 5.91"
- **E** 5.47"

LED SPECS

DR Downrod

SPECS

Blade Sweep 100" Color Temp 3,000 K Number of Blades Lumens 8 Blade Pitch 13° CRI Watts Motor Size (MM) 168x30 *LED Module is AMPS (Hi Speed) <1 Guaranteed for 5 Years. Shipping Wt. (lbs) 30.86 CU. FT. in Carton 2.83











1,719 lm

96

22

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A AGED GALVANIZED 100" FLEMING

Model FLE100AGV8

Light Integrated, White Frost Glass Blades Driftwood, Included

B ESPRESSO 100" FLEMING

Model FLE100ESP8


Light Integrated, White Frost Glass

Blades Mesquite, Included

A

FAN FINISHES

Aged Galvanized-AGV



Espresso-ESP



BLADE FINISHES

Driftwood



Mesquite



FAN CONTROL OPTIONS






IDC2 Remote and Wall Controls (Included)



IDC2 Remote and Wall Controls (Included)








FLUID

The blades tell the whole story. The Fluid ceiling fan by Craftmade is a funky, free-form fashion statement. Four fabulous finishes fill your indoor and outdoor space.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- IDC2 Remote and Wall Controls (Included)
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



- **A** 6" DR 12.63"
- **B** 6" DR 11.69"
- **C** 6.99"
- **D** 6.61"
- **E** 6.22"
- **DR** Downrod

Blade Sweep	54"
Number of Blades	3
Blade Pitch	Variable
Motor Size (MM)	130x8
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	16.42
CU. FT. in Carton	2.22
Energy Guide Airflow (Cubic Feet Per Minute)	3,479
Energy Guide Wattage	26 Watts
Energy Guide Efficiency (CFM Per Watt)	133
Energy Guide Estimated Yearly Cost*	\$7
Airflow at High Speed (Cubic Feet Per Minute)	5,407









^{*}Blades Included.
*Based on 12 cents per Kwh and 6.4 hours use per day.

A LAZER RED 54" FLUID

Model FLD54RD3 Light Not Adaptable Blades Lazer Red, Included

B TITANIUM 54" FLUID

Model FLD54TI3 Light Not Adaptable Blades Titanium, Included

C WHITE 54" FLUID

Model FLD54W3 Light Not Adaptable Blades White, Included

D CYBER YELLOW 54" FLUID

Model FLD54YL3 Light Not Adaptable Blades Cyber Yellow, Included

FAN FINISHES

Lazer Red-RD Titanium-TI

White-W

I C E CAN II I I

Cyber Yellow-YL

BLADE FINISHES



White

Cyber Yellow

FAN CONTROL OPTIONS





IDC2 Remote and Wall Controls (Included)











GARRICK




The Garrick combines the allure of vintage industrial lighting with updated transitional styling to create a fan easily at home indoors or out. Updated features include energy efficient dimmable three light integrated caged seeded glass light with included LED bulbs, weather resistant ABS blades as well as handheld and wall remote controls for convenience.

FEATURES

- · Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- ABS Blades Included
- Integrated Light Kit, 3 x 6 W LED Bulb Included
- ICS Remote and Wall Controls (Included)
- Suitable for Wet Locations

CEILING DROP DIMENSIONS



A 6" DR - 18.92"

B 6" DR - 12.95"

C 8.43"

D 5.87"

E 4.09"

DR Downrod

SPECS

31 203		LLD 31 LC
Blade Sweep	56"	Color Temp
Number of Blades	5	Lumens
Blade Pitch	13°	CRI
Motor Size (MM)	188x22	Watts
AMPS (Hi Speed)	<1	
Shipping Wt. (lbs)	35.1	
CU. FT. in Carton	3.25	
Energy Guide Airflow (Cubic Feet Per Minute)	4,841	
Energy Guide Wattage	44 Watts	
Energy Guide Efficiency (CFM Per Watt)	110	
Energy Guide Estimated Yearly Cost*	\$12	
Airflow at High Speed (Cubic Feet Per Minute)	6,618	

LED SPECS

	Color Temp Lumens CRI Watts	2,700K 4,820 lm 83 18
:S		









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 56" GARRICK

Model GAR56BNK5

Light Integrated, Seeded Glass
Blades ABS Driftwood Blades Included

B FLAT BLACK 56" GARRICK

Model GAR56FB5

Light Integrated, Seeded Glass
Blades ABS Flat Black Blades Included

FAN FINISHES

Brushed Polished Nickel-BNK



Flat Black-FB



BLADE FINISHES

Driftwood





FAN CONTROL OPTIONS





ICS Remote and Wall Controls (Included)







MONDO 72"


(Also available in 54" - visit www.craftmade.com for details.)

A picture of modern design, the functional minimalism of the Mondo 72" ceiling fan is also a product of advanced engineering. The unique aileron design of the six long, graceful blades move air with remarkable efficiency indoors or out.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- Blades Included
- Light Kit Adaptable (Optional)
- IDC Remote and Wall Controls (Included)
- Suitable for Damp Locations
- Blades must be mounted at least 10" above floor for safety

CEILING DROP DIMENSIONS



A 6" DR 15.56"

B 6" DR - 13.23"

C 6.5"

D 5.12" **E** 9.59"

DR Downrod

SPECS

Blade Sweep 72" Number of Blades 6 Blade Pitch 21° Motor Size (MM) 165x25 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 21.36 CU. FT. in Carton 2.71 Energy Guide Airflow (Cubic Feet Per Minute) 5,606 Energy Guide Wattage 21 Watts Energy Guide Efficiency (CFM Per Watt) 271 Energy Guide Estimated Yearly Cost* \$6 Airflow at High Speed (Cubic Feet Per Minute)







7,467



^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 72" MONDO

Model MND72BNK6

Light Adaptable: LK104-BNK-LED Shown, Sold Separately

Blades Brushed Nickel, Included

B ESPRESSO 72" MONDO

Model MND72ESP6 Light Adaptable, Optional Blades Espresso, Included

C FLAT BLACK 72" MONDO

Model MND72FB6

Light Adaptable, Optional Blades Flat Black, Included

Blades Must be Mounted at Least 10' Above the Floor for Safety.

FAN FINISHES

BLADE FINISHES

Brushed Polished Nickel-BNK











Flat Black



LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits



FAN CONTROL OPTIONS






IDC Remote and Wall Controls (Included)



Scan to view video on DC remote control operation













WINDSWEPT 120"


(Also available in 102" and 78" visit www.craftmade.com for details.)

Be swept away by the Windswept series, Craftmade's newest entry into the High Volume Low Speed large fan category (HVLS). Choose Brushed Polished Nickel or Espresso finishes in 78", 102" and 120" diameters. The Windswept fan is where modern style and superior airflow come together – both indoors and out.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 12" Downrod (Included)
- · Limited Lifetime Warranty
- Custom Windswept 120" Blades Included
- Blades Must be Mounted at Least 10' Above the Floor for Safety
- Light Kit Adaptable, Optional (WNDLK-(finish)-LED)
- IDC2 Remote and Wall Controls (Included)
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



- **A** 12" DR 19.4"
- **B** 12" DR 14.83"
- **C** 10"
- **D** 6.61" **E** 7.3"
- **DR** Downrod

SPECS

Blade Sweep	120"
Number of Blades	6
Blade Pitch	8°
Motor Size (MM)	165x1
AMPS (Hi Speed)	1.3
Shipping Wt. (lbs)	49.33
CU. FT. in Carton	7.9

OPTIONAL, EXCLUSIVE LIGHT KIT WNDLK-(FINISH)-LED LED SPECS

Color Temp 3000K Lumens 2,800 lm CRI 80 Watts 36 *LED Module is Guaranteed for 5 Years.









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A ESPRESSO 120" WINDSWEPT

Model WND120ESP6 Light Adaptable, Optional Blades Espresso, Included

B BRUSHED POLISHED NICKEL 120" WINDSWEPT

Model WND120BNK6 Light Adaptable, Optional Blades Brushed Nickel, Included

C BRUSHED POLISHED NICKEL 120" WINDSWEPT

Model WND120BNK6


Light WNDLK-BNK-LED shown, sold separately

Blades Brushed Nickel, Included

Blades Must be Mounted at Least 10' Above the Floor for Safety.

FAN FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



BLADE FINISHES
















IDC2 Remote and Wall Controls (Included)












CAVALLO 100"

The Cavallo fan from Craftmade is a monumental feat of engineering. It's hand-carved solid wood blades are the focus of this massive yet simple design that will fill your space with style. The airflow from the 100" diameter fan will take your breath away indoors or out.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
- Blades Included
- Suitable for Damp Locations
- IDC2 Remote and Wall Controls (Included)

CEILING DROP DIMENSIONS



- **A** 6" DR 15.19"
- **B** 6" DR 13.74"
- **C** 6.48"
- **D** 6.50"
- **E** 5.91"
- **DR** Downrod

SPECS

Blade Sweep 100"
Number of Blades 3
Blade Pitch 130x20
MMPS (Hi Speed) <1
Motor Shipping Wt. (lbs) 9.9
Blade Shipping Wt. (lbs) 8.2
Motor CU FT in Carton 1.58









A TITANIUM 100" CAVALLO

Model CVL100TI3-GW Light Not Adaptable

Blades BCVL100-GW, Greywood, Sold Separately

B TITANIUM 100" CAVALLO

Model CVL100TI3-LOK Light Not Adaptable

Blades BCVL100-LOK, Light Oak, Sold Separately

C TITANIUM 100" CAVALLO

Model CVL100TI3-WAL Light Not Adaptable

Blades BCVL100-WAL, Walnut, Sold Separately

FAN FINISHES

MODEL SPECIFIC BLADE FINISHES Included)

Titanium-Tl










FAN CONTROL OPTIONS






IDC2 Remote and Wall Controls (Included)












ACADIAN

The Acadian proves that your ceiling fan can be simple without being boring. Understated and modern, this tri-blade design with integrated LED lighting will cool your space without overcomplicating your décor. The Acadian can be used in indoor and outdoor settings.

FEATURES

- Standard 4 Speed Reversible Motor
- Dual Mount
- 4" & 6" Downrod (Included)
- Limited Lifetime Warranty
- Custom Acadian ABS Blades Included
- Integrated LED Light Source (Dimmable)
- Suitable for Wet Locations
- Hard-Wired Dual Wall Control Included 4 Speed Fan Control and Full Range
 Dimmer OR request with UCI-2000 remote or wall
 control

CEILING DROP DIMENSIONS



A2 4" DR 13.39" **A1** 6" DR 14.56"

B2 4" DR - 11.81"

B1 6" DR - 11.44"

C 8.78"

D 5.59"

E 9.13"

DR Downrod

SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	16°
Motor Size (MM)	153x17
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	17.74
CU. FT. in Carton	1.49
Energy Guide Airflow (Cubic Feet Per Minute)	2,733
Energy Guide Wattage	36 Watts
Energy Guide Efficiency (CFM Per Watt)	77
Energy Guide Estimated Yearly Cost*	\$10

Airflow at High Speed (Cubic Feet Per Minute) 3,785

LED SPECS

Color Temp 3000K Lumens 1,200 lm CRI 90 Watts 14 *LED Module is Guaranteed for 5 Years.









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL 56" ACADIAN

Model ACA56BNK3

Light Integrated , Frost White Glass Blades ABS Brushed Nickel, Included

B FLAT BLACK 56" ACADIAN

Model ACA56FB3

Light Integrated , Frost White Glass Blades ABS Flat Black, Included

FAN FINISHES

Brushed Polished Nickel-BNK





BLADE FINISHES

Brushed Nickel



Flat Black

FAN CONTROL OPTIONS

Standard Configuration: CM-7W-LED Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer Included



Alternate Configuration: UCI-2000 remote or wall control








Use these order codes: ACA56BNK3-UCI ACA56FB3-UCI UCI-2000 for Indoor Use Only








MOBI

The exquisite form of our Mobi fan almost makes you forget just how functional it can be. This highefficiency, three-blade fan with intetgrated LED lighting is much more than beautiful décor.

FEATURES

- · Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4" & 6" Downrods (Included)
- · Limited Lifetime Warranty
- Outdoor ABS Blades Sold Separately
- Integrated LED Light Source (Dimmable)
- ICS Remote & Wall Controls Included
- Suitable for Wet Locations

CEILING DROP DIMENSIONS



A2 4" DR - 13.59" A1 6" DR - 16.33" **B2** 4" DR - 10.32" **B2** 6" DR - 12.24" **C** 8.03" **D** 5.98" **E** 8.85" **DR** Downrod

1,300 lm

90

17

LED SPECS

SPECS

Blade Sweep 60" Color Temp 3000K Number of Blades 3 Lumens Blade Pitch Variable CRI Motor Size (MM) 188x18 Watts *LED Module is <1 AMPS (Hi Speed) Guaranteed for 5 Years. Shipping Wt. (lbs) 18.63 CU. FT. in Carton 1.8 Energy Guide Airflow (Cubic Feet Per Minute) 3,636 **Energy Guide Wattage** 39 Watts Energy Guide Efficiency (CFM Per Watt) Energy Guide Estimated Yearly Cost* Airflow at High Speed (Cubic Feet Per Minute) 4,878









^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A AGED GALVANIZED 60" MOBI

Model MOB60AGV

Light Integrated, Frost White Glass

Blades BMOB60-GW, Greywood, Sold Separately

B CHROME 60" MOBI

Model MOB60CH

Light Integrated, Frost White Glass

Blades BMOB60-WAL, Walnut, Sold Separately

C OILED BRONZE 60" MOBI

Model MOB600B

Light Integrated, Frost White Glass

Blades BMOB60-MAH, Mahogany, Sold Separately


D FLAT BLACK 60" MOBI

Model MOB60FB

Light Integrated, Frost White Glass

Blades BMOB60-FB, Flat Black, Sold Separately

FAN FINISHES



Chrome-CH



Flat Black-FB



Oiled Bronze-OB



MODEL SPECIFIC BLADE FINISHES

(Sold Separately)

BMOB60-CF Carbon Fiber




BMOB60-FB, Flat Black





BMOB60-WAL, Walnut



Close-up of carbon fiber blade.

FAN CONTROL OPTIONS





ICS Remote and Wall Controls (Included)












LIMERICK

There once was a room with no style it was unoccupied for a while. The Limerick was hung and a new life begun for this room was now more versatile.

FEATURES

- · Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4" & 6" Downrods (Included)
- Limited Lifetime Warranty
- Outdoor ABS Blades Sold Separately
- Integrated LED Light Source (Dimmable)
- ICS Remote & Wall Controls Included
- Suitable for Damp Locations
- Optional Lens Cover Sold Separately LIM60-40(finish)

CEILING DROP DIMENSIONS



A1 6" DR 14.34" **A2** 4" DR 11.98"

B1 6" DR - 12.15" **B2** 4" DR - 10.20"

C 7.40"

D 5.91"

E 6.76" **DR** Downrod

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	Variable
Motor Size (MM)	188x18
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	16.27
CU. FT. in Carton	1.99
Energy Guide Airflow (Cubic Feet Per Minute)	2,934
Energy Guide Wattage	51 Watts
Energy Guide Efficiency (CFM Per Watt)	57
Energy Guide Estimated Yearly Cost*	\$14
Airflow at High Speed (Cubic Feet Per Minute)	4,663

LED SPECS

Color Temp 3000K Lumens 1,350 lm CRI 90 Watts 17 *LED Module is Guaranteed for 5 Years.









^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A AGED GALVANIZED 60" LIMERICK

Model LIM60AGV

Light Integrated, Frost White Glass

Blades BMOB60-GW, Greywood, Sold Separately

B ESPRESSO 60" LIMERICK

Model LIM60ESP

Light Integrated, Frost White Glass

Blades BMOB60-GW, Greywood, Sold Separately

BRUSHED POLISHED NICKEL 60" LIMERICK

Model LIM60BNK

Light Integrated, Frost White Glass

Blades BMOB60-MAH, Mahogany, Sold Separately



FAN FINISHES

Aged Galvanized-AGV



Brushed Polished Nickel-BNK



Espresso-ESP



(Sold Separately)

BMOB60-CF, Carbon Fiber



В

BMOB60-FB, Flat Black



BMOB60-MAH, Mahogany









FAN CONTROL OPTIONS





ICS Remote and Wall Controls (Included)





EASTWOOD 70"




(Also available in 60" - visit www.craftmade.com for details.)

Rugged, refined and ready to take on any job, the Eastwood features 9 substantial blades, dimmable integrated LED light with optional cap, handheld and wall remote controls. Engineered for indoors or out, the captivating style and energy saving DC motor provide a look and feel that is perfectly cool.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrods (Included)
- · Limited Lifetime Warranty
- Blades Included
- LED Light Kit Included (Optional)
- Lens Cover Included (Optional)
- IDC Remote and Wall Controls (Included)
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



- **A** 6" DR 15.72"
- **B** 6" DR 13.05" C 7.87"
- **D** 5.12"
- **E** 5.24"
- **DR** Downrod

SPECS

Blade Sweep	70"
Number of Blades	9
Blade Pitch	10°
Motor Size (MM)	165x30
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	28.6
CU. FT. in Carton	2.26
Energy Guide Airflow (Cubic Feet Per Minute)	6,788 22 Watts
Energy Guide Wattage	
Energy Guide Efficiency (CFM Per Watt)	316
Energy Guide Estimated Yearly Cost*	\$6
Airflow at High Speed (Cubic Feet Per Minute)	8,806

LED SPECS

Color Temp 3000K Lumens 1,350 lm 90 CRI Watts 17 *LED Module is Guaranteed for 5 Years.











^{*}Blades Included

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

BRUSHED POLISHED NICKEL 70" EASTWOOD

Model EAS70BNK9 Light Included, Optional Blades Driftwood Blades Included

ESPRESSO 70" EASTWOOD

Model EAS70ESP9 Light Included, Optional Blades Mesquite Blades Included

FAN FINISHES

Brushed Polished Nickel-BNK Driftwood



Espresso-ESP



BLADE OPTIONS



Mesquite



FAN CONTROL OPTIONS





IDC2 Remote and Wall Controls (Included)



IDC2 Remote and Wall Controls (Included)







BELLOWS DUO




An instant classic, the Bellows Duo offers a cage free update to our retro inspired Bellows II. The clean cylinder body with optional integrated dimmable LED light supports the heavy-duty, three-speed motors of the 80-degree adjustable twin fans. The fan also has a third motor that operates the 360-degree rotation of the twin fans for optimal air movement.

FEATURES

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4.5" Downrod (Included)
- 80° Tilt Feature on Both Motor Head Units
- · Limited Lifetime Warranty
- LED Light Kit Included, Optional
- Lens Cover Included, Optional
- Bellows Remote and Wall Controls Included
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 4.5" DR 18.11" **B** 4.5" DR - 10.77"

c 6.69"

D 5.12" **E** 10.61"

DR Downrod

SPECS

SPECS		LED SPECS	
Blade Sweep	50"	Color Temp	3000K
Number of Blades	6	Lumens	1,350 lm
Blade Pitch	14°	CRI	90
Motor Size (MM)	Two 82x25	Watts	17
AMPS (Hi Speed)	<1	*LED Module	
Shipping Wt. (lbs)	29.98	Guaranteed	for 5 Years.
CU. FT. in Carton	10.35		
Energy Guide Airflow (Cubic Feet Per Minute)	2,362		
Energy Guide Wattage	58		
Energy Guide Efficiency (CFM Per Watt)	41		
Energy Guide Estimated Yearly Cost*	\$16		
Airflow at High Speed (Cubic Feet Per Minute)	2,976		









^{*}Blades Included

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL BELLOWS DUO

Model BW250BNK6 Light Included, Optional Blades Greywood, Included

B FLAT BLACK BELLOWS DUO

Model BW250FB6 Light Included, Optional Blades Grey Cedar, Included

FAN FINISHES

BLADE FINISHES

Brushed Polished Nickel-BNK





Flat Black-FB






FAN CONTROL OPTIONS





UCI Remote and Wall Controls (Included)










BELLOWS I

Increase your cool, indoors or out, with the Retroinspired damp-rated Bellows I 16" wall mount fan. With a heavy-duty, 3-speed oscillating motor and 14" blades, this wall-mounted fan combines the retro style of a table fan with the power and efficiency of a ceiling fan. The Bellows I features separate knobs for oscillating and speed control. The fan can be hung and plugged in, with 40" corded plug or hard-wired.

FEATURES

- Heavy-Duty, 3-Speed Oscillating Motor
- Wall Mount Installation Comes Pre-Wired with 40"
 Corded 3-Prong Plug End with Replaceable Fuse
- Separate Control Knobs for Speed Control and Oscillating Function
- · Limited Lifetime Warranty
- Can be Hard-Wired Directly to Junction Box
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 19.17" **B** 16.0" **C** 8.5"

SPECS

 Blade Sweep
 14"

 Number of Blades
 3

 Blade Pitch
 7°

 Motor Size (MM)
 82 x 25

 AMPS (Hi Speed)
 <1</td>

 Shipping Wt. (lbs)
 19.62

 CU. FT. in Carton
 4.78







BRUSHED POLISHED NICKEL 16" BELLOWS/ WALL FAN

BW116BNK3


FAN FINISHES

Aged Bronze Textured-AG



Brushed Polished Nickel-BNK CRAFTMADE

BLADE FINISHES Aged Bronze Textured



Brushed Nickel










BELLOWS I HARD-WIRED

With a heavy-duty, 3-speed oscillating motor and 14" blades, this wall-mounted fan combines the retro style of a table fan with the power and efficiency of a ceiling fan. Finished in your choice of Aged Bronze Textured or Brushed Polished Nickel it includes a Wall Control with 3-speed and Oscillating functions.

FEATURES

- Heavy-Duty, 3-Speed Oscillating Motor
- Wall Mount
- CM-8W Speed and Oscillation Wall Control (Included)
- Limited Lifetime Warranty
- Hard-Wired Directly to Junction Box.
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 19.17" **B** 16.0" **C** 8.5"

SPECS

 Blade Sweep
 14"

 Number of Blades
 3

 Blade Pitch
 7°

 Motor Size (MM)
 82 x 25

 AMPS (Hi Speed)
 <1</td>

 Shipping Wt. (lbs)
 19.62

 CU. FT. in Carton
 4.78







AGED BRONZE TEXTURED 16"
BELLOWS I HARD-WIRED WALL FAN

Model BW116AG3-HW

FAN FINISHES

Aged Bronze Textured-AG JEVAN I MIVAL **BLADE FINISHES**

Aged Bronze Textured

Brushed Polished Nickel-BNK



Brushed Nickel

FAN CONTROL OPTIONS



CM-8W Speed and Oscillation Wall Control (Included)








BELLOWS II

Cool times II. Add retro-industrial appeal indoors or out with the dual-headed Bellows II damp-rated cage ceiling fan. Two heavy-duty, three-speed motors crank out the airflow, as twin cage fans tilt 80 degrees around the integrated, but optional, light kit. The fan also has a third motor that operates the rotation of the two motors in a 360 degree fashion. Choose from Aged Bonze Textured or Brushed Polished Nickel finishes.

FEATURES

- · Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4" Downrod (Included)
- 80° Tilt Feature on Both Motor Head Units
- Limited Lifetime Warranty
- Included (Optional) Light Kit, 2x9W LED Bulbs Included
- Cap for Use Without Light Kit Included
- Bellows Remote and Wall Controls Included
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 4" DR 17.5"

B 4" DR - 10.77"

C 11.54"

D 5.91"

E 12.93"

DR Downrod

SPECS

Blade Sweep 48" Number of Blades 2x3 (6) Blade Pitch 7° Two 82 x 25 Motor Size (MM) AMPS (Hi Speed) <1 33.97 Shipping Wt. (lbs) CU. FT. in Carton 7.02

Airflow

2,628 (Cubic Feet Per Minute) Energy Guide Wattage 60 Watts

Airflow Efficiency (CFM Per Watt)

44

Energy Guide Estimated Yearly Cost*

Airflow at High Speed (Cubic Feet Per Minute) 3,411









A BRUSHED POLISHED NICKEL BELLOWS II

Model BW248BNK6

Light Shown with Cap for Use without Light Kit Included

Blades Brushed Polished Nickel, Included

B AGED BRONZE TEXTURED BELLOWS II

Model BW248AG6


Light Shown with Light Kit with Opal White Glass Included

Blades Aged Bronze Textured, Included

FAN FINISHES

BLADE FINISHES









FAN CONTROL OPTIONS





Bellows Remote and Wall Controls (Included)








BELLOWS III

Introducing the ultimate industrial Retro-chic rotating cage fan, indoors or out. Ceiling-mounted with a 4" downrod, the uber-cool Bellows III is equipped with a 90-degree tilt feature, 21" blades, 360 degree rotation, and a powerful 3-speed motor.

FEATURES

- Heavy-Duty, 3-Speed Reversible Motor
- Dual Mount
- 4" Downrod (Included)
- 90°Tilt Feature on Motor Head Unit
- · Limited Lifetime Warranty
- Bellows Remote and Wall Controls Included
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 4" DR 24.3" B 4" DR - 21" C 5.91" DR Downrod

SPECS

Blade Sweep 18" Number of Blades 3 Blade Pitch 7° Motor Size (MM) 82 x 65 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 21.58 CU. FT. in Carton 5.37 Airflow (Cubic Feet Per Minute) 1,950 Energy Guide Wattage 42 Watts Airflow Efficiency (CFM Per Watt) 47 Airflow at High Speed 2,379







*Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

BW321BNK3 Model Blades Brushed Nickel

AGED BRONZE TEXTURED BELLOWS III

Model BW321AG3

Blades Aged Bronze Textured

FAN FINISHES

BLADE FINISHES

Aged Bronze Textured-AG RALIMAL



Brushed Polished Nickel-BNK Brushed Nickel CRAFTMADE



FAN CONTROL OPTIONS





Bellows Remote and Wall Controls (Included)










BELLOWS IV

Capturing the vintage feel of the industrial age, our Bellow IV fan was inspired by a bygone era. Nothing calls attention to the refined style of modern living like a carefully chosen reference to the past. The high-powered, wall-mounted Bellows IV fan provides a bold contrast to the latest trends in home décor.

FEATURES

- Heavy-Duty, 3-Speed Oscillating Motor
- Wall Mount with 4 Position Angle Adjustment
- CM-8W Speed and Oscillation Wall Control (Included)
- · Limited Lifetime Warranty
- Hard-Wired Directly to Junction Box.
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



A 4" DR 18.5"

B 16"

c 6.06"

SPECS

Blade Sweep 14"
Number of Blades 3
Blade Pitch 7°
Motor Size (MM) 82x25
AMPS (Hi Speed) <1
Shipping Wt. (lbs) 20.28
CU. FT. in Carton 4.18







A BRUSHED POLISHED NICKEL BELLOWS IV

Model BW414BNK3

Blades Brushed Nickel, Included

B AGED BRONZE TEXTURED BELLOWS IV


Model BW414AG3

Blades Aged Bronze Textured, Included

FAN FINISHES

BLADE FINISHES

Aged Bronze Textured-AG



Brushed Polished Nickel-BNK



FAN CONTROL OPTIONS



CM-8W Speed and Oscillation Wall Control (Included)












COLOSSUS 96"

With six blades and a span of eight feet, Craftmade's 96" Colossus ceiling fan features a super efficient second generation DC motor, bringing quiet comfort to large spaces. Despite its impressive dimensions, Colossus exudes style with an understated grace.

FEATURES

- Energy Saving DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- · Blades Included
- Light Kit Adaptable
- IDC Remote and Wall Controls (Included)
- Blades Must be Mounted at Least 10' Above the Floor for Safety

CEILING DROP DIMENSIONS



A 6" DR - 16.66" **B** 6" DR - 14.52" **C** 11.73"

D 5.96" **E** 6.5"

DR Downrod

SPECS

Blade Sweep 96" 6 Number of Blades 12° Blade Pitch Motor Size (MM) 165X25 AMPS (Hi Speed) <1 Shipping Wt. (lbs) 41.60 CU. FT. in Carton 4.63 Energy Guide Airflow (Cubic Feet Per Minute) 9,312 29 Watts Energy Guide Wattage Energy Guide Efficiency (CFM Per Watt) 321 Energy Guide Estimated Yearly Cost* Airflow at High Speed (Cubic Feet Per Minute) 9,312









^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED SATIN NICKEL 96" COLOSSUS

Model COL96BN6

Light Adaptable (Optional)

Blades Brushed Satin Nickel, Included

B ESPRESSO 96" COLOSSUS

Model COL96ESP6

Light Adaptable (Optional)
Blades Espresso, Included

FAN FINISHES

Brushed Satin Nickel-BN

CRAFTMADE

Espresso-ESP



BLADE FINISHES

Brushed Satin Nickel

Espresso



*Blades Must be Mounted at Least 10' Above the Floor for Safety.

LIGHT KIT OPTIONS

Bowl Light Kits



FAN CONTROL OPTIONS






IDC Remote and Wall Controls (Included)



Scan to view video on DC remote control operation







SUPREME AIR PLUS 62"




(Also available in 56" - visit www.craftmade.com for details.)

Supreme Air Plus offers the style and comfort of the original but now improved with a powerful energy efficient DC Motor to deliver the maximum air circulation with substantial energy savings. With the selection of finishes to compliment todays' décor, light kit adaptability and available control options, the Supreme Air Plus is the perfect choice..

FEATURES

- Energy Saving 4 Speed DC Motor
- Dual Mount
- 6" Downrod (Included)
- · Limited Lifetime Warranty
- · Blades Included
- Light Kit Adaptable (Optional)
- Remote Control (Optional)
- Suitable for Damp Locations

CEILING DROP DIMENSIONS



- **A** 6" DR -15.84"
- **B** 6" DR 14.0"
- **C** 12.20" **D** 5.91"
- **E** 5.94" **DR** Downrod

Blade Sweep	62" to 70"
Number of Blades	5
Blade Pitch	13.5°
Motor Size (MM)	188x20
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	28.2
CU. FT. in Carton	3.45
Energy Guide Airflow (Cubic Feet Per Minute)	6,419
Energy Guide Wattage	25 Watts
Energy Guide Efficiency (CFM Per Watt)	259
Energy Guide Estimated Yearly Cost*	\$7
Airflow at High Speed (Cubic Feet Per Minute)	7,155



SPECS









^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

A BRUSHED POLISHED NICKEL SUPREME AIR PLUS 62"

Model SAP62BNK5 Light Optional

Blades Grey Walnut/Driftwood Blades Included

B ESPRESSO SUPREME AIR PLUS 62"

Model SAP62ESP5 Light Optional

Blades Espresso/Walnut Blades Included

C FLAT BLACK SUPREME AIR PLUS 62"

Model SAP62FB5

Light Optional

Blades Flat Black/Greywood Blades Included

D SATIN BRASS SUPREME AIR PLUS 62"

Model SAP62SB5 Light Optional

Blades Flat Black/Espresso Blades Included

MATTE WHITE SUPREME AIR 62"

Model SAP62MWW5 Light Optional

Blades White/White Oak Washed Blades Included


FAN FINISHES

REVERSIBLE BLADE FINISHES

Brushed Polished Nickel-BNK



Espresso-ESP



Flat Black-FB



Satin Brass



Matte White-MWW



527752 1111151125





Flat Black/Greywood



White/Washed Oak



LIGHT KIT OPTIONS (SEE CRAFTMADE FAN CATALOG)

Bowl Light Kits



Customize Your Own



FAN CONTROL OPTIONS





Remote Control Adaptable. DC-2000, CM-4SDC or CM-4SDC-L See pages 219-221
















SOUTH BEACH

What better place to enjoy the casual Deco style of South Beach than outside in the sun, beneath the stars or under a Miami moon.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount
- 6" Downrod (Included)
- Limited Lifetime Warranty
 Custom South Beach ABS Blades Included
- Light Kit, 1 x 9W LED Bulb, Included (Optional)
- Suitable for Wet LocationsLens Cover Included (Optional)

CEILING DROP DIMENSIONS



- **A** 6" DR 21.65"
- **B** 6" DR 13.3"
- **C** 12.6"
- **D** 5.31"
- **E** 5.98"
- **DR** Downrod

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	12°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	21.9
CU. FT. in Carton	2.01
Energy Guide Airflow (Cubic Feet Per Minute)	3,514
Energy Guide Wattage	37 Watts
Energy Guide Efficiency (CFM Per Watt)	95
Energy Guide Estimated Yearly Cost*	\$10
Airflow at High Speed (Cubic Feet Per Minute)	4,925









^{*}Blades Included.
*Based on 12 cents per Kwh and 6.4 hours use per day.

A WHITE 52" SOUTH BEACH

Model SB52W4

Light Included (Optional) with Matte Opal Glass Shown

Blades ABS, White, Included

B WHITE 52" SOUTH BEACH

Model SB52W4

Light Shown without Light Kit Blades ABS, White, Included

C FLAT BLACK 52" SOUTH BEACH

Model SB52FB4

Light Included (Optional) with Matte Opal Glass Shown

Blades ABS, Flat Black, Included

D FLAT BLACK 52" SOUTH BEACH

Model SB52FB4

Light Shown without Light Kit Blades ABS, Flat Black, Included

FAN FINISHES

BLADE FINISHES

Flat Black-FB



White-W





White

FAN CONTROL OPTIONS

Not Available














ENDURO

A perfect mix of form and function, Craftmade's Enduro ceiling fan transforms any outdoor space into the best room on site. Suitable for wet locations, this classically styled, 52" 3-speed fan is expertly crafted in a choice of attractive, durable finishes to complement any decor. The five all-weather blades guarantee a refreshing breeze each and every day.

FEATURES

- Standard, 3-Speed Reversible Motor
- Dual Mount
- 4" Downrod (Included)
- Limited Lifetime Warranty
- ABS Blades Included
- Outdoor Light Kit Optional
- Suitable for Wet Locations

CEILING DROP DIMENSIONS



- **A** 4" DR 13.41"
- **B** 4" DR 10.73"
- **C** 11.44"
- **D** 5.87"
- **E** 5.83"
- **DR** Downrod

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x15
AMPS (Hi Speed)	<1
Shipping Wt. (lbs)	17.5
CU. FT. in Carton	1.52
Energy Guide Airflow (Cubic Feet Per Minute)	3,229
Energy Guide Wattage	39 Watts
Energy Guide Efficiency (CFM Per Watt)	82
Energy Guide Estimated Yearly Cost*	\$11
Airflow at High Speed (Cubic Feet Per Minute)	54,738







^{*}Blades Included.

^{*}Based on 12 cents per Kwh and 6.4 hours use per day.

AGED BRONZE BRUSHED 52" ENDURO

Model END52ABZ5X Light Optional

Weathered Oak ABS, Included Blades

GALVANIZED 52" ENDURO

Model END52GV5X Light Optional

Blades Matte Black ABS, Included

C MATTE BLACK 52" ENDURO

END52MBK5X Model Optional

Light

Matte Black ABS, Included Blades

WHITE 52" ENDURO

Model END52WW5X Light Optional

Blades White ABS, Included

ESPRESSO 52" ENDURO

END52ESP5X Model Light Optional

Blades Outdoor Brown ABS, Included

FAN FINISHES


Aged Bronze Brushed-ABZ



Espresso-ESP



Galvinized-GV



Matte Black-MBK



White-WW



BLADE FINISHES

Weathered Oak



Outdoor Brown

Matte Black



Matte Black

White







(SEE CRAFTMADE FAN CATALOG)





FAN CONTROL OPTIONS

Not Available











BULBS - LED FILAMENT

	Watts	Item	Description	Replaces	Туре	Base	Carton Inner/Master	Lumens	Lumens per Watt	M.O.L.
	7	9600	7A19CL/LED	75W	A19	Medium	10/100	700	100	4.25"
THE STATE OF	7	9601	7A19FR/LED	75W	Frosted A19	Medium	10/100	700	100	4.25"
	4	9605	4A17CL/LED	40W	A17	Medium	10/100	360	90	4"
	4	9606	4A17FR/LED	40W	Frosted A17	Medium	10/100	360	90	4"
	4	9610	4CCS/LED	40W	Straight Tip Chandelier	Candelabra	10/100	360	90	3.6"
	4	9611	4CFS/LED	40W	Frosted Straight Tip Chandelier	Candelabra	10/100	360	90	3.6"
-	2	9615	2CCS/LED	25W	Straight Tip Chandelier	Candelabra	10/100	200	100	3.6"
- Jan	4	9620	4CCF/LED	40W	Flame Tip Chandelier	Candelabra	10/100	360	90	4.4"
	4	9621	4CFF/LED	40W	Frosted Flame Tip Chandelier	Candelabra	10/100	360	90	4.4"
	2	9625	2CCF/LED	25W	Flame Tip Chandelier	Candelabra	10/100	200	100	4.4"
1-10	2	9630	2A15CL/LED	25W	A15	Medium	10/100	200	100	3.1"
	4	9640	4ST21CL/LED	40W	Steeple	Medium	10/100	360	90	5.5"
===	5.5	9650	5.5WG16CL/LED	40W	G16.5 Globe	Candelabra	1/24	500	90	3.2"
	8	9651	8WG25CL/LED	75W	G25 Globe	Medium	1/50	850	106	4.7"
	8	9652	8WG40CL/LED	75W	G40 Globe	Medium	1/20	850	106	6.9"
myc - B	4	9653	4EG50CL/LED	25W	G50 Globe	Medium	6/24	250	62.2	8.5"
Ð	2	9661**	2T9CSF2-120	25W	Tubular 9	Medium	10/100	180	90	7.3"
D D	3	9662**	3T9CS6-120	25W	Tubular 9	Medium	10/100	280	93	7.3"
	4	9663**	4T9CHP6-120	40W	Tubular 9	Medium	10/100	350	88	7.3"
	5	9664**	5T9CSF6-120	60W	Tubular 9	Medium	10/100	550	110	11.8"
	8	9665**	8T9CS8-120	100W	Tubular 9	Medium	10/100	750	94	11.8"
	4.5	9666**	4.5WT6CL/LED	40W	T6 Tubular	Candelabra	25/100	450	100	3.3"

^{*}Call 1-800-486-4892 for compatible dimmers


BULBS - EARLY ELECTRIC

	Watts	Item	Description	Туре	Volts	Base	Carton	Finish	Hours	Lumens (lm)	MOL (inch)	Filament
	25W	5400	25A19CQL15-120	A19 with Tip	120V	E26	10/100	Clear Amber	3000	50	4"	Quad Loop/15
A Section	40W	5405	40A19CQL15-120	A19 with Tip	120V	E26	10/100	Clear Amber	3000	130	4"	Quad Loop/15
	60W	5410	60A19CQL15-120	A19 with Tip	120V	E26	10/100	Clear Amber	3000	240	4"	Quad Loop/15
	25W	5415	25ST15CSC15-120	Steeple	120V	E26	10/50	Clear Amber	3000	50	4.3"	Squirrel Cage/15
	40W	5425	40ST18CSC15-120	Steeple	120V	E26	10/50	Clear Amber	3000	130	5.1"	Squirrel Cage/15
The state of the s	60W	5430	60ST18CSC15-120	Steeple	120V	E26	10/50	Clear Amber	3000	240	5.1"	Squirrel Cage/15
	40W	5420	40ST18CHP11-120	Steeple	120V	E26	10/50	Clear Amber	3000	130	5.1"	Hairpin 11
	60W	5440	60ST21CHP11-120	Steeple	120V	E26	10/50	Clear Amber	3000	240	5.5"	Hairpin/11
	60W	5445	60ST21CSC19-120	Steeple	120V	E26	10/50	Clear Amber	3000	240	5.5"	Squirrel Cage/19
	40W	5450	40T14CSP24-120	Radio T14	120V	E26	10/100	Clear Amber	3000	130	4.3"	Spiral/24
jun -												
	40W	5455	40T14CSC15-120	Radio T14	120V	E26	10/100	Clear Amber	3000	130	4.3"	Squirrel Cage/15
-	60W	5456	60T14CSC11-120	Radio T14	120V	E26	10/100	Clear Amber	3000	130	4.3"	Squirrel Cage/11
	60W	5457	60T14CCSC11-120	Radio T14	120V	E26	10/100	Clear	3000	130	4.3"	Squirrel Cage/11
	60W	5466	60T9CHP8-120	Tubular	120V	E26	25/100	Clear Amber	3000	280	5.5"	Hairpin/8
		0.00	00100111 0 120	i dib didi	.201		20/100	Great 7 arriber			0.0	Tidii pii vo
	60W	5467	60T9CHP12-120	Tubular	120V	E26	25/100	Clear Amber	3000	260	7.3"	Hairpin/12
	60W	5468	60T9CCHP12-120	Tubular	120V	E26	25/100	Clear	3000	260	7.3"	Hairpin/12
	25W	5470	25CCFDC7-120	Flame Tip	120V	E12	10/100	Clear Amber	3000	35	4.3"	Deco Carbon/7
a handa												
	40W	5480	40ST15CSC13-E12-120	Steeple	120V	E12	10/100	Clear Amber	3000	130	4.3"	Squirrel Cage/13
	60W	5485	60ST15CSC13-E12-120	Steeple	120V	E12	10/100	Clear Amber	3000	240	4.3"	Squirrel Cage/13
				·								

DOWNROD INFORMATION

Choose your Downrod Length

Choose your Mounting System. Choose from a selection of Downrod finishes and lengths to match your fan. Use a coupler for taller ceilings or to set the fan at your desired height. Look for Hugger/Flushmount or Tri-Mount System fans for low ceiling applications.





Model Number	Length	Diameter	Finish Options
DR3 (Finish)	3"	1/2"	AB, AG, AGV, AO, AW, BCP, BN, BNK, BU, CH, DC, ESP, GBK, OB, PB, PR, RI, SB, SPZ, TS, W
DR4 (Finish)	4"	1/2"	AB, AG, AGV, AO, AW, BCP, BN, BNK, BU, CH, DC, ESP, GBK, OB, PB, PR, RI, SB, SPZ, TS, W
DR6 (Finish)	6"	1/2"	AB, AG, AGV, AN, AO, AW, BCP, BN, BNK, BR, BU, CH, DC, ESP, FB, GBK, GV, LB, OB, PB, PR, RI, SB, SPZ, TI, TS, W
DR12 (Finish)	12"	1/2"	AB, ABZ, AG, AGV, AN, AO, AW, BCP, BCW, BN, BNK, BR, BU, CH, DC, ESP, FB, GBK, GV, LB, MWW, OB, PB, PR, RI, SB, SPZ, TI, TS, W
DR18 (Finish)	18"	1/2"	AB, ABZ, AG, AGV, AN, AO, AW, BCP, BCW, BN, BNK, BR, BU, CH, DC, ESP, FB, GBK, GV, LB, MWW, OB, PB, PR, RI, SB, SPZ, TI, TS, W
DR24 (Finish)	24"	1/2"	AB, ABZ, AG, AGV, AN, AO, AW, BCP, BCW, BN, BNK, BR, BU, CH, DC, ESP, FB, GBK, GV, LB, MWW, OB, PB, PR, RI, SB, SPZ, TI, TS, W
DR36 (Finish)	36"	1/2"	AB, ABZ, AG, AGV, AN, AO, AW, BCP, BN, BNK, BR, CH, DC, ESP, FB, GV, LB, OB, OI, PB, PR, RI, SB, SPZ, TS, W
DR48 (Finish)	48"	1/2"	AB, ABZ, AG, AGV, AN, AO, AW, BCP, BCW, BN, BNK, BR, BU, CH, DC, ESP, FB, GBK, GV, MWW, OB, PB, PR, RI, SB, SPZ, TI, TS, W
DR60 (Finish)	60"	1/2"	AB, ABZ, AG, AN, AO, AW, BCP, BCW, BN, BNK, BU, ESP, FB, GBK, GV, MWW, OB, PB, PR, RI, SPZ, TI, W
DR72 (Finish)	72"	1/2"	AB, ABZ, AG, AN, AO, AW, BCP, BCW, BN, BNK, BR, BU, ESP, FB, GBK,GV, MWW, OB, PB, PR, RI, SPZ, TI, W

WALL CONTROLS



					-			-			-	
Model	Light Control	Fan Control	With Pre-set	With Faceplate	Rotary	Push butto n	Slide	Single Pole	3-Way	Wires	Amps	Watts
CM-601F		3 spd	Х				Х	Х	Х	2 or 3	1.5	
CM-4SDH		4 spd		Х	Х			Х		2	1.5	
CM-4SDH-5		4 spd		Х	Х			Х		2	5.0	
CM-DSF01-10Z		3 spd				Х		Х	Х	2 or 3	1.5	
CM-RTF-W		4 spd			Х			Х		2	1.5	
CM6AL		4 spd		Х			Х	Х		2	1.25	
CM6W		4 spd		Х			Х	Х		2	1.25	
CM7AL	full range	4 spd		Х			Х	Х		3	1.25	300
CM7W	full range	4spd		Х			Х	Х		3	1.25	300
CM7AL-LED	full range	4 spd		Х			Х	Х		3	1.25	300
CM7W-LED	full range	4 spd		Х			Х	Х		3	1.25	300
CM8W	on/off toggle	3 spd		Х			х	х		3	1.25	500
*CM-4SDC		4 spd	х	Х		х		х		2	1.5	
*CM-4SDC-L	full range	4 spd	Х	Х		х		х		3	1.5	120
*CM-6SDC		6 spd		х	Х			Х		2	1.5	

AL-Almond

IV-Ivory

W-White

^{*}To be used with DC pull-chain motors only. Not compatible with AC motors.



IDC Remote & Wall Control System

Model-Finish IDC

Finish Opt. AL, BLK, W

Specs Includes Handset,

or Wall Control, 12V Battery & Canopy Mount Receiver, 6 Speeds

Watts/Amps 1.5 Amp/300 Watt

. Dimmer



UCIXL-2000 Remote Control System

Model-Finish UCIXL-2000

Finish Opt. BLK, W

Specs Includes Handset & 12V Battery,

& 12V Battery, For motors 188x25mm or

larger Includes Receiver

Cannot be Used on Sloped

Ceiling





DC System Handset & Wall Control

Model-Finish DC-REMOTE

Finish Opt. BL

Specs 12V Battery Included

Model-Finish DC-WALL

Finish Opt. AL, BR, W

Specs 2 Wire Installation, 12V Battery Included

Watts/Amps 1.5 Amp/300 Watt Dimmer



UCI Wall Control Only

Model-Finish UCI-WALL

Finish Opt. AL, BLK, BW Specs 2 Wire

2 Wire Installation, 12V

Battery Included

Watts/Amps 1.5 Amp/300 Watt

Dimmer



Universal Remote Control System

Model-Finish UCI-2000

Finish Opt. AL, BLK, W

Specs Includes Handset,

or Wall Control, 12V Battery & Canopy Mount Receiver

Watts/Amps 1.5 Amp/300 Watt

Dimmer

Cannot be Used on Sloped

Ceiling



Universal Remote & Wall Control System

Model-Finish UCI-2000-2 Finish Opt. AL,BLK, W

Specs Includes Hand

Includes Handset and Wall Control, 12V Battery & Canopy Mount

Receiver
Watts/Amps 1.5 Amp/300 Watt

Dimmer

Cannot be Used on Sloped

Ceiling



Universal Remote & Wall Control System

Model-Finish RDI-103

Finish Opt. W

Specs Includes RC!- & WCI-100, Full

Range Light Dimmer, No Reverse, 2 Wire Installation (hard

wired)

Watts/Amps 1.5 Amp/300 Watt

Dimmer

Cannot be Used with Hugger

Fans.

REMOTE CONTROL SYSTEMS (CONT'D)



Universal Handset Only

Model-Finish UCI-REMOTE

Finish Opt. BLK

Includes Handset Specs

& 12V Battery





IDC-2000 Receiver & Remote Control

Model-Finish IDC-2000

Finish Opt. BLK Specs

For Use with DC Pull-Chain Fans

Only



Liquid Crystal Remote Control System

Model-Finish RCI-104

Finish Opt. W

Specs

On/Off Memory, Full Range Light Dimmer, No Reverse, Includes

Receiver

Watts/Amps 1.25 Amp/300 Watt

Dimmer



DC Remote Control

Model-Finish RC-4SDC-L

Finish Opt. BLK

Specs

Includes Handset & 12V Battery. For use with Pull Chain w/Light Motor Only






ICS2 Remote, ICS Control

Model-Finish ICS2-Remote

Finish Opt. BLK, W

Specs

Fan & Light Control, 1.5 Amp, Black Wall Control, 300 W **Full Range Light** Dimmer, 3 Fan Speeds, 3 Preset Timer & Reverse, 1 12 V Battery Included, One Fan per Remote



AB - Antique Brass



ABZ - Aged Bronze Brushed




ABZC - Aged Bronze Highlight



ABZG - Antique Bronze-Gold Accents



AC - Aged Copper



AG - Aged Bronze Textured



AGT - Augustine



AGV - Aged Galvanized



AI - Aged Iron



AN - Antique Nickel



AND - Dark Antique Nickel



ANGBZ - Antique Gold Bronze



AO - Athenian Obol




ATL - Antique Linen




AVG - Antique Verde Gold



AW - Antique White




AWD - Antique White Distressed



 $\boldsymbol{\mathsf{AZ}}$ - Antique Bronze



BA - Burnished Armor



BAO - Burnished Aluminum (Outdoor)



BB - Burnished Brass



BBN - Brushed Black Nickel



BBZ - Burleson Bronze



BC - Burnished Copper



BCH - Black Chrome



BKI - Black Iron




BLK - Black



BN - Brushed Satin Nickel



BNK - Brushed Polished Nickel



BR - Brown



BSS - Brushed Stainless Steel



BT - Brushed Titanium



BU - Burnt Sienna




BZ - Bronze



CB - Carribean Brass



CH - Chrome



CM - Chromite




DC - Dark Coffee



DG - Dark Granite




DMI - Dark Mahogany Iron



ESP - Espresso



ET - English Toffee



FB - Flat Black



FBBNK - Flat Black/ Brushed Polished Nickel



FBSB - Flat Black/Satin Brass



FBZ - French Bronze



FM - Forged Metal



FR - French Roast




FS - Fired Steel



FW - French White



GB - Gothic Bronze



GBK - Gloss Black



GT - Gold Twilight



GV - Galvanized




LB - Legacy Brass



MB - Mocha Bronze



MBG - Matte Black Gilded




MG - Matte Gold



MWW - Matte White



NI - Natural Iron



OB - Oiled Bronze



OBG - Oiled Bronze Gilded



OBO - Oiled Bronze (Outdoor)



OLB - Old Bronze



ORB - Oil-Rubbed Bronze



PAB - Patina Aged Brass



PB - Polished Brass



PLN - Polished Nickel



PR - Peruvian Bronze



PRO - Peruvian Bronze (Outdoor)



RI - Rustic Iron



RT - Rust



SA - Satin Aluminum



SB - Satin Brass



SN - Satin Nickel




SPZ - Spanish Bronze




SRG - Satin Rose Gold



SS - Stainless Steel



TB - Textured Black



TI - Titanium



TS - Tarnished Silver



TW - Textured White



VM - Vintage Madera




VNI - Vintage Iron



W - White



WB - Whiskey Barrel



WBK - Weathered Black



WC - Weathered Copper



WP - Weathered Pine

APPENDIX

111117BNK-LED73						
		122	51391-PLN	15	CON48ABZ4C1	
11117BNK-LED 73	45661-CH-LED	72	51934-CWESP	62	CON48BNK4C1	. 162
11124BNK-LED73			52024-ESP		CON48W4C1	
11135BNK-LED73			52026-ESP		CPM-JBZ	65
11317BNK-LED70	45728-CH-LED	33	52061-ESP	95	CPM-MBK	65
11324BNK-LED70			52091-ESP		CPM-PNK	65
11335BNK-LED70	45756-CH-LED	33	52124-ESP		CPMK-1ABZ	66
12220BNK-LED72	45834-OB	63	52128-ESP	91	CPMK-1AGV	66
12227BNK-LED72			52161-ESP		CPMKB-1ABZ	
12305FB179	45836-OB	63	52191-ESP	91	CPMKB-1AGV	66
12314BNK2 79	47126-CH-LED	23	52434-CWESP	62	CPMKB-3ABZ	66
			52734-NWABZ			
12322FB379					CPMKB-3BCP	
12331BNK479	47290-CH-LED	55	52934-FB	63	CPMKC-1ABZ	66
12406BNK177	47587-CH-LED	27	52935-FB	63	CPMKC-1AGV	66
12413SB277			52936-FB		CPMKP-2ABZ	
12422BNK377	47593-CH-LED	27	53301-CH	39	CPMKP-2AGV	65
12430SB477	47594-CH-LED	27	53301-FB		CPMKPW-1ABZ	65
19305CH1-LED74			53302-CH		CPMKPW-1AGV	
19320CH3-LED 74	47599-CH-LED	27	53302-FB	39	CVL100TI	.186
19327CH4-LED74			53303-CH		DAL48BNK4	
19507FB176	47891-MBK-LED	25	53303-FB	75	DAL48ESP4	. 160
19518BNK2 76	47891-PAB-HUE	122	53304-CH	75	DAL48FB4	.160
19528FB476			53304-FB		DAL48SB4	
19528SB3 76			53326-CH		Downrod Info	
19548SB5 76	47993-W-HUE	122	53329-FB	39	EAS70BNK9	194
24233-MB61	48118-PLN		53395-CH		EAS70ESP9	
24236-MB 61	48124-VB	17	53399-FB	39	END52ABZ5X	. 214
24239-MB61	48126-VB	17	53862-FB-LED	7	END52ESP5X	21/
26736-MBS62			53874-SB-LED		END52GV5X	
29925-MNPAB109	48161-VB	17	53892-SB-LED	7	END52MBK5X	. 214
35135-WP 61	48162-PLN	17	53902-SB		END52WW5X	
35139-WP 61	48490-GLD		53903-BNK	/ 1	Finishes	
36533-TBWB 61	48491-GLD	9	53904-SB	71	FLD54RD3	. 178
36539-PLNGRW 61	48493_GLD		53961-BNK	71	FLD54TI3	172
36545-TBWB61	48552_ABZ		54025-SA		FLD54W3	
38739-AGTB 61	48592-ABZ	49	54073-SA	93	FLD54YL3	. 178
40135-CH62	48593-ABZ	10	54125-OBG	20	FLE100AGV8	
40815-CH-LED31	48595-ABZ		ACA56BNK3	. 188	FLE100ESP8	
40825-CH-LED31	49223-MBKGL-LED	21	ACA56FB3	. 188	FOR52BNK5	.164
40829-CH-LED31	49226-MWWGL-LED	21	BRD52PLN3	132	FOR52ESP5	164
40860-CH-LED31	49228-MWWGL-LED		BRD52PLN3-FB		FOR52FB5	
40861-CH-LED31	49262-MBKGL-LED	21	BRD52SB3	132	FOR52SB5	164
	49390-PLN-LED	19				
41534-FSNW 62						
41534-FSNW62			BRD52SB3-FB	. 132	FOR52W5	.164
41536-CH62	49390-SB-LED	19	BRD52SB3-FB Bulbs-Early Electric	. 132 . 217	FOR52W5FRE56BNK3	. 164 . 136
41536-CH62	49390-SB-LED	19	BRD52SB3-FB	. 132 . 217	FOR52W5	. 164 . 136
41536-CH62 41538-ABZ62	49390-SB-LED49470-FS-LED	19 41	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament	. 132 . 217 . 216	FOR52W5FRE56BNK3FRE56ESP3	. 164 . 136 . 136
41536-CH	49390-SB-LED 49470-FS-LED 49490-FS-LED	19 41 41	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3	. 132 . 217 . 216 . 198	FOR52W5FRE56BNK3FRE56ESP3FRE56W3	. 164 . 136 . 136 . 136
41536-CH	49390-SB-LED 49470-FS-LED49490-FS-LED49491-FS-LED	19 41 41 41	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW	. 132 . 217 . 216 . 198 . 200	FOR52W5	. 164 . 136 . 136 . 136 . 136
41536-CH	49390-SB-LED 49470-FS-LED49490-FS-LED49491-FS-LED	19 41 41 41	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3	. 132 . 217 . 216 . 198 . 200 . 198	FOR52W5FRE56BNK3FRE56ESP3FRE56W3	. 164 . 136 . 136 . 136 . 136
41536-CH	49390-SB-LED 49470-FS-LED 49490-FS-LED 49491-FS-LED 49610-PLN-LED	19 41 41 41 45	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3	. 132 . 217 . 216 . 198 . 200 . 198	FOR52W5	. 164 . 136 . 136 . 136 . 136 . 180
41536-CH 62 41538-ABZ 62 41734-PLN 62 42721-CH-LED 55 42722-CH-LED 29 42723-CH-LED 29	49390-SB-LED 49470-FS-LED 49490-FS-LED 49491-FS-LED 49610-PLN-LED 49615-SB-LED	19 41 41 41 45	BRD52SB3-FB	.132 .217 .216 .198 .200 .198	FOR52W5	. 164 . 136 . 136 . 136 . 136 . 180 . 180
41536-CH	49390-SB-LED 49470-FS-LED 49490-FS-LED 49491-FS-LED 49610-PLN-LED 49615-SB-LED	19 41 41 45 45 45	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142
41536-CH 62 41538-ABZ 62 41734-PLN 62 42721-CH-LED 55 42722-CH-LED 29 42723-CH-LED 29	49390-SB-LED 49470-FS-LED 49490-FS-LED 49491-FS-LED 49610-PLN-LED 49615-SB-LED 49663-SB-LED	19 41 41 45 45 45	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142
41536-CH	49390-SB-LED	19 41 41 45 45 45 45	BRD52SB3-FB	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142
41536-CH	49390-SB-LED	19 41 41 45 45 45 78	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202 . 202 . 196	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142 . 142 . 142
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202 . 202 . 196 . 196	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142 . 142 . 142 . 142
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202 . 202 . 196 . 196	FOR52W5	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142 . 142 . 142 . 142
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED HE52W5-LED INS54BNK3 INS54FB3	. 164 . 136 . 136 . 136 . 180 . 180 . 142 . 142 . 142 . 142 . 142 . 126 . 128
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED HE52W5-LED INS54BNK3 INS54FB3 INS54W3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .142 .126 .128
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 78 78	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED INS54BNK3 INS54FB3 INS54FB3 KPM553-JBZ	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 78 78	BRD52SB3-FB Bulbs-Early Electric Bulbs-LED Filament BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED HE52W5-LED INS54BNK3 INS54FB3 INS54W3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 78 78 47	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3 BW414AG3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .206	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED INS54BNK3 INS54FB3 INS54FB3 INS54W3 KPM553-JBZ KPM554-PNK	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 78 77 47 47	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3 BW414AG3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .206	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED INS54BNK3 INS54FB3 INS54FB3 INS54W3 KPM553-JBZ KPM554-PNK KPMK552-ABZ	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 78 47 47 47 43 43	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED INS54BNK3 INS54FB3 INS54FB3 INS54W3 KPM553-JBZ KPM554-PNK KPMK552-ABZ KPMK557-ABZ	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 78 47 47 47 43 43	BRD52SB3-FB Bulbs-Early Electric BW116AG3 BW116AG3-HW BW116BNK3 BW116BNK3-HW BW248AG6 BW248BNK6 BW250BNK6 BW250FB6 BW321AG3 BW321BNK3 BW414AG3	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170	FOR52W5 FRE56BNK3 FRE56ESP3 FRE56W3 GAR56BNK5 GAR56FB5 HE52BNK5-LED HE52OBG5-LED HE52OBG5-WG-LED INS54BNK3 INS54FB3 INS54FB3 INS54W3 KPM553-JBZ KPM554-PNK KPMK552-ABZ	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58 58
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 78 47 47 47 47 43 43	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .196 .196 .204 .204 .204 .206 .170 .170	FOR52W5	.164 .136 .136 .136 .180 .180 .142 .142 .142 .142 .126 .128 58 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 43 54 120	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170	FOR52W5	.164 .136 .136 .136 .180 .142 .142 .142 .142 .128 58 58 58 58
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 47 47 47 47 43 43 54	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170	FOR52W5	.164 .136 .136 .136 .180 .142 .142 .142 .142 .128 58 58 58 58
41536-CH	49390-SB-LED	19 41 41 45 45 45 78 78 78 78 47 47 47 47 43 43 54	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170	FOR52W5	.164 .136 .136 .136 .180 .142 .142 .142 .142 .128 58 58 58 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 43 43 54 120	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .142 .142 .142 .142 .128 58 58 58 58 58
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 43 54 120 11	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170 .170 .170	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .126 .128 58 58 58 58 58 144 .144 .192 .192
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 43 54 120 11	BRD52SB3-FB	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202 . 202 . 196 . 196 . 204 . 204 . 204 . 206 . 170 . 170	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .126 .128 58 58 58 58 144 .144 .192 .192
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 41 120 54 120 11 11	BRD52SB3-FB	. 132 . 217 . 216 . 198 . 200 . 198 . 200 . 202 . 202 . 196 . 196 . 204 . 204 . 204 . 206 . 170 . 170	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .126 .128 58 58 58 58 144 .144 .192 .192
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 43 54 120 11 11	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170 .170 .170 67 67	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .126 .128 58 58 58 58 58 144 .144 .192 .192 .192 .192
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 41 120 11 11 11	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .204 .206 .170 .170 .170 .170 .170 67 67 67	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .142 .142 .142 .126 .128 58 58 58 58 58 144 .144 .192 .192 .192 .192
41536-CH	49390-SB-LED	19 41 41 41 45 45 45 78 78 78 78 47 47 47 41 120 11 11 11 15 15	BRD52SB3-FB	.132 .217 .216 .198 .200 .198 .200 .202 .202 .196 .196 .204 .204 .206 .206 .170 .170 .170 .170 .170 67 67 67	FOR52W5 FRE56BNK3	.164 .136 .136 .136 .180 .180 .142 .142 .142 .128 .128 58 58 58 58 58 144 .144 .192 .192 .192 .192 .192

MOB60AGV		P615CH1		PFC520B 1/2	X6207-BNK-LED	
MOB60CH		P620CH1	58	PFC52W172	X6207-W-LED	81
MOB60FB	190	P635LB1	53	PHA52BN3-BNGW 152	X6211-BNK-LED	81
MOB60OB	190	P640LB1	53	PHA52BNK3152	X6211-W-LED	81
N203BG		P686BNK1		PHA52BNK4150	X6509-PLN-LED	
N331GM		P687BNK1		PHA52BNK4-BNGW 150	X6511-OB-LED	
N336BT		P688BNK1		PHA52BNK5148	X6513-BNK-LED	
N336DBL		P689BNK1	50	PHA52BNK5-BNGW148	X6609-SB-LED	80
N336FL	69	P7030CH1	58	PHA52ESP3152	X6611-BNK-LED	80
N550RC		P715MBK1	54	PHA52ESP4150	X6613-OB-LED	80
N552C		P716MBK1		PHA52ESP5148	X8308-PLN-C	
N553C		P720BNK1		PHA52W3152		
					X8308-VB	
N554C		P725BNK1		PHA52W4150	X8317-PLN-C	13
N557C	68	P726BNK1	50	PHA52W5148	X8317-VB	82
N882W5	68	P735MBKG1	58	PIR48BNK3140	X8326-PLN-C	13
N8855C	69	P740CH1		PIR48ESP3140	X8326=PLN-C	
N885BC		P760GTPAB1		PN336BT-PNK-(Bulb Type) 123	XP11ABZ-2A	
N885GS		P760MBKPAB1		PN336DBL-PNK-(Bulb Type) 123	XP13BN-2W	
N885HM		P760NIVN11		PN336FL-PNK-(Bulb Type). 123	XPP11OB-2W	83
N885SG	69	P770CH3-HUE	121	PN882WS-PNK-(Bulb Type)123	XPPS15BN-2W	85
N885SY	69	P770CH3-LED	55	PN892F-PNK-(Bulb Type) 123	XPS15ABZ-2W	85
N892F		P771CH1-HUE		PN902SY-PNK-(Bulb Type) 123	XPS15OB-2A	
N902BR						
		P771CH1-LED		PN903WL-PNK-(Bulb Type)123	Z1604-TB-LED	
N902HM		P776CH1-LED		PN903WL-PNK-W56	Z1614-SA-LED	
N902HRC	67	P780CH2-HUE	121	Remote Control Systems 220	Z1624-TB-LED	100
N902M	67	P780CH2-LED	55	S4173-OBG89	Z1900-AC-LED	106
N902SY	67	P781CH6-HUE		SAP62BNK5210	Z1910-BAO-LED	106
N903WL		P781CH6-LED		SAP62ESP5210	Z2504-MN-LED	
NIK52BNK5		P800PLN-LED		SAP62FB5210	Z2514-BT-LED	
NIK52ESP5		P815MG3-HUE		SAP62MWW5210	Z2524-BT-LED	
NIK52W5	168	P816MSCH-HUE	121	SAP62SB5210	Z2604-OBG	89
OPT52BNK5	166	P816MSCH-LED	55	SB52FB4 212	Z2604-OBG	114
OPT52ESP5		P817MG-HUE		SB52W4 212	Z2614-OBG	
OPT52FB5	166	P817MSCH-LED		SLN52BNK5158	Z2621-OBG	
OPT52W5	166	P820NBZ1	51	SLN52FB5158	Z2621-OBG	
P310ABZ1	54	P821NBZ1	51	SLN52SB5158	Z2624-OBG	115
P310ABZ1 P310BNK1		P821NBZ1 P830PLN1-C		SLN52SB5		
P310BNK1	54	P830PLN1-C	59	SLN56BNK5158	Z2625-OBG	115
P310BNK1 P330BNK1	54 57	P830PLN1-C P830VB1	59 12	SLN56BNK5 158 SLN56OB5	Z2625-OBG Z3402-TBBA-LED	115 108
P310BNK1 P330BNK1 P330MBK1	54 57 57	P830PLN1-C P830VB1 P830VB1-C	59 12 59	SLN56BNK5	Z2625-OBG Z3402-TBBA-LED Z3412-TBSB-LED	115 108 108
P310BNK1 P330BNK1 P330MBK1 P340BNK1	54 57 57	P830VB1 P830VB1-C P830VB1-C P831PLN1-C	59 59 59 12	SLN56BNK5	Z2625-OBG Z3402-TBBA-LED Z3412-TBSB-LED Z3422-TBSB-LED	115 108 108 108
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1	54 57 57 56	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C	59 59 59 12	SLN56BNK5	Z2625-OBG Z3402-TBBA-LED Z3412-TBSB-LED Z3422-TBSB-LED Z3602-SS-LED	115 108 108 108
P310BNK1 P330BNK1 P330MBK1 P340BNK1	54 57 57 56	P830VB1 P830VB1-C P830VB1-C P831PLN1-C	59 59 59 12	SLN56BNK5	Z2625-OBG Z3402-TBBA-LED Z3412-TBSB-LED Z3422-TBSB-LED	115 108 108 108
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1	54 57 57 56 56	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C		SLN56BNK5	Z2625-OBG Z3402-TBBA-LED Z3412-TBSB-LED Z3422-TBSB-LED Z3602-SS-LED	115 108 108 108 113
P310BNK1	54 57 57 56 56 57	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C P831VB1-C		SLN56BNK5	Z2625-OBG	115 108 108 113 113
P310BNK1	54 57 56 56 57 56 58	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C P831VB1-C P832PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130	Z2625-OBG	115 108 108 113 113 113
P310BNK1	54 57 56 56 56 56 58	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C P831VB1-C P832PLN1-C P832VB1		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130	Z2625-OBG	115 108 108 108 113 113 113 116
P310BNK1	54 57 56 56 56 56 58 60	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130 TEA52BNK4 138	Z2625-OBG	115 108 108 108 113 113 113 116 116
P310BNK1	54 57 56 56 56 56 58 60	P830PLN1-C P830VB1 P830VB1-C P831PLN1-C P831PLN1-C P831VB1-C P832PLN1-C P832VB1		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130	Z2625-OBG	115 108 108 108 113 113 113 116 116
P310BNK1	54 57 56 56 56 56 56 56 56	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130 TEA52BNK4 138	Z2625-OBG	115 108 108 113 113 113 116 116
P310BNK1	54 57 56 56 56 56 56 60	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130 TEA52BNK4 138 TEA52CH4 138 TEA52ESP4 138	Z2625-OBG	115108108113113116116116116
P310BNK1	54 57 56 56 56 56 56 56 56 60	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52FB-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130 TEA52BNK4 138 TEA52CH4 138 TEA52SSB4 138	Z2625-OBG	115108108113113116116116116116
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS	5457565656565656566060	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52FB-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 STE52SB5 130 TEA52BNK4 138 TEA52CH4 138 TEA52SB4 138 TEA52SB4 138 TEA52W4 138	Z2625-OBG	115108108113113116116116116116
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS P403-TS P430ESP1	545756565656565660606060	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 TEA52BNK4 138 TEA52CH4 138 TEA52ESP4 138 TEA52SB4 138 TEA52W4 138 TG52BNK3 147	Z2625-OBG	115108108113113116116116116116116116
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS P430ESP1 P435ESP1	545756565656566060606056	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52FB-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 TEA52BNK4 138 TEA52CH4 138 TEA52ESP4 138 TEA52SB4 138 TEA52W4 138 TG52BNK3 147 TG52BNK3-52BN 147	Z2625-OBG	
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS P403-TS P430ESP1	545756565656566060606056	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52ESP-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 TEA52BNK4 138 TEA52CH4 138 TEA52ESP4 138 TEA52SB4 138 TEA52W4 138 TG52BNK3 147	Z2625-OBG	
P310BNK1	54 57 56 56 56 56 56 60 60 60 60 60	P830PLN1-C		SLN56BNK5 158 SLN56OB5 158 SLN56SB5 158 SON52CH-70" BLADES 126 SON52FB-70" BLADES 126 SON52FB-70" BLADES 126 SON52SB-70" BLADES 126 STE52BNK5 130 TEA52BNK4 138 TEA52CH4 138 TEA52ESP4 138 TEA52SB4 138 TEA52W4 138 TG52BNK3 147 TG52BNK3-52BN 147	Z2625-OBG	115108108113113116116116116116116116
P310BNK1	54 57 56 56 56 56 58 60 60 60 60 60	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	5457565656575656586060606056	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54575656575658606060606056	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565756586060606060565756	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565656586060606060565756	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565656586060606060565756	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565656565658606060606055575535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565656565658606060606055575555575357	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	5457565656565660606060605557565656565657535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54575656565756586060606060555755575357535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS P435ESP1 P435ESP1 P445BNK1 P455AGC1 P460BNK1 P465AGC1 P485CH-LED P515ABZ1 P520ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P525AGV1 P5500B1	545756565756586060606060555755575557535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	545756565756586060606060555755575557535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P403-ABZ P403-TS P435ESP1 P435ESP1 P435ESP1 P445BNK1 P455AGC1 P460BNK1 P465AGC1 P515ABZ1 P520ABZ1 P520ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P550BNK1 P5500B1 P565BNK1	5457565656575658606060606055575357535753	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P402-ABZ P403-TS P403-TS P430ESP1 P435ESP1 P435ESP1 P445BNK1 P455AGC1 P460BNK1 P465AGC1 P515ABZ1 P520ABZ1 P520ABZ1 P520ABZ1 P525ABV1 P550BNK1 P550OB1 P565BNK1 P5665OB1	54575656565860606060605555575357535757	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1 P330BNK1 P330MBK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P402-ABZ P403-TS P435ESP1 P435ESP1 P445BNK1 P455AGC1 P460BNK1 P465AGC1 P450BNK1 P550ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P550BNK1 P550OB1 P565BNK1 P5665BNK1 P5665DB1	54575656575658606060606055575357535757	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1 P330BNK1 P330BNK1 P340BNK1 P340MBK1 P350BNK1 P350MBK1 P350MBK1 P360BNK1 P400-ABZ P400-TS P402-ABZ P402-TS P402-ABZ P403-TS P435ESP1 P435ESP1 P445BNK1 P455AGC1 P460BNK1 P465AGC1 P485CH-LED P515ABZ1 P520ABZ1 P520ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P525ABZ1 P550BNK1 P550BNK1 P550OB1 P565TS1 P590FSNW1	54575656565860606060605657555757575757	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54575656565656566060606056575857585757575757	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54 57 56 56 56 56 56 56 60 60 60 56 57 53 57 53 57 57 57 57 57 57 57 57 57 57	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54 57 56 56 56 56 56 56 60 60 60 56 57 53 57 53 57 57 57 57 57 57 57 57 57 57	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54575656565756586060606056575357535456575357535757575757	P830PLN1-C		SLN56BNK5	Z2625-OBG	
P310BNK1	54575656575658606060605657565756575753545657535757575757	P830PLN1-C		SLN56BNK5	Z2625-OBG	

MOB60AGV.......58

Z9612-AC-LED101
Z9622-AC-LED101
Z9902-MNPAB109
Z9912-MNPAB109
Z9921-MNPAB109
Z9922-MNPAB109
ZA1200-SA-LED99
ZA1210-TB-LED99
ZA1220-TB-LED99
ZA2120-TB-LED 102
ZA2124-TB-LED 102
ZA2502-SSMN-LED117
ZA2512-WBMN-LED117
ZA2522-SSMN-LED117
ZA2600-MN-LED98
ZA2610-BAO-LED98
ZA2620-MN-LED98
ZA2800-TB110
ZA2810-TB110

CRAFTMADE

650 S Royal Lane • Coppell, TX 75019 • P 1-800-486-4892 • F 877-304-1728

Showroom: Dallas Market Center • Trade Mart, Suite 4902 2100 Stemmons Freeway • Dallas, TX 75207

WWW.CRAFTMADE.COM