



MONTE  CARLO

FAN COLLECTIONS

ASPEN 56
SEANLAVIN

Aged Pewter Housing with Dark Walnut Blades

MONTE  CARLO
FAN COLLECTIONS



TABLE OF CONTENTS

Visual Reference Guide	4
Our Designers	15
Antique	17
Modern	29
Transitional	105
Traditional	141
Outdoor	169
Accessories	189
Resources	211
Index	222

Icons

EN★ ENERGY STAR QUALIFIED

Meets strict energy efficiency guidelines set by the EPA and Department of Energy

LED LED

LED light kit included

DAMP DAMP RATED

Safety rated DAMP for covered outdoor applications

WET WET RATED

Safety rated WET for exposed outdoor applications

DC DC MOTOR

DC Motor generates more power than AC motors with an average of 70% energy savings

REV REVERSIBLE BLADES

Each side of the blade features a different finish

SMART SMART

Control via phone, tablet, Amazon Alexa/Echo or Google Home device

COASTAL

Engineered to withstand harsh environmental conditions and backed by a 5-year warranty

VOLTA 60
SEAN LAVIN


Antique Iron Housing with Hand-Rubbed Brass Accents
and Dark Walnut Hand Carved Blades



USING THIS CATALOG

Here are some helpful tips and things to think about when looking for the perfect fan. This catalog is organized by style, making it easy to browse collections within an aesthetic group. The grid below breaks down the code to our product numbering system.

Unique Product Identifier



Energy Efficiency

Monte Carlo fans create overall energy cost savings through efficient engineering and design. Everything from the motor to the shape of the fan blades contributes to moving more cubic feet of air per minute (CFM) while using less energy. The result? Every Monte Carlo fan consumes less energy than a 100-watt light bulb, even at the fan's highest setting.

Monte Carlo also offers select fans that provide even more energy efficiency and savings. Look for the DC Motor icon and Energy Star icon that designate these fans throughout this catalog.

DC MOTOR

The DC (direct current) motor generates more power and torque than regular motors while using 70% less energy and running with virtually no noise. DC technology also keeps the motor cool to extend the fan's life span while the motor's small size creates greater design flexibility.

ENERGY STAR

Fans with the Energy Star rating meet the US EPA program performance standard for quality and performance. The energy savings from these fans will create significant savings on utility bills while also protecting the climate through reduced greenhouse gas emissions.

FTC Energy Guide

ELECTRICITY

Indicates how much electrical power a fan uses.

AIRFLOW

This represents airflow measured in cubic feet per minute. The airflow quantifies the amount of air a ceiling fan delivers.

ENERGY COST (PER YEAR)

Estimated annual energy cost based on \$0.12 per KWH and 6.4 hours of use per day.

EFFICIENCY

Measures the airflow efficiency by dividing the CFM a fan produces by the watts of energy it consumes.

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	20 Watts
AIRFLOW	7680 CFM	5365 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	288 CFM/Watt	269 CFM/Watt

VISUAL INDEX



ADLER 60
EN★ DAMP DC
pg. 72



AEROTOUR 56
EN★ LED DC
pg. 154



AEROTOUR SEMI-FLUSH 56
EN★ LED DC
pg. 156



AKOVA 56
EN★ LED DAMP DC
pg. 90



ALBA 60
LED EN★ DAMP DC
pg. 56



ARCADE 68
EN★ DC
pg. 92



ARCADE 54
pg. 94



AREZZO 60
EN★ DC
pg. 24



ARMSTRONG 60
EN★ LED DAMP DC
pg. 74



ASPEN 70
DC EN★ DAMP
pg. 112



ASPEN 56
EN★ DAMP DC
pg. 114



ATLANTIC 56
EN★ LED DC
pg. 86



AVVO 56
EN★ LED DAMP DC
pg. 84



BOYNTON 54
LED WET
pg. 176



BUTTERFLY 54
LED DAMP
pg. 100



CENTRO 44
pg. 128



CIRQUE 56
EN★ LED DAMP DC
pg. 70



CLARITY 56
LED
pg. 66



CLARITY 52
LED
pg. 68



CLARITY 42
LED
pg. 69



COLONY 60 LED
LED DAMP
pg. 142



COLONY 60
DAMP
pg. 144



COLONY 52 LED
LED DAMP
pg. 146



COLONY 52
DAMP
pg. 148

VISUAL INDEX



CRUISE 52
WET
pg. 180



CUPRA 60
EN★ DC
pg. 26



CYCLONE 60
WET
pg. 172



DESTIN 57
EN★ LED DAMP DC
pg. 88



DISCUS SMART 52
LED DC EN★ SMART
pg. 132



DISCUS CLASSIC 52
LED
pg. 134



DISCUS CLASSIC 44
LED
pg. 136



DISCUS ORNATE 52
LED
pg. 158



DISCUS OUTDOOR 52
LED WET
pg. 174



DISCUS TRIO 58
LED DAMP
pg. 130



DOVER 68
EN★ DC
pg. 124



DOVER 60
EN★ DC
pg. 126



DYLAN 56
EN★ WET DC
pg. 178



GIARRE 60
EN★ DC
pg. 20



HAVEN 52 DC LED
EN★ DC LED
pg. 160



HAVEN 52 DC
EN★ DC
pg. 161



HAVEN 52 LED 3
LED
pg. 164



HAVEN 52 LED 2
LED
pg. 162



HAVEN 52
pg. 166



HAVEN OUTDOOR 52 LED
LED WET
pg. 182



HAVEN OUTDOOR 52
WET
pg. 184



HAVEN OUTDOOR 44
WET
pg. 186



HICKS 60
LED DC EN★
pg. 116




JOVIE 52
pg. 80

VISUAL INDEX



KINGSTON 72
EN★ LED DAMP DC
pg. 96



LAUNCETON 56
EN★ DAMP DC
pg. 118



LEMONT 56
EN★ LED DC
pg. 152



LILY 56
LED DAMP DC
pg. 98



LOFT 96
EN★ LED DAMP DC
pg. 50



LOFT 72
LED DC EN★ DAMP
pg. 52



LOFT 62
LED DC EN★ DAMP
pg. 54



MACH ONE 52
LED
pg. 102



MAVERICK 88
EN★ DC DAMP
pg. 30



MAVERICK 70 LED
EN★ LED DAMP DC
pg. 32



MAVERICK 70
EN★ DAMP DC
pg. 34




MAVERICK 60 LED
EN★ LED DAMP DC
pg. 36



MAVERICK 60
EN★ DAMP DC
pg. 38



MAVERICK COASTAL 60
DC EN★ 
pg. 170



MAVERICK 52 LED
EN★ LED DAMP DC
pg. 40



MAVERICK 52
EN★ DAMP DC
pg. 42



METROGRAPH 56
EN★ LED DC
pg. 122



MINIMALIST 72
EN★ LED DAMP DC
pg. 44



MINIMALIST 56
EN★ LED DAMP DC
pg. 46



PRAIRIE 72
EN★ LED DAMP DC
pg. 106



PRAIRIE 62
EN★ LED DAMP DC
pg. 108



PRAIRIE 52
EN★ LED DAMP DC
pg. 110



ROCKLAND 60
EN★ LED DAMP DC
pg. 120



ROZZEN 52
DC EN★
pg. 76

VISUAL INDEX



ROZZEN 44

EN★ DC

pg. 78



STOCKTON 60

EN★ LED DAMP DC

pg. 48



SYRUS 52

LED

pg. 82



TRAVERSE 52

LED

pg. 138



VISION 72

EN★ LED DC

pg. 58



VISION 56

LED DAMP

pg. 60



VISION 52

LED

pg. 62



VISION 42

LED

pg. 64



VOLTA 60

EN★ DC

pg. 22



YORK 60

pg. 150



YORK 52

pg. XX151

ANTIQURE REPRODUCTIONS



AREZZO 60

EN★ DC

pg. 24



CUPRA 60

EN★ DC

pg. 26



GIARRE 60

EN★ DC

pg. 20



VOLTA 60

EN★ DC

pg. 22

OUTDOOR



BOYNTON 54
LED WET
pg. 176



CRUISE 52
WET
pg. 180



CYCLONE 60
WET
pg. 172



DISCUS OUTDOOR 52
LED WET
pg. 174



DYLAN 56
EN★ WET DC
pg. 178



HAVEN OUTDOOR 52 LED
LED WET
pg. 182




HAVEN OUTDOOR 52
WET
pg. 184



HAVEN OUTDOOR 44
WET
pg. 186



MAVERICK COASTAL 60
DC EN★ 
pg. 170

BOYNTON 54
SEAN LAVIN

Antique Bronze Housing with Light Grey Weathered ABS Blades
and Clear Seeded Glass with Frosted Lens



AEROTOUR 56
THOMAS O'BRIEN

Polished Nickel Housing with Dark Mahogany Carved Wood Blades



OUR DESIGNERS



SEAN LAVIN

Known for his sophisticated, modern designs combined with the latest advancements in lighting technology and expert craftsmanship, multiple lighting design award winner Sean Lavin finds inspiration in experiencing new environments, cultures, architecture and fashion. He believes lighting is just as powerful as other major design elements to create a specific style and mood in a space.

ADLER 60	pg. 72	AVVO 56	pg. 84	LOFT 96, 72, 62	pg. 50
AKOVA 56	pg. 90	BOYNTON 54	pg. 176	MINIMALIST 72, 56	pg. 44
ARCADE 68, 54	pg. 92	CIRQUE 56	pg. 70	VISION 72, 56, 52, 42	pg. 58
AREZZO 60	pg. 24	CLARITY 56, 52, 42	pg. 66	VOLTA 60	pg. 22
ARMSTRONG 60	pg. 74	CUPRA 60	pg. 26		
ASPEN 70, 56	pg. 112	GIARRE 60	pg. 20		



THOMAS O'BRIEN

Designer, collector, and merchant Thomas O'Brien creates casual homes and elegant interiors, from the city to the country. In his New York store, Aero, and through his extensive product designs, his iconic blend of traditional and modern elements makes a collected and classic style feel easy. Thomas' designs with Monte Carlo carry this balance in a warm, livable mix for every home.

ALBA 60	pg. 56	HICKS 60	pg. 116
AEROTOUR 56	pg. 154	METROGRAPH 56	pg. 122
AEROTOUR SEMI-FLUSH 56	pg. 156		



CHAPMAN & MYERS

A contemporary collaboration, Chapman & Myers combines the best of E.F. Chapman's classically influenced style with Kyle Myers' modern sensibilities. Chapman has produced signature lighting designs for Visual Comfort since 1996, while Myers brings a fresh perspective from his recent tenure at Ralph Lauren Home. Their designs are influenced by architectural themes and present a timeless, refined quality that suits any interior.

ATLANTIC 56	pg. 86	LAUNCETON 56	pg. 118
-------------	--------	--------------	---------

GIARRE 60
SEANLAVIN

Antique Iron Housing with Hand-Rubbed Brass Accents
and Dark Walnut Hand Carved Blades



ANTIQUÉ

Arezzo 60	24
Cupra 60	26
Giarre 60	20
Volta 60	22

GIARRE 60
SEAN LAVIN

Antique Iron Housing with Hand-Rubbed Brass Accents
and Dark Walnut Hand Carved Blades




BRINGING THE PAST TO THE PRESENT

Monte Carlo proudly offers a collection of antique inspired fans. Drawing on styles from the 19th century; the collection features designs rivaling old world beauty with today's modern technological advances.



Period correct detailing



Intricate blade details
in plated brass



Cast aluminum
motor housing



Smooth hand carved
concave shaped blade

GIARRE 60

SEAN LAVIN



ANTIQUÉ IRON HOUSING WITH HAND-RUBBED BRASS ACCENTS AND DARK WALNUT HAND CARVED BLADES



GIARRE 60

SEAN LAVIN

EN★ DC

BLADES

(4) Blades (Included)
17° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 0°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



A. Fixture Drop: 21.8"

B. Blade Drop: 22.2"

C. Housing Width: 9"

D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 155mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	20 Watts
AIRFLOW	8342 CFM	5824 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	254 CFM/Watt	284 CFM/Watt



4GIR60ATI HAB

Antique Iron Housing with Hand-Rubbed Brass Accents
Dark Walnut Hand Carved Blades

VOLTA 60

SEAN LAVIN



ANTIQUÉ IRON HOUSING WITH HAND-RUBBED BRASS ACCENTS AND DARK WALNUT HAND CARVED WOOD BLADES



VOLTA 60

SEAN LAVIN

EN★ DC

BLADES

(3) Blades (Included)
17° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



A. Fixture Drop: 21.1"

B. Blade Drop: 22.2"

C. Housing Width: 8.5"

D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 155mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	25 Watts	14 Watts
AIRFLOW	8861 CFM	5795 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	360 CFM/Watt	420 CFM/Watt



3VLR60ATI HAB

Antique Iron Housing with Hand-Rubbed Brass Accents
Dark Walnut Hand Carved Blades

AREZZO 60

SEAN LAVIN



ANTIQUÉ IRON HOUSING WITH HAND-RUBBED BRASS ACCENTS AND DARK WALNUT HAND CARVED WOOD BLADES



AREZZO 60

SEAN LAVIN

EN★ DC

BLADES

(3) Blades (Included)
24° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 0°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



A. Fixture Drop: 17.5"

B. Blade Drop: 11.59"

C. Housing Width: 9.9"

D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	35 Watts	18 Watts
AIRFLOW	8286 CFM	5497 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	235 CFM/Watt	307 CFM/Watt



3AOR60ATIHAB


Antique Iron Housing with Hand-Rubbed Brass Accents
Dark Walnut Hand Carved Wood Blades

CUPRA 60

SEAN LAVIN



ANTIQUE IRON HOUSING WITH HAND-RUBBED BRASS ACCENTS AND DARK WALNUT HAND CARVED WOOD BLADES





3CPR60ATI HAB
 Antique Iron Housing with Hand-Rubbed Brass Accents
 Dark Walnut Hand Carved Wood Blades

CUPRA 60

SEAN LAVIN

EN★ DC

BLADES

(3) Blades (Included)
 22° Blade Pitch
 60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
 Included Hardware: 0°

INCLUDED CONTROLS


Hand-held Remote,
 6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



- A. Fixture Drop: 19"
- B. Blade Drop: 19"
- C. Housing Width: 10.3"
- D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	18 Watts
AIRFLOW	7857 CFM	5178 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	235 CFM/Watt	290 CFM/Watt

MAVERICK 60

Matte White with Aged Pewter Finish Kit



MODERN

Adler 60	72	Loft 62	54
Akova 56	90	Mach One 52	102
Alba 60	56	Maverick 88	30
Arcade 68	92	Maverick 70	34
Arcade 54	94	Maverick 70 LED	32
Armstrong 60	74	Maverick 60	38
Atlantic 56	86	Maverick 60 LED	36
Avvo 56	84	Maverick 52	42
Butterfly 54	100	Maverick 52 LED	40
Cirque 56	70	Minimalist 72	44
Clarity 56	66	Minimalist 56	46
Clarity 52	68	Rozzen 52	76
Clarity 42	69	Rozzen 44	78
Destin 57	88	Stockton 60	48
Jovie 52	80	Syrus 52	82
Kingston 72	96	Vision 72	58
Lily 56	98	Vision 56	60
Loft 96	50	Vision 52	62
Loft 72	52	Vision 42	64

MAVERICK 88



3MAVR88BK
Matte Black Housing
Dark Walnut Hand Carved Wood Blades



3MAVR88BKBK
Matte Black Housing
Matte Black Hand Carved Wood Blades



3MAVR88BS
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades



3MAVR88AGP
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades



3MAVR88BSKOA
Brushed Steel Housing
Koa Hand Carved Wood Blades



3MAVR88RZW
Matte White Housing
Matte White Hand Carved Wood Blades

MAVERICK 88

EN★ DC DAMP

BLADES

(3) Blades (Included)
Variable Blade Pitch
88" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS

Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.9"
- B. Blade Drop: 13.7"
- C. Housing Width: 8.5"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE*
ELECTRICITY	26 Watts	15 Watts
AIRFLOW	14784 CFM	10168 CFM
ENERGY COSTS	N/A	\$8 Per Year
EFFICIENCY	575 CFM/Watt	668 CFM/Watt



Customize your look with
Maverick Super Max Finish Kits (pg. 204)
Shown: Finish Kit 88MCFK-BK

MAVERICK 70 LED



3MAVR70BKBKD
Matte Black Housing
Matte Black Hand Carved Wood Blades
Opal Etched Glass



3MAVR70BKD
Matte Black Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR70AGPD
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades
Opal Etched Glass



3MAVR70BSD
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR70BSKOAD
Brushed Steel Housing
Koa Hand Carved Wood Blades
Opal Etched Glass



3MAVR70RZWD
Matte White Housing
Matte White Hand Carved Wood Blades
Opal Etched Glass

MAVERICK 70 LED

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
70" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

LAMPING

Integrated Downlight: 18W
Light Output: 1100 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-8 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 13.8"
B. Blade Drop: 12.8"
C. Housing Width: 6.8"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	22 Watts	18 Watts
AIRFLOW	7336 CFM	5943 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	331 CFM/Watt	337 CFM/Watt



Customize your look with
Maverick LED Finish Kits (pg. 207)
Shown: Finish Kit MCFKLED-BBS

MAVERICK 70



3MAVR70BS
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades



3MAVR70BKBK
Matte Black Housing
Matte Black Hand Carved Wood Blades



3MAVR70RZWBS
Burnished Brass Housing
Matte White Hand Carved Wood Blades



3MAVR70BK
Matte Black Housing
Dark Walnut Hand Carved Wood Blades



3MAVR70AGP
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades



3MAVR70BSKOA
Brushed Steel Housing
Koa Hand Carved Wood Blades



3MAVR70RZW
Matte White Housing
Matte White Hand Carved Wood Blades

MAVERICK 70

EN★ DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
70" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 11.7"
- B. Blade Drop: 11.6"
- C. Housing Width: 7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	30 Watts	21 Watts
AIRFLOW	6821CFM	5192 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	229 CFM/Watt	250 CFM/Watt



Customize your look with
Maverick Finish Kits (pg. 204)
Shown: 3MAVR70BSKOA with Finish Kit MCFK-BK

MAVERICK 60 LED



3MAVR60BKD
Matte Black Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR60BKDKD
Matte Black Housing
Matte Black Hand Carved Wood Blades
Opal Etched Glass



3MAVR60AGPD
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades
Opal Etched Glass



3MAVR60BSD
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR60BSKOAD
Brushed Steel Housing
Koa Hand Carved Wood Blades
Opal Etched Glass



3MAVR60RZWD
Matte White Housing
Matte White Hand Carved Wood Blades
Opal Etched Glass

MAVERICK 60 LED

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

LAMPING

Integrated Downlight: 18W
Light Output: 1100 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-8 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 13.8"
B. Blade Drop: 12.8"
C. Housing Width: 6.8"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	20 Watts
AIRFLOW	7680 CFM	5365 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	228 CFM/Watt	269 CFM/Watt



Customize your look with
Maverick LED Finish Kits (pg. 204)
Shown: Finish Kit MCFKLED-BK

MAVERICK 60



3MAVR60BSKOA
Brushed Steel Housing
Koa Hand Carved Wood Blades



3MAVR60BKBK
Matte Black Housing
Matte Black Hand Carved Wood Blades



3MAVR60RZWBS
Burnished Brass Housing
Matte White Hand Carved Wood Blades



3MAVR60BK
Matte Black Housing
Dark Walnut Hand Carved Wood Blades



3MAVR60AGP
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades



3MAVR60BS
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades



3MAVR60RZW
Matte White Housing
Matte White Hand Carved Wood Blades

MAVERICK 60

EN★ DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 11.7"

B. Blade Drop: 11.6"

C. Housing Width: 7"

D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	20 Watts
AIRFLOW	6687 CFM	4551 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	245 CFM/Watt	231 CFM/Watt



Customize your look with
Maverick Finish Kits (pg. 204)
Shown: 3MAVR60RZW with Finish Kit MCFK-BK

MAVERICK 52 LED



3MAVR52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades
Opal Etched Glass



3MAVR52BKBKD
Matte Black Housing
Matte Black Hand Carved Wood Blades
Opal Etched Glass



3MAVR52BKD
Matte Black Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR52BSD
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MAVR52BSKOAD
Brushed Steel Housing
Koa Carved Wood Blades
Opal Etched Glass



3MAVR52RZWD
Matte White Housing
Matte White Hand Carved Wood Blades
Opal Etched Glass

MAVERICK 52 LED

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

LAMPING

Integrated Downlight: 18W
Light Output: 1100 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS

Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-8 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.8"
- B. Blade Drop: 12.8"
- C. Housing Width: 6.8"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	30 Watts	21 Watts
AIRFLOW	6928 CFM	4707 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	230 CFM/Watt	229 CFM/Watt



Customize your look with
Maverick LED Finish Kits (pg. 204)
Shown: Finish Kit MCFKLED-BS

MAVERICK 52



3MAVR52RZW
Matte White Housing
Matte White Hand Carved Wood Blades



3MAVR52BKBK
Matte Black Housing
Matte Black Hand Carved Wood Blades



3MAVR52RZWBS
Burnished Brass Housing
Matte White Hand Carved Wood Blades



3MAVR52BK
Matte Black Housing
Dark Walnut Hand Carved Wood Blades



3MAVR52BS
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades



3MAVR52AGP
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades



3MAVR52BSKOA
Brushed Steel Housing
Koa Hand Carved Wood Blades

MAVERICK 52

EN★ DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS

Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 11.7"
- B. Blade Drop: 11.6"
- C. Housing Width: 7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	18 Watts
AIRFLOW	5889 CFM	3807 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	217 CFM/Watt	208 CFM/Watt



Customize your look with
Maverick Finish Kits (pg. 204)
Shown: 3MAVR52BK with Finish Kit MCFK-BBS

MINIMALIST 72

SEAN LAVIN



3MNL72AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades
Opal Etched Glass

MINIMALIST 72

SEAN LAVIN

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
72" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

LAMPING

Integrated Downlight: 16W
Light Output: 1100 Lumens Net
CCT: 2700K
CRI: 90+
MCM360 Finishing Cap Available (pg. 208)

MOUNTING

Maximum Slope Angle with
Included Hardware: 6°
MCM95 Sloped Ceiling Kit Available

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MCM95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.7"
- B. Blade Drop: 12.9"
- C. Housing Width: 5.4"
- D. Downrod: 6" (additional lengths pg. 216)
Maximum Size 48"

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	31 Watts	22 Watts
AIRFLOW	9468 CFM	6934 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	302 CFM/Watt	322 CFM/Watt



3MNL72BKD-V1
Black Steel Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MNL72BSD-V1
Brushed Steel Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass

MINIMALIST 56

SEAN LAVIN



MATTE BLACK HOUSING WITH DARK WALNUT HAND CARVED WOOD BLADES AND OPAL ETCHED GLASS



MINIMALIST 56

SEAN LAVIN

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
56" Blade Sweep

BLADE MATERIAL

Hand Carved Wood

LAMPING

Integrated Downlight: 16W
Light Output: 1100 Lumens Net
CCT: 2700K
CRI: 90+
MCM360 Finishing Cap Available (pg. 208)

MOUNTING

Maximum Slope Angle with
Included Hardware: 6°
MCM95 Sloped Ceiling Kit Available

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MCM95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 13.7"
B. Blade Drop: 12.9"
C. Housing Width: 5.4"
D. Downrod: 6" (additional lengths pg. 216)
Maximum Size 48"

Motor Size: 85mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	21 Watts
AIRFLOW	7240 CFM	5089 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	267 CFM/Watt	246 CFM/Watt



3MNLR56BKD-V1
Matte Black Housing
Dark Walnut Hand Carved Wood Blades
Opal Etched Glass



3MNLR56AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Hand Carved Wood Blades
Opal Etched Glass

STOCKTON 60



MATTE WHITE HOUSING WITH MATTE WHITE BLADES WITH OPAL ETCHED GLASS



Shown with Finishing Cap

STOCKTON 60

EN★ LED DAMP DC



3STR60MBKD
Midnight Black Housing
Midnight Black Blades
Opal Etched Glass



3STR60RZWD
Matte White Housing
Matte White Blades
Opal Etched Glass



3STR60BSD
Brushed Steel Housing
Silver Blades
Opal Etched Glass



3STR60AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Opal Etched Glass

BLADES

(3) Blades (Included)
Variable Blade Pitch
60" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 25W
Light Output: 1290 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.1"
- B. Blade Drop: 12.2"
- C. Housing Width: 10.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	32 Watts	21 Watts
AIRFLOW	7916 CFM	5685 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	246 CFM/Watt	271 CFM/Watt

LOFT 96

SEAN LAVIN



MIDNIGHT BLACK / BRUSHED STEEL HOUSING WITH MIDNIGHT BLACK BLADES AND FROSTED ACRYLIC LENS



LOFT 96

SEAN LAVIN

EN★ LED DAMP DC



6LFR96PBSD
 Brushed Steel / Midnight Black Housing
 Painted Brushed Steel Aluminum Blades with Midnight Black Blade Arms
 Frosted Acrylic Lens



6LFR96MBKD
 Midnight Black / Brushed Steel Housing
 Midnight Black Aluminum Blades with Brushed Steel Blade Arms
 Frosted Acrylic Lens



6LFR96RZWD
 Matte White / Brushed Steel Housing
 Matte White Aluminum Blades with Brushed Steel Blade Arms
 Frosted Acrylic Lens

BLADES

(6) Blades (Included)
 13° Blade Pitch
 96" Blade Sweep

BLADE MATERIAL

Aluminum

LAMPING

Integrated Downlight: 15W
 Light Output: 1080 Lumens Net
 CCT: 3000K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13"
- B. Blade Drop: 10"
- C. Housing Width: 7.9"
- D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	21 Watts
AIRFLOW	13634 CFM	9682 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	413 CFM/Watt	500 CFM/Watt

LOFT 72

SEAN LAVIN



MIDNIGHT BLACK / BRUSHED STEEL HOUSING WITH MIDNIGHT BLACK BLADES AND FROSTED ACRYLIC LENS



Shown with Finishing Cap

LOFT 72

SEAN LAVIN

EN★ LED DC DAMP

BLADES

(6) Blades (Included)
13° Blade Pitch
72" Blade Sweep

BLADE MATERIAL

Aluminum

LAMPING

Integrated Downlight: 20W
Light Output: 1080 Lumens Net
CCT: 3000K
CRI: 90x+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13"
- B. Blade Drop: 10.3"
- C. Housing Width: 7.9"
- D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	19 Watts
AIRFLOW	8378 CFM	5693 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	252 CFM/Watt	302 CFM/Watt



6LFR72MBKD

Midnight Black / Brushed Steel Housing
Midnight Black Aluminum Blades with Brushed Steel Blade Arms
Frosted Acrylic Lens



6LFR72RZWBSD

Matte White / Burnished Brass Housing
Matte White Aluminum Blades with Burnished Brass Blade Arms
Frosted Acrylic Lens



6LFR72RZWD


Matte White / Brushed Steel Housing
Matte White Aluminum Blades with Brushed Steel Blade Arms
Frosted Acrylic Lens

LOFT 62

SEAN LAVIN



MATTE WHITE / BRUSHED BRASS HOUSING WITH MATTE WHITE ALUMIMUM BLADES WITH BURNISHED BRASS BLADE ARMS AND FROSTED ACRYLIC LENS





6LFR62MBKD
 Midnight Black / Brushed Steel Housing
 Midnight Black Aluminum Blades with Brushed Steel Blade Arms
 Frosted Acrylic Lens



6LFR62RZWBSD
 Matte White / Burnished Brass Housing
 Matte White Aluminum Blades with Burnished Brass Blade Arms
 Frosted Acrylic Lens



6LFR62RZWD
 Matte White / Brushed Steel Housing
 Matte White Aluminum Blades with Brushed Steel Blade Arms
 Frosted Acrylic Lens

LOFT 62

SEAN LAVIN

EN★ LED DC DAMP

BLADES

(6) Blades (Included)
 13° Blade Pitch
 62" Blade Sweep

BLADE MATERIAL

Aluminum

LAMPING

Integrated Downlight: 20W
 Light Output: 1080 Lumens Net
 CCT: 3000K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13"
- B. Blade Drop: 10.3x"
- C. Housing Width: 7.9"
- D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	22 Watts	15 Watts
AIRFLOW	6928 CFM	4993 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	310 CFM/Watt	327 CFM/Watt

ALBA 60

THOMAS O'BRIEN



MIDNIGHT BLACK HOUSING WITH MIDNIGHT BLACK BLADES AND FROSTED ACRYLIC LENS



ALBA 60

THOMAS O'BRIEN

LED DC EN★ DAMP

BLADES

(3) Blades (Included)
18° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 15W
Light Output: 664 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



- A. Fixture Drop: 19.1" and 15.1"
- B. Blade Drop: 15.7" and 11.7"
- C. Housing Width: 7.2"
- D. Downrod: 8" and 4" (additional lengths pg. 216)

Motor Size: 155 x 122mm

FTC ENERGY GUIDE - 4" DOWNROD

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	35 Watts	20 Watts
AIRFLOW	6262 CFM	4467 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	179 CFM/Watt	220 CFM/Watt

FTC ENERGY GUIDE - 8" DOWNROD

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	21 Watts
AIRFLOW	7545 CFM	5257 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	222 CFM/Watt	255 CFM/Watt



3ALBR60MBKD
Midnight Black Housing
Midnight Black Blades
Frosted Acrylic Lens



3ALBR60RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

VISION 72

SEAN LAVIN



MATTE WHITE HOUSING WITH MATTE WHITE CARVED WOOD BLADES AND FROSTED ACRYLIC LENS



Shown with Finishing Cap



REV

5VMR72OZD

Oil Rubbed Bronze Housing
Oil Rubbed Bronze/Walnut Reversible Carved Wood Blades
Frosted Acrylic Lens



REV

5VMR72BSD

Brushed Steel Housing
Silver/Light Grey Weathered Oak Reversible Carved Wood Blades
Frosted Acrylic Lens



5VMR72RZWD

Matte White Housing
Matte White Carved Wood Blades
Frosted Acrylic Lens

VISION 72

SEAN LAVIN

EN★ LED DC

BLADES

(5) Blades (Included)
12° Blade Pitch
72" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
Light Output: 1390 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 16.7"
- B. Blade Drop: 13.5"
- C. Housing Width: 9.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	21 Watts
AIRFLOW	10197 CFM	7512 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	308 CFM/Watt	353 CFM/Watt

VISION 56

SEAN LAVIN



MATTE WHITE HOUSING WITH MATTE WHITE BLADES AND FROSTED ACRYLIC LENS





REV

3VNMR56RBD-V1
 Roman Bronze Housing
 Bronze/American Walnut Blades
 Frosted Acrylic Lens



REV

3VNMR56BSLGD-V1
 Brushed Steel Housing
 Silver/Light Grey Weathered Oak Blades
 Frosted Acrylic Lens



3VNMR56RZWD-V1
 Matte White Housing
 Matte White Blades
 Frosted Acrylic Lens

VISION 56

SEAN LAVIN

LED DAMP

BLADES

(3) Blades (Included)
 12° Blade Pitch
 56" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
 Light Output: 950 Lumens Net
 CCT: 2700K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°

INCLUDED CONTROLS


Wall Mount Control, 4-speed,
 Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES

Remote Control MCRC1 (pg. 192)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14"
- B. Blade Drop: 10.7"
- C. Housing Width: 9.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	64 Watts	37 Watts
AIRFLOW	5204 CFM	3334 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	82 CFM/Watt	89 CFM/Watt

VISION 52

SEAN LAVIN



3VNR52RZWD-V1
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

VISION 52

SEAN LAVIN

LED

BLADES

(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
Light Output: 900 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Combo Hand-held/
Wall Mount Remote,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.6"
- B. Blade Drop: 13"
- C. Housing Width: 8.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	44 Watts	32 Watts
AIRFLOW	3406 CFM	2685 CFM
ENERGY COSTS	N/A	\$9 Per Year
EFFICIENCY	78 CFM/Watt	83 CFM/Watt



3VNR52BSLGD-V1
Brushed Steel Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



3VNR52OZD-V1
Oil Rubbed Bronze Housing
Oil Rubbed Bronze ABS Blades
Frosted Acrylic Lens

VISION 42

SEAN LAVIN



3VNR42OZD-V1
Oil Rubbed Bronze Housing
Oil Rubbed Bronze ABS Blades
Frosted Acrylic Lens



3VNR42BSLGD-V1
 Brushed Steel Housing
 Light Grey Weathered Oak ABS Blades
 Frosted Acrylic Lens



3VNR42BSD-V1
 Brushed Steel Housing
 Teak ABS Blades
 Frosted Acrylic Lens



3VNR42RZWD-V1
 Matte White Housing
 Matte White ABS Blades
 Frosted Acrylic Lens

VISION 42

SEAN LAVIN

LED

BLADES

(3) Blades (Included)
 12° Blade Pitch
 42" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
 Light Output: 900 Lumens Net
 CCT: 2700K
 CRI: 90+

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°

INCLUDED CONTROLS


Combo Hand-held/
 Wall Mount Remote,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.6"
- B. Blade Drop: 13"
- C. Housing Width: 8.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	41 Watts	29 Watts
AIRFLOW	2185 CFM	1678 CFM
ENERGY COSTS	N/A	\$8 Per Year
EFFICIENCY	53 CFM/Watt	57 CFM/Watt

CLARITY 56

SEAN LAVIN



MATTE WHITE HOUSING WITH MATTE WHITE BLADES AND FROSTED ACRYLIC LENS



CLARITY 56

SEAN LAVIN

LED

BLADES

(3) Blades (Included)
12° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
Light Output: 950 Lumens Net
CCT: 2700K
CRI: 90+
Finishing Cap Included

MOUNTING


Flush Mount Only

INCLUDED CONTROLS

Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



FAN SPECIFICATIONS



A. Fixture Drop: 9.2"

B. Blade Drop: 7.6"

C. Housing Width: 9.7"

Motor Size: 172mm x 17mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	64 Watts	38 Watts
AIRFLOW	4381 CFM	2753 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	68 CFM/Watt	73 CFM/Watt



REV

3CLMR56BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



3CLMR56RZWD-V1
Matte White Housing
Matte White Blades
Frosted Acrylic Lens



REV

3CLMR56BSLGD-V1
Brushed Steel Housing
Silver/Light Grey Weathered Oak Blades
Frosted Acrylic Lens

CLARITY 52

SEAN LAVIN

LED

BLADES

(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
Light Output: 900 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING


Flush Mount Only

INCLUDED CONTROLS

Combo Hand-held/
Wall Mount Remote,
Reverse and Dimmer



FAN SPECIFICATIONS



A. Fixture Drop: 9.2"
B. Blade Drop: 7.6"
C. Housing Width: 8.8"

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	63 Watts	36 Watts
AIRFLOW	3682 CFM	2804 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	59 CFM/Watt	77 CFM/Watt



3CLYR52OZD-V1
Oil Rubbed Bronze Housing
Oil Rubbed Bronze ABS Blades
Frosted Acrylic Lens



3CLYR52BSLGD-V1
Brushed Steel Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



3CLYR52BSD-V1
Brushed Steel Housing
Teak ABS Blades
Frosted Acrylic Lens



3CLYR52RZWD-V1
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

CLARITY 42

SEAN LAVIN

LED

BLADES

(3) Blades (Included)
12° Blade Pitch
42" Blade Sweep

BLADE MATERIAL
ABS

LAMPING

Integrated Downlight: 20W
Light Output: 900 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING


Flush Mount Only

INCLUDED CONTROLS

Combo Hand-held/
Wall Mount Remote,
Reverse and Dimmer



FAN SPECIFICATIONS



A. Fixture Drop: 9.2"

B. Blade Drop: 7.6"

C. Housing Width: 8.5"

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	39 Watts	30 Watts
AIRFLOW	2401 CFM	1870 CFM
ENERGY COSTS	N/A	\$8 Per Year
EFFICIENCY	62 CFM/Watt	63 CFM/Watt



3CLYR42OZD-V1

Oil Rubbed Bronze Housing
Oil Rubbed Bronze ABS Blades
Frosted Acrylic Lens



3CLYR42BSLGD-V1

Brushed Steel Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



3CLYR42BSD-V1

Brushed Steel Housing
Teak ABS Blades
Frosted Acrylic Lens



3CLYR42RZWD-V1

Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

CIRQUE 56

SEAN LAVIN



MIDNIGHT BLACK HOUSING WITH MIDNIGHT BLACK BLADES AND CLEAR ETCHED GLASS



CIRQUE 56

SEAN LAVIN

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
15° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
Light Output: 1080 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.3"
C. Housing Width: 9.4"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	19 Watts
AIRFLOW	7103 CFM	5102 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	252 CFM/Watt	276 CFM/Watt



3CQR56MBKD
Midnight Black Housing
Midnight Black Blades
Clear Etched Glass




3CQR56RZWD
Matte White Housing
Matte White Blades
Clear Etched Glass

ADLER 60

SEAN LAVIN



3ADR60BBS - BURNISHED BRASS HOUSING WITH MATTE WHITE ABS BLADES





3ADR60AGP
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades



3ADR60BKBK
Matte Black Housing
Matte Black ABS Blades



3ADR60BS
Brushed Steel Housing
Silver ABS Blades



3ADR60RZW
Matte White Housing
Matte White ABS Blades

ADLER 60

SEAN LAVIN

EN★ DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
60" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Controls ESSWC-7-WH, ESSWC-8 (pg. 196)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 12.5"
- B. Blade Drop: 13.3"
- C. Housing Width: 6"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 85mm x 28mm

FTC ENERGY GUIDE


STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	29 Watts	20 Watts
AIRFLOW	5818 CFM	3996 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	200 CFM/Watt	200 CFM/Watt

ARMSTRONG 60

SEAN LAVIN



AGED PEWTER HOUSING WITH LIGHT GREY WEATHERED OAK ABS BLADES AND FROSTED ACRYLIC LENS



Shown with Finishing Cap

ARMSTRONG 60

SEAN LAVIN

EN★ LED DAMP DC



3AMR60AGPD
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



3AMR60BSD
Brushed Steel Housing
Silver ABS Blades
Frosted Acrylic Lens



3AMR60RZWD
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

BLADES

(3) Blades (Included)
16° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 15W
Light Output: 725 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 12.6"
- C. Housing Width: 6.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	22 Watts
AIRFLOW	7732 CFM	5356 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	233 CFM/Watt	248 CFM/Watt

ROZZEN 52



MATTE WHITE WITH ACCESSORY LIGHT KIT MC262 AND SLOPED CEILING KIT MC95RZW



Shown with Finishing Cap



3ROZR52AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



3ROZR52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



3ROZR52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



3ROZR52RZW
Matte White Housing
Matte White Blades

ROZZEN 52

DC EN★

BLADES

(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg.207)
LED Light Kit Available MC262 (shown on p.203)
Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



- A. Fixture Drop: 12.6"
- B. Blade Drop: 12"
- C. Housing Width: 6.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 30mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	21 Watts	15 Watts
AIRFLOW	5310 CFM	3712 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	248 CFM/Watt	241 CFM/Watt

ROZZEN 44



3ROZR44AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades

ROZZEN 44

EN★ DC

BLADES

(3) Blades (Included)
13° Blade Pitch
44" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg.207)
LED Light Kit Available MC262 (shown on pg.203)
Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



- A. Fixture Drop: 12.6"
- B. Blade Drop: 12"
- C. Housing Width: 6.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 30mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	22 Watts	16 Watts
AIRFLOW	4644 CFM	3022 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	211 CFM/Watt	192 CFM/Watt



REV

3ROZR44BS

Brushed Steel Housing
Silver/American Walnut Reversible Blades



REV

3ROZR44MBK

Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



3ROZR44RZW

Matte White Housing
Matte White Blades

JOVIE 52



MATTE WHITE HOUSING WITH MATTE WHITE BLADES





3JOVR52AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



3JOVR52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



3JOVR52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



3JOVR52RZW
Matte White Housing
Matte White Blades

JOVIE 52

DAMP

BLADES

(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING


Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS

4-speed Wall Control



FAN SPECIFICATIONS



A. Fixture Drop: 13.4"
B. Blade Drop: 12"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	35 Watts
AIRFLOW	5901 CFM	4128 CFM
ENERGY COSTS	N/A	TBD
EFFICIENCY	95 CFM/Watt	117 CFM/Watt

SYRUS 52



REV

3SY52BSD

Brushed Steel Housing
American Walnut/Silver Blades
Frosted Acrylic Lens

SYRUS 52

LED

BLADES

(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: (2) 9.3W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


3-speed Pull Chain Control,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.9"
- B. Blade Drop: 11.4"
- C. Housing Width: 9.4"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	40 Watts
AIRFLOW	5336 CFM	3944 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	86 CFM/Watt	99 CFM/Watt



REV

3SY52MBKD

Midnight Black Housing
Midnight Black/American Walnut Blades
Frosted Acrylic Lens



REV

3SY52OZD

Oil Rubbed Bronze Housing
Oil Rubbed Bronze/American Walnut Blades
Frosted Acrylic Lens



3SY52RZWD

Matte White Housing
Matte White Blades
Frosted Acrylic Lens

AVVO 56

SEAN LAVIN



3AVOR56KOAD-V1

Koa Housing

Koa ABS Blades

Frosted Acrylic Lens

AVVO 56

SEAN LAVIN

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
Variable Blade Pitch
56" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 15W
Light Output: 950 Lumens Net
CCT: 2700K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 25°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 12.9"
- B. Blade Drop: 10.8"
- C. Housing Width: 9.7"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 120mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	24 Watts	12 Watts
AIRFLOW	6461 CFM	3885 CFM
ENERGY COSTS	N/A	\$3 Per Year
EFFICIENCY	269 CFM/Watt	325 CFM/Watt



3AVOR56RZWD-V1
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

ATLANTIC 56

CHAPMAN & MYERS



HAND-RUBBED ANTIQUE BRASS WITH DARK WALNUT CARVED WOOD BLADES AND FROSTED WHITE GLASS





5ATR56HABD
 Hand-Rubbed Antique Brass Housing
 Dark Walnut Carved Wood Blades
 Frosted White Glass



5ATR56MBKD
 Midnight Black Housing
 Dark Walnut Carved Wood Blades
 Frosted White Glass



5ATR56PND
 Polished Nickel Housing
 Dark Walnut Carved Wood Blades
 Frosted White Glass

ATLANTIC 56

CHAPMAN & MYERS

LED DC EN★

BLADES

(5) Blades (Included)
 14° Blade Pitch
 56" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
 Light Output: 1800 Lumens
 CCT: 3000K
 CRI: 90+

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 17.8"
- B. Blade Drop: 12.9"
- C. Housing Width: 9.7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	19 Watts
AIRFLOW	7531 CFM	4831 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	268 CFM/Watt	254 CFM/Watt

DESTIN 57



BRUSHED STEEL HOUSING WITH KOA ABS BLADES AND FROSTED ACRYLIC LENS



DESTIN 57

EN★ LED DAMP DC

BLADES

(3) Blades (Included)
16° Blade Pitch
57" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
Light Output: 1060 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS

Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.7"
- B. Blade Drop: 8.6"
- C. Housing Width: 7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	17 Watts
AIRFLOW	5624 CFM	3928 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	225 CFM/Watt	225 CFM/Watt



3DSTR57BSD

Brushed Steel Housing
Koa ABS Blades
Frosted Acrylic Lens



3DSTR57AGPD

Aged Pewter Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens

AKOVA 56

SEAN LAVIN



MATTE BLACK HOUSING WITH AGED BRASS, MATTE BLACK BLADES AND MATTE OPAL GLASS



Shown with Finishing Cap

AKOVA 56

SEAN LAVIN

EN★ LED DAMP DC



3AKR56BKD
Matte Black Housing with Aged Brass
Matte Black Blades
Matte Opal Glass



3AKR56CHD
Silver Housing with Chrome
Silver Blades
Matte Opal Glass



3AKR56RZWD
Matte White Housing with Chrome
Matte White Blades
Matte Opal Glass

BLADES

(3) Blades (Included)
17° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
Light Output: 980 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.4"
- B. Blade Drop: 10.2"
- C. Housing Width: 8.5"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 125mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	25 Watts
AIRFLOW	4515 CFM	3279 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	133 CFM/Watt	131 CFM/Watt

ARCADE 68

SEAN LAVIN



MIDNIGHT BLACK HOUSING WITH MIDNIGHT BLACK ABS BLADES AND POLISHED NICKEL FINISHING KIT ACFK-PN



ARCADE 68

SEAN LAVIN

EN★ DC



3ARR68MBK
Midnight Black Housing
Midnight Black ABS Blades



3ARR68RZWBBB
Matte White Housing with Burnished Brass
Matte White ABS Blades



3ARR68BS
Brushed Steel Housing
Silver ABS Blades

BLADES

(3) Blades (Included)
10° Blade Pitch
68" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


6-Speed Hand-held Remote
with Dimmer and Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Available (pg. 203)

FAN SPECIFICATIONS



- A. Fixture Drop: 15"
- B. Blade Drop: 13.7"
- C. Housing Width: 7.7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	37 Watts	24 Watts
AIRFLOW	9289 CFM	5764 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	248 CFM/Watt	244 CFM/Watt



Customize your look with
Arcade Finish Kits (pg. 206)

ARCADE 54

SEAN LAVIN



3AR54MBK
Midnight Black Housing
Midnight Black ABS Blades

ARCADE 54

SEAN LAVIN

BLADES

(3) Blades (Included)
 10° Blade Pitch
 54" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°

INCLUDED CONTROLS

3-speed Pull Chain Control




COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

Light Kit Available (pg. 203)

See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



A. Fixture Drop: 15"

B. Blade Drop: 13.7"

C. Housing Width: 7.7"

D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	39 Watts
AIRFLOW	6112 CFM	4534 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	99 CFM/Watt	11'5 CFM/Watt



3AR54BS
 Brushed Steel Housing
 Silver ABS Blades



3AR54RZWBS
 Matte White with Burnished Brass
 Matte White ABS Blades



Customize your look with
 Arcade Finish Kits (pg. 206)

KINGSTON 72



MATTE BLACK HOUSING WITH DARK WALNUT BLADES AND OPALETTCHED GLASS



KINGSTON 72

EN★ LED DAMP DC

BLADES

(8) Blades (Included)
Variable Blade Pitch
72" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 18W
Light Output: 890 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°


INCLUDED CONTROLS

Hand-held Remote, 6-speed,
Reverse and Dimmer

COMPATIBLE ACCESSORIES

Wall Control ESSWC-8 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 17.3"
- B. Blade Drop: 14.8"
- C. Housing Width: 8.3"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 30mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	20 Watts
AIRFLOW	10213 CFM	7713 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	367 CFM/Watt	385 CFM/Watt



8KGR72BKD

Matte Black Housing
Dark Walnut Blades
Opal Etched Glass

LILY 56



BRUSHED STEEL HOUSING WITH SILVER BLADES AND CLEAR FROSTED GLASS



LILY 56

LED DAMP DC

BLADES

(5) Blades (Included)
14° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 15W
Light Output: 715 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 16.2"
- B. Blade Drop: 13.3"
- C. Housing Width: 5.5"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 120mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	29 Watts	19 Watts
AIRFLOW	6624 CFM	4698 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	254 CFM/Watt	253 CFM/Watt



5LLR56BSD-V1
Brushed Steel Housing
Silver Blades
Clear Frosted Glass



5LLR56RZWD-V1
Matte White Housing
Matte White Blades
Clear Frosted Glass

BUTTERFLY 54



BRUSHED STEEL HOUSING WITH SILVER BLADES AND OPALE ETCHED GLASS



BUTTERFLY 54

LED DAMP

BLADES

(4) Blades (Included)
15° Blade Pitch
54" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 15W
Light Output: 870 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 22°

INCLUDED CONTROLS


Combo Hand-held/
Wall Mount Remote,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 20"
- B. Blade Drop: 20.67"
- C. Housing Width: 6.9"
- D. Downrod: 8" (additional lengths pg. 216)

Motor Size: 153mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	64 Watts	41 Watts
AIRFLOW	4903 CFM	3297 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	76 CFM/Watt	81 CFM/Watt



4BFR54BSD-V1
Brushed Steel Housing
Silver Blades
Opal Etched Glass

MACH ONE 52



TITANIUM HOUSING WITH TITANIUM ABS BLADES AND MATTE OPAL GLASS



MACH ONE 52

LED

BLADES

(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 15W
Light Output: 1100 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 15°

INCLUDED CONTROLS


Combo Hand-held/
Wall Mount Remote,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.5"
- B. Blade Drop: 11.5"
- C. Housing Width: 8.6"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	56 Watts	37 Watts
AIRFLOW	4306 CFM	3057 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	78 CFM/Watt	82 CFM/Watt



3MO52TMO-V1
Titanium Housing
Titanium ABS Blades
Matte Opal Glass

ASPEN 70
SEAN LAVIN

Matte White with Burnished Brass Housing
and Matte White Carved Wood Blades



TRANSITIONAL

Aspen 70	112
Aspen 56	114
Centro 44	128
Discus Smart 52	132
Discus Classic 52	134
Discus Classic 44	136
Discus Trio 58	130
Dover 68	124
Dover 60	126
Hicks 60	116
Launceton 56	118
Metrograph 56	122
Prairie 72	106
Prairie 62	108
Prairie 52	110
Rockland 60	120
Traverse 52	138

PRAIRIE 72



14PRR72AGPD
Aged Pewter Housing
Distressed Grey Weathered Oak Blades
Frosted Acrylic Lens



Shown with Finishing Cap

PRAIRIE 72

EN★ LED DAMP DC

BLADES

(14) Blades (Included)
14° Blade Pitch
72" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 15W
Light Output: 740 Lumens Net
CCT: 2700K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.1"
- C. Housing Width: 6.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	21 Watts
AIRFLOW	7519 CFM	5326 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	228 CFM/Watt	251 CFM/Watt



REV

14PRR72BSD
Brushed Steel Housing
Silver/Washed Oak Blades
Frosted Acrylic Lens

PRAIRIE 62



AGED PEWTER HOUSING WITH DISTRESSED GREY WEATHERED OAK BLADES, FROSTED ACRYLIC LENS AND SLOPED CEILING KIT MC95AGP



PRAIRIE 62

EN★ LED DAMP DC

BLADES

(14) Blades (Included)
14° Blade Pitch
62" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 15W
Light Output: 740 Lumens Net
CCT: 2700K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.1"
- C. Housing Width: 6.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	23 Watts
AIRFLOW	7233 CFM	5003 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	220 CFM/Watt	221 CFM/Watt



14PRR62AGPD
Aged Pewter Housing
Distressed Grey Weathered Oak Blades
Frosted Acrylic Lens




REV
14PRR62BSD
Brushed Steel Housing
Silver/Washed Oak Blades
Frosted Acrylic Lens

PRAIRIE 52



BRUSHED STEEL HOUSING WITH WASHED OAK BLADES AND FROSTED ACRYLIC LENS



PRAIRIE 52

EN★ LED DAMP DC

BLADES

(14) Blades (Included)
14° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 15W
Light Output: 740 Lumens Net
CCT: 2700K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.1"
- C. Housing Width: 6.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	23 Watts	16 Watts
AIRFLOW	5069 CFM	3310 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	220 CFM/Watt	211 CFM/Watt



REV

14PRR52BSD

Brushed Steel Housing
Silver/Washed Oak Blades
Frosted Acrylic Lens



14PRR52AGPD

Aged Pewter Housing
Distressed Grey Weathered Oak Blades
Frosted Acrylic Lens

ASPEN 70

SEAN LAVIN



5ASPR70AGP
Aged Pewter Housing
Dark Walnut Carved Wood Blades



5ASPR70BS
 Brushed Steel Housing
 Light Grey Weathered Oak Carved Wood Blades
 Shown With Optional Yoke



5ASPR70MBK
 Midnight Black Housing
 Midnight Black Carved Wood Blades
 Shown With Optional Yoke



5ASPR70BBS
 Burnished Brass Housing
 Matte White Carved Wood Blades
 Shown With Optional Yoke



5ASPR70RZW
 Matte White Housing
 Matte White Carved Wood Blades
 Shown With Optional Yoke

ASPEN 70

SEAN LAVIN

DC DAMP

BLADES

(5) Blades (Included)
 12° Blade Pitch
 70" Blade Sweep

BLADE MATERIAL

Carved Wood

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°
 Includes Optional Four-Armed Decorative Yoke
 Cover (shown)

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Light Kit Available MC263 (pg.203)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.1"
- B. Blade Drop: 12.9"
- C. Housing Width: 5.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm X 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	TBD Watts	24 Watts
AIRFLOW	TBD CFM	4985 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	TBD CFM/Watt	211 CFM/Watt



Optional Yoke Included

ASPEN 56

SEAN LAVIN



5ASPR56AGP

Aged Pewter Housing
Dark Walnut Carved Wood Blades
Shown With Optional Yoke



5ASPR56BBS

Burnished Brass Housing
Matte White Carved Wood Blades
Shown With Optional Yoke



5ASPR56BS
 Brushed Steel Housing
 Light Grey Weathered Oak Carved Wood Blades
 Shown With Optional Yoke



5ASPR56MBK
 Midnight Black Housing
 Midnight Black Carved Wood Blades
 Shown With Optional Yoke



5ASPR56PN
 Polished Nickel Housing
 Dark Walnut Carved Wood Blades
 Shown With Optional Yoke



5ASPR56RZW
 Matte White Housing
 Matte White Carved Wood Blades
 Shown With Optional Yoke

ASPEN 56

SEAN LAVIN

EN★ DAMP DC

BLADES

(5) Blades (Included)
 13° Blade Pitch
 54" Blade Sweep

BLADE MATERIAL

Carved Wood

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°
 Includes Optional Four-Armed Decorative Yoke
 Cover (shown)

INCLUDED CONTROLS


6-speed Remote Control with
 Reverse and Dimming



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
 Light Kit Available MC263 (pg. 203)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.1"
- B. Blade Drop: 12.9"
- C. Housing Width: 5.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	30 Watts	20 Watts
AIRFLOW	7228 CFM	4981 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	240 CFM/Watt	249 CFM/Watt



Optional Yoke Included

HICKS 60

THOMAS O'BRIEN



DEEP BRONZE/HAND-RUBBED ANTIQUE BRASS HOUSING WITH BRONZE CARVED WOOD BLADES AND MATTE OPAL GLASS



Shown with Finishing Cap

HICKS 60

THOMAS O'BRIEN

LED DC EN★

BLADES

(3) Blades (Included)
13° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
Light Output: 800 Lumens Net
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



A. Fixture Drop: 15.6"
B. Blade Drop: 11.8"
C. Housing Width: 9.6"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	18 Watts
AIRFLOW	8752 CFM	5746 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	317 CFM/Watt	311 CFM/Watt



3HCKR60BNZHABD

Deep Bronze/Hand-Rubbed Antique Brass Housing
Bronze Carved Wood Blades
Matte Opal Glass



3HCKR60HABD

Hand-Rubbed Antique Brass Housing
Dark Mahogany Carved Wood Blades
Matte Opal Glass

LAUNCETON 56

CHAPMAN & MYERS



HAND-RUBBED ANTIQUE BRASS HOUSING WITH MATTE WHITE BLADES



LAUNCETON 56

CHAPMAN & MYERS

DC EN★ DAMP

BLADES

(4) Blades (Included)
16° Blade Pitch
56" Blade Sweep

BLADE MATERIAL


ABS

INCLUDED CONTROLS

Hand-held Remote, 6-speed,
Reverse and Dimmer



FAN SPECIFICATIONS



A. Fixture Drop: 14"

B. Blade Drop: 13.7"


C. Housing Width: 6.9"

D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	19 Watts
AIRFLOW	6644 CFM	4744 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	233 CFM/Watt	248 CFM/Watt



4LNCR56HAB

Hand-Rubbed Antique Brass Housing
Matte White ABS Blades



4LNCR56MBK

Midnight Black Housing
Midnight Black ABS Blades

ROCKLAND 60



MIDNIGHT BLACK HOUSING WITH MIDNIGHT BLACK BLADES AND CLEAR SEEDED GLASS





4RKR60AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Clear Seeded Glass



4RKR60MBKD
Midnight Black Housing
Midnight Black Blades
Clear Seeded Glass



4RKR60OZD
Oil Rubbed Bronze Housing
Oil Rubbed Bronze Blades
Clear Seeded Glass



4RKR60BSD
Brushed Steel Housing
Washed Oak Blades
Clear Seeded Glass

ROCKLAND 60

EN★ LED DAMP DC

BLADES

(4) Blades (Included)
14° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

(1) 8W LED
Light Output: 700 Lumens
CCT: 2700K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 19.5"
- B. Blade Drop: 11"
- C. Housing Width: 7.2"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 125mm x 20mm

FTC ENERGY GUIDE


STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	40 Watts	23 Watts
AIRFLOW	7805 CFM	5713 CFMA
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	197 CFM/Watt	244 CFM/Watt

METROGRAPH 56

THOMAS O'BRIEN



DEEP BRONZE HOUSING WITH HAND-RUBBED ANTIQUE BRASS WITH BRONZE CARVED WOOD BLADES AND FROSTED WHITE GLASS



METROGRAPH 56

THOMAS O'BRIEN

EN★ LED DC



4TSR56BNZHABD
 Deep Bronze Housing with Hand-Rubbed Antique Brass
 Bronze Carved Wood Blades
 Frosted White Glass



4TSR56BNZD
 Deep Bronze Housing
 Bronze Carved Wood Blades
 Frosted White Glass



4TSR56PNGRYD
 Polished Nickel Housing
 Grey Carved Wood Blades
 Frosted White Glass

BLADES

(4) Blades (Included)
 13° Blade Pitch
 56" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
 Light Output: 1600 Lumens
 CCT: 3000K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Maximum Slope Angle with
 Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 16.6"
- B. Blade Drop: 13.3"
- C. Housing Width: 8.6"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	32 Watts	20 Watts
AIRFLOW	6944 CFM	4833 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	219 CFM/Watt	247 CFM/Watt

DOVER 68



REV

5DVR68BS

Brushed Steel Housing

Silver/Light Grey Weathered Oak Blades



Shown with Optional Light Kit MC261BS

DOVER 68

EN★ DC

BLADES

(5) Blades (Included)
14° Blade Pitch
68" Blade Sweep

BLADE MATERIAL

Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)

FAN SPECIFICATIONS



A. Fixture Drop: 15.8"
B. Blade Drop: 13.5"
C. Housing Width: 12.9"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	38 Watts	23 Watts
AIRFLOW	9508 CFM	5156 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	249 CFM/Watt	264 CFM/Watt



REV

5DVR68OZ

Oil Rubbed Bronze Housing
Bronze/KOA Carved Wood Blades



5DVR68RZW

Matte White Housing
Matte White Carved Wood Blades



5DVR68AGP

Aged Pewter Housing
Light Grey Weathered Oak Carved Wood Blades

DOVER 60



OIL RUBBED BRONZE HOUSING WITH OIL RUBBED BRONZE/KOA CARVED WOOD BLADES



Shown with Light Kit MC261 (pg. 203)



REV

5DVR60OZ
Oil Rubbed Bronze Housing
Oil Rubbed Bronze/KOA Carved Wood Blades



5DVR60RZW
Matte White Housing
Matte White Carved Wood Blades



5DVR60AGP
Aged Pewter Housing
Light Grey Weathered Oak Carved Wood Blades



REV

5DVR60BS
Brushed Steel Housing
Silver/Light Grey Weathered Oak Carved Wood Blades

DOVER 60

EN★ DC

BLADES

(5) Blades (Included)
14° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Carved Wood

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


6-speed Remote with
Dimmer and Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 203)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.8"
- B. Blade Drop: 13.5"
- C. Housing Width: 12.9"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	38 Watts	23 Watts
AIRFLOW	7988 CFM	5156 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	212 CFM/Watt	221 CFM/Watt

CENTRO 44



5CQM44RZW
Matte White Housing
Matte White Blades

CENTRO 44



REV

5CQM44RB
Roman Bronze Housing
Bronze/American Walnut Reversible Blades



REV

5CQM44BS
Brushed Steel Housing
Silver/Light Grey Weathered Oak Blades



5CQM44AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades

BLADES

(5) Blades (Included)
14° Blade Pitch
44" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
Included Hardware: 18°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 203)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.1"
- B. Blade Drop: 12"
- C. Housing Width: 11"
- D. Downrod: 4" (additional lengths pg. 216)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	44 Watts	30 Watts
AIRFLOW	3252 CFM	2400 CFM
ENERGY COSTS	N/A	\$8 Per Year
EFFICIENCY	74 CFM/Watt	81 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	44 Watts	30 Watts
AIRFLOW	3068 CFM	2297 CFM
ENERGY COSTS	N/A	\$8 Per Year
EFFICIENCY	70 CFM/Watt	77 CFM/Watt

DISCUS TRIO 58



MATTE WHITE HOUSING WITH MATTE WHITE BLADES AND MATTE OPAL GLASS



DISCUS TRIO 58

LED DAMP



3DIR58RZWD-V1
Matte White Housing
Matte White Blades
Matte Opal Glass

BLADES

(3) Blades (Included)
16° Blade Pitch
58" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 18W
Light Output: 700 Lumens Net
CCT: 2700K
CRI: 90+
Optional MC360 Finishing Cap
Available (pg. 135)

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Hand-held Remote, 4-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.7"
- B. Blade Drop: 11.0"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	69 Watts	43 Watts
AIRFLOW	5068 CFM	3527 CFM
ENERGY COSTS	N/A	\$12 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt



REV

3DIR58RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



REV

3DIR58BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass

DISCUS SMART 52



BRUSHED STEEL HOUSING WITH SILVER/AMERICAN WALNUT BLADES AND MATTE OPAL GLASS



DISCUS SMART KEY FEATURES

- Hand-held transmitter included.
- Connect your Discus Smart fan to WiFi to get additional features: Scheduling, Dusk to Dawn, Natural Breeze.
- Control your fan via your smart home system or via mobile phone using the Bond Home App.
- Download the Bond Home skill for Alexa or Bond Home Action for Google Home and use your voice to control your ceiling fan.
- Additional integration available with SmartThings, Control4, ELAN, Hubitat, and others.



REV

5DISM52BSD
Brushed Steel Housing
Silver/American Walnut Blades
Matte Opal Glass



5DISM52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DISM52MBKD
Midnight Black Housing
Midnight Black Blades
Matte Opal Glass



5DISM52RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass

DISCUS SMART 52

LED DC EN★

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
Light Output: 1000 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING


Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS

Smart with Bond Home App
Hand-held Remote, 5-speed,
Reverse and Dimmer



FAN SPECIFICATIONS



- A. Fixture Drop: 15.1"
- B. Blade Drop: 10.6"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 150mm x 16mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	TBD Watts	25 Watts
AIRFLOW	TBD CFM	4310 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	TBD CFM/Watt	171 CFM/Watt

DISCUS CLASSIC 52



REV

5DIC52RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



REV

5DIC52BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass

DISCUS CLASSIC 52



5DIC52BKD-V1
Matte Black Housing
Matte Black Blades
Matte Opal Glass



5DIC52PND-V1
Polished Nickel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



5DIC52AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DIC52WHD-V1
White Housing | White Blades
Matte Opal Glass

LED

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
Light Output: 1060 Lumens Net
CCT: 3000K
CRI: 90+
Optional MC360 Finishing Cap
Available (pg. 208)

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.1"
- B. Blade Drop: 10.6"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	4758 CFM	3415 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	3217 CFM	2164 CFM
ENERGY COSTS	N/A	\$12 Per Year
EFFICIENCY	49 CFM/Watt	53 CFM/Watt

DISCUS CLASSIC 44



REV

5DIC44PND-V1

Polished Nickel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



REV

5DIC44RBD-V1

Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



5DIC44BKD-V1
Matte Black Housing
Matte Black Blades
Matte Opal Glass



5DIC44AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DIC44BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



5DIC44WHD-V1
White Housing
White Blades
Matte Opal Glass

DISCUS CLASSIC 44

LED

BLADES

(5) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
Light Output: 1060 Lumens Net
CCT: 3000K
CRI: 90+
Optional MC360 Finishing Cap
Available (pg. 208)

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.1"
- B. Blade Drop: 10.6"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	3954 CFM	2854 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	52 CFM/Watt	77 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	3032 CFM	1970 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	68 CFM/Watt	53 CFM/Watt

TRAVERSE 52



BRUSHED STEEL HOUSING WITH SILVER BLADES AND MATTE OPAL GLASS





5TV52WHD-V1
 White Housing
 White Blades
 Matte Opal Glass



5TV52BSD-V1
 Brushed Steel Housing
 Silver Blades
 Matte Opal Glass



5TV52RBD-V1
 Roman Bronze Housing
 Roman Bronze Blades
 Graduated Amber Glass



5TV52AGPD-V1
 Aged Pewter Housing
 Light Grey Weathered Oak Blades
 Matte Opal Glass

TRAVERSE 52

LED

BLADES

(5) Blades (Included)
 12° Blade Pitch
 52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Downlight: (2) 10W LED Bulbs
 Light Output: 800 Lumens Net
 CCT: 3000K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Flush Mount Only

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
 Manual Reverse Switch



COMPATIBLE ACCESSORIES

See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



A. Fixture Drop: 12"
 B. Blade Drop: 6.4"
 C. Housing Width: 12.2"

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	41 Watts
AIRFLOW	2327 CFM	1737 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	39 CFM/Watt	43 CFM/Watt

COLONY 60

Aged Pewter Housing and Light Grey Weathered Oak Blades



TRADITIONAL

Aerotour 56	154
Aerotour Semi-Flush 56	156
Colony 60	144
Colony 60 LED	142
Colony 52	148
Colony 52 LED	146
Discus Ornate 52	158
Haven 52 DC	161
Haven 52 DC LED	160
Haven 52 LED 3	164
Haven 52 LED 2	162
Haven 52	166
Lemont 56	152
York 60	150
York 52	151

COLONY 60 LED



REV

5CSM60RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



5CSM60AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte White Glass



5CSM60BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



5CSM60RZWD-V1
Matte White Housing
Matte White Blades
Matte White Glass



5CSM60MBKD-V1
Midnight Black Housing
American Walnut/Midnight Black Reversible Blades
Matte White Glass

COLONY 60 LED

LED DAMP

BLADES

(5) Blades (Included)
12° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Downlight: (2) 9.3W LED Bulbs
Light Output: 800 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 18.5"
- B. Blade Drop: 11.5"
- C. Housing Width: 11.8"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 188mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	5510 CFM	3963 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	77 CFM/Watt	84 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	4851 CFM	3356 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	63 CFM/Watt	71 CFM/Watt

COLONY 60



AGED PEWTER HOUSING WITH LIGHT GREY WEATHERED OAK BLADES





5CSM60AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



5CSM60BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



5CSM60RB
Roman Bronze Housing
Bronze/American Walnut Reversible Blades



5CSM60RZW
Matte White Housing
Matte White Blades



5CSM60MBK
Midnight Black Housing
American Walnut/Midnight Black Reversible Blades

COLONY 60

DAMP

BLADES

(5) Blades (Included)
12° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.5"
- B. Blade Drop: 11.5"
- C. Housing Width: 11.8"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 188mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	5509 CFM	4096 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	76 CFM/Watt	87 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	4937 CFM	3633 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	68 CFM/Watt	77 CFM/Watt

COLONY 52 LED



5COM52AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte White Glass



REV

5COM52RBD-V1
 Roman Bronze Housing
 Bronze/American Walnut Reversible Blades
 Matte White Glass



REV

5COM52BSD-V1
 Brushed Steel Housing
 Silver/American Walnut Reversible Blades
 Matte White Glass



5COM52RZWD-V1
 Matte White Housing
 Matte White Blades
 Matte White Glass



REV

5COM52MBKD-V1
 Midnight Black Housing
 Midnight Black/American Walnut Reversible Blades
 Matte White Glass

COLONY 52 LED

LED DAMP

BLADES

(5) Blades (Included)
 12° Blade Pitch
 52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Downlight: (2) 10W LED Bulbs
 Light Output: 800 Lumens Net
 CCT: 3000K
 CRI: 90+

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°
 Dual Mount allowing downrod
 and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
 Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
 See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 17.7"
- B. Blade Drop: 11.3"
- C. Housing Width: 11.8"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	4224 CFM	3164 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	73 CFM/Watt	85 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	2867 CFM	1900 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	49 CFM/Watt	51 CFM/Watt

COLONY 52



AGED PEWTER HOUSING WITH LIGHT GREY WEATHERED OAK BLADES





5COM52RZW
Matte White Housing
Matte White Blades



5COM52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



5COM52RB
Roman Bronze Housing
Bronze/American Walnut Reversible Blades



5COM52AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



5COM52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades

COLONY 52

DAMP

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 12.8"
- B. Blade Drop: 11.3"
- C. Housing Width: 11.8"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	4201 CFM	3123 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	72 CFM/Watt	84 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	2469 CFM	1748 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	42 CFM/Watt	47 CFM/Watt

YORK 60

BLADES

(5) Blades (Included)

13° Blade Pitch

60" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with

Included Hardware: 30°

Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS

Pull Chain Operation, 3-speed,

Manual Reverse Switch




COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

Light Kit Adaptable (pg. 202)

See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



A. Fixture Drop: 14.3"

B. Blade Drop: 11.3"

C. Housing Width: 12.4"

D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 188mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	71 Watts	45 Watts
AIRFLOW	6191 CFM	4419 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	87 CFM/Watt	99 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	71 Watts	45 Watts
AIRFLOW	4601 CFM	2809 CFM
ENERGY COSTS	N/A	\$13 Per Year
EFFICIENCY	64 CFM/Watt	63 CFM/Watt



5YK60BK

Matte Black Housing with Aged Brass

Matte Black Blades

YORK 52

BLADES

(5) Blades (Included)
 13° Blade Pitch
 52" Blade Sweep

BLADE MATERIAL

Plywood

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°
 Dual Mount allowing downrod
 and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
 Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
 Light Kit Adaptable (pg. 202)
 See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.3"
- B. Blade Drop: 11.3"
- C. Housing Width: 12.4"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	39 Watts
AIRFLOW	4850 CFM	3645 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	81 CFM/Watt	93 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	39 Watts
AIRFLOW	3844 CFM	2769 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	64 CFM/Watt	71 CFM/Watt



5YK52BK
 Matte Black Housing with Aged Brass
 Matte Black Blades



5YK52AGP
 Aged Pewter Housing
 Light Grey Weathered Oak Blades

LEMONT 56



WASHED GREY HOUSING WITH WASHED GREY CARVED WOOD BLADES AND CLEAR SEEDED OUTER GLASS, FROSTED WHITE INNER GLASS



LEMONT 56

EN★ LED DC

BLADES

(4) Blades (Included)
12° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 16.5"
B. Blade Drop: 11.1"
C. Housing Width: 9.9"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	32 Watts	22 Watts
AIRFLOW	6688 CFM	4755 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	209 CFM/Watt	220 CFM/Watt



4LMR56WGRD
Washed Grey Housing
Washed Grey Carved Wood Blades
Clear Seeded Outer Glass, Frosted White Inner Glass



4LMR56DWZD
Dark Weathered Zinc Housing
Oak Grain Carved Wood Blades
Clear Seeded Outer Glass, Frosted White Inner Glass

AEROTOUR 56

THOMAS O'BRIEN



POLISHED NICKEL HOUSING WITH DARK MAHOGANY CARVED WOOD BLADES AND FROSTED WHITE GLASS



AEROTOUR 56

THOMAS O'BRIEN

EN★ LED DC



3TAR56PNDMD
Polished Nickel Housing
Dark Mahogany Carved Wood Blades
Frosted White Glass



3TAR56BNZD
Deep Bronze Housing
Dark Mahogany Carved Wood Blades
Frosted White Glass



3TAR56SND
Satin Nickel Housing
Silver Carved Wood Blades
Frosted White Glass

BLADES

(3) Blades (Included)
13° Blade Pitch
56" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 18W
Light Output: 1600 Lumens
CCT: 3000K
CRI: 90+
Finishing Cap Included

MOUNTING

Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS


Hand-held Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 15.9"
B. Blade Drop: 12.5"
C. Housing Width: 9.4"
D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 155mm x 22mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	23 Watts	15 Watts
AIRFLOW	7058 CFM	4814 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	311 CFM/Watt	319 CFM/Watt

AEROTOUR SEMI-FLUSH 56

THOMAS O'BRIEN



DEEP BRONZE HOUSING WITH DARK MAHOGANY CARVED WOOD BLADES AND FROSTED WHITE GLASS





3TAHR56BNZD
 Deep Bronze Housing
 Dark Mahogany Carved Wood Blades
 Frosted White Glass



3TAHR56PNDMD
 Polished Nickel Housing
 Dark Mahogany Carved Wood Blades
 Frosted White Glass



3TAHR56PNGRYD
 Polished Nickel Housing
 Grey Carved Wood Blades
 Frosted White Glass



3TAHR56SND
 Satin Nickel Housing
 Silver Carved Wood Blades
 Frosted White Glass

AEROTOUR SEMI-FLUSH 56

THOMAS O'BRIEN

EN★ LED DC

BLADES

(3) Blades (Included)
 13° Blade Pitch
 56" Blade Sweep

BLADE MATERIAL

Carved Wood

LAMPING

Integrated Downlight: 20W
 Light Output: 1600 Lumens
 CCT: 3000K
 CRI: 90+
 Finishing Cap Included

MOUNTING

Flush Mount Only

INCLUDED CONTROLS

Hand-held Remote, 6-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Wall Control ESSWC-10 (pg. 198)

FAN SPECIFICATIONS



A. Fixture Drop: 11.3"
 B. Blade Drop: 8.4"
 C. Housing Width: 9.4"

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	28 Watts	17 Watts
AIRFLOW	6647 CFM	4563 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	241 CFM/Watt	266 CFM/Watt

DISCUS ORNATE 52



MATTE BLACK HOUSING WITH MATTE BLACK BLADES AND MATTE OPAL GLASS



DISCUS ORNATE 52



5DIO52BKD
Matte Black Housing
Matte Black Blades
Matte Opal Glass



5DIO52RBD
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



5DIO52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass

LED

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

Plywood

LAMPING

Integrated Downlight: 20W
Light Output: 715 Lumens Net
CCT: 2700K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.1"
- B. Blade Drop: 10.6"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	4758 CFM	3415 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt

HAVEN 52 DC LED

EN★ LED DC

BLADES

(5) Blades (Included)

12° Blade Pitch

52" Blade Sweep

BLADE MATERIAL

MDF

LAMPING

Integrated Downlight: (2) 9.3W LED Bulbs

Light Output: 1600 Lumens Net

CCT: 3000K

CRI: 90+

MOUNTING

Maximum Slope Angle with

Included Hardware: 30°

Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS

3-speed Pull Chain




COMPATIBLE ACCESSORIES

Wall Control ESSWC-11 (pg. 198)

Slope Ceiling Canopy Kit MC95 (pg. 207)

Light Kit Adaptable (pg. 202)

FAN SPECIFICATIONS



A. Fixture Drop: 18.3"

B. Blade Drop: 11.7"

C. Housing Width: 10.3"

D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 150mm x 16mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	18 Watts
AIRFLOW	5682 CFM	4255 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	210 CFM/Watt	238 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	29 Watts	19 Watts
AIRFLOW	5284 CFM	3920 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	184 CFM/Watt	210 CFM/Watt



REV

5HVDC52BSD

Brushed Steel Housing
Silver/American Walnut Blades
Matte White Glass



5HVDC52RZWD

Matte White Housing
Matte White Blades
Matte White Glass



REV

5HVDC52BZD

Bronze Housing
Bronze/American Walnut Blades
Matte White Glass

HAVEN 52 DC

EN★ DC



REV

5HVDC52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



5HVDC52RZW
Matte White Housing
Matte White Blades



REV

5HVDC52BZ
Bronze Housing
Bronze/American Walnut Blades

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

MDF

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Wall Control ESSWC-11 (pg. 198)
Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)

FAN SPECIFICATIONS



A. Fixture Drop: 13.9"
B. Blade Drop: 11.7"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 150mm x 16mm

FTC ENERGY GUIDE

STANDARD	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	18 Watts
AIRFLOW	5579 CFM	4156 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	208 CFM/Watt	235 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGHSPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	19 Watts
AIRFLOW	5308 CFM	3940 CFM
ENERGY COSTS	N/A	\$15 Per Year
EFFICIENCY	159 CFM/Watt	209 CFM/Watt

HAVEN 52 LED 2



5HV52RZWD
Matte White Housing
Matte White Blades
Matte White Glass



5HV52BKD
Matte Black Housing
Matte Black Blades
Matte White Glass



REV

5HV52BZD

Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV

5HV52BSD

Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV

5HV52BPD

Brushed Pewter Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV

5HV52CHD

Chrome Housing
Silver/American Walnut Reversible Blades
Matte White Glass

HAVEN 52 LED 2

LED

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

MDF

LAMPING

Downlight: (2) 9.3W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 18.3"
- B. Blade Drop: 11.7"
- C. Housing Width: 10.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4355 CFM	3241 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73 CFM/Watt	86 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4068 CFM	3020 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	68 CFM/Watt	80 CFM/Watt

HAVEN 52 LED 3



5HV52BKF
Matte Black Housing
Matte Black Blades
Matte White Glass

HAVEN 52 LED 3

LED

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

MDF

LAMPING

Downlight: (3) 9.3W LED
Light Output: 2400 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 19.9"
- B. Blade Drop: 11.7"
- C. Housing Width: 10.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4344 CFM	3225 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73 CFM/Watt	85 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4135 CFM	3039 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	69 CFM/Watt	80 CFM/Watt



REV

5HV52BSF

Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV

5HV52BZF

Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV

5HV52CHF

Chrome Housing
Silver/American Walnut Reversible Blades
Matte White Glass

HAVEN 52



REV

5HV52CH

Chrome Housing
Silver/American Walnut Reversible Blades



5HV52BK

Matte Black Housing
Matte Black Blades

HAVEN 52



REV

5HV52BZ

Bronze Housing
Bronze/American Walnut Reversible Blades



REV

5HV52BS

Brushed Steel Housing
Silver/American Walnut Reversible Blades



5HV52RZW

Matte White Housing
Matte White Blades

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

MDF

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod
and flush mounting

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Control Compatibility Chart (pg. 200)
Light Kit Adaptable (pg. 202)

FAN SPECIFICATIONS



A. Fixture Drop: 13.9"
B. Blade Drop: 11.7"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4402 CFM	3241 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	74 CFM/Watt	86 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	38 Watts
AIRFLOW	4026 CFM	3013 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	68 CFM/Watt	80 CFM/Watt

CRUISE 52

Roman Bronze Housing and American Walnut Grain ABS Blades



OUTDOOR

Boynton 54	176
Cruise 52	180
Cyclone 60	172
Discus Outdoor 52	174
Dylan 56	178
Haven Outdoor 52	184
Haven Outdoor 52 LED	182
Haven Outdoor 44	186
Maverick Coastal 60	170

MAVERICK COASTAL 60



MATTE WHITE HOUSING WITH MATTE WHITE ABS BLADES

MAVERICK COASTAL KEY FEATURES

- 5-year warranty on finish.
- Lifetime warranty on motor.
- Constructed with Marine Grade 316 stainless steel.
- Withstands saltwater spray better than standard Wet-rated fans.

MAVERICK COASTAL 60

DC EN★ WET 

BLADES

(3) Blades (Included)
V Blade Pitch
60" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle
with included hardware: 15°

INCLUDED CONTROLS


Hand-held Remote
6-speed
Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-7 and ESSWC-8 (pg. 196)
Slope Ceiling Canopy Ki MC95 (pg.207)

FAN SPECIFICATIONS



- A. Fixture Drop: 12"
- B. Blade Drop: 11.8"
- C. Housing Width: 7"
- D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 120mm x 30mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	18 Watts
AIRFLOW	8574 CFM	6195 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	321 CFM/Watt	341 CFM/Watt



3MGMR6OMBKMBK
Midnight Black Housing
Midnight Black ABS Blades



3MGMR60RZW
Matte White Housing
Matte White ABS Blades

CYCLONE 60



ROMAN BRONZE HOUSING WITH AMERICAN WALNUT GRAIN ABS BLADES



CYCLONE 60

WET

BLADES

(5) Blades (Included)
13° Blade Pitch
60" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Wall Control ESSWC-4-WH (pg. 195)
Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 14.0"
- B. Blade Drop: 11.3"
- C. Housing Width: 12.8"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 212mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	81 Watts	52 Watts
AIRFLOW	6666 CFM	4890 CFM
ENERGY COSTS	N/A	\$15 Per Year
EFFICIENCY	82 CFM/Watt	93 CFM/Watt



5CY60BK
Matte Black Housing
Matte Black Grain ABS Blades



5CY60RB
Roman Bronze Housing
American Walnut Grain ABS Blades



5CY60WH
White Housing
White Grain ABS Blades

DISCUS OUTDOOR 52



5DIW52WHD
White Housing
White ABS Blades
Matte Opal Glass

DISCUS OUTDOOR 52

LED WET



5DIW52RBD
 Roman Bronze Housing
 Roman Bronze ABS Blades
 Matte Opal Glass



5DIW52PBSD
 Painted Brushed Steel Housing
 Painted Brushed Steel ABS Blades
 Matte Opal Glass



5DIW52BKD
 Matte Black Housing
 Matte Black Blades
 Matte Opal Glass

BLADES

(5) Blades (Included)
 12° Blade Pitch
 52" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 20W
 Light Output: 715 Lumens Net
 CCT: 2700K
 CRI: 90+

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
 Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
 See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 15.1"
- B. Blade Drop: 10.6"
- C. Housing Width: 11.1"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE


STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	66 Watts	41 Watts
AIRFLOW	4781 CFM	3415 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt

BOYNTON 54

SEAN LAVIN



ANTIQUÉ BRONZE HOUSING WITH LIGHT GREY WEATHERED ABS BLADES AND CLEAR SEEDED GLASS WITH FROSTED LENS



BOYNTON 54

LED WET

BLADES

(3) Blades (Included)
 14° Blade Pitch
 54" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Integrated Downlight: 14W
 Light Output: 580 Lumens Net
 CCT: 2700K
 CRI: 90+

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°

INCLUDED CONTROLS


Hand-held Remote, 4-speed,
 Reverse and Dimmer



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



A. Fixture Drop: 19.8"

B. Blade Drop: 13.6"

C. Housing Width: 7.8"

D. Downrod: 6" (additional lengths pg. 216)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	5687 CFM	3929 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	87 CFM/Watt	97 CFM/Watt



3BTR54ANBZD

Antique Bronze Housing
 Light Grey Weathered ABS Blades
 Clear Seeded Glass with Frosted Lens

DYLAN 56



AGED BRASS HOUSING WITH DARK WALNUT ABS BLADES



DYLAN 56

WET DC

BLADES

(3) Blades (Included)
 16° Blade Pitch
 56" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Level Ceiling Only

INCLUDED CONTROLS


Hand-held Remote,
 6-speed, Reverse



COMPATIBLE ACCESSORIES

Wall Control ESSWC-9 (pg. 197)
 Slope Ceiling Canopy Kit MC95 (pg. 207)

FAN SPECIFICATIONS



- A. Fixture Drop: 16.5"
- B. Blade Drop: 15"
- C. Housing Width: 11.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 120mm x 25mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	43 Watts	25 Watts
AIRFLOW	8550 CFM	6137 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	241 CFM/Watt	241 CFM/Watt



3DYZ56AGB
 Aged Brass Housing
 Dark Walnut ABS Blades




3DYZ56AGP
 Aged Pewter Housing
 Light Grey Weathered Oak ABS Blades

CRUISE 52



ROMAN BRONZE HOUSING WITH AMERICAN WALNUT ABS BLADES



CRUISE 52

WET

BLADES

(5) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS

Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)
See Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 14"
- B. Blade Drop: 10.9"
- C. Housing Width: 10.4"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	68 Watts	42 Watts
AIRFLOW	4324 CFM	3238 CFM
ENERGY COSTS	N/A	\$12 Per Year
EFFICIENCY	64 CFM/Watt	76 CFM/Watt



5CU52RB
Roman Bronze Housing
American Walnut ABS Blades



5CU52BK
Midnight Black Housing
Black ABS Blades



5CU52WH
White Housing
White ABS Blades

HAVEN OUTDOOR 52 LED



5HVO52BZD
Bronze Housing
Bronze ABS Blades
Matte White Glass

HAVEN OUTDOOR 52 LED

LED WET

BLADES

(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL

ABS

LAMPING

Downlight: (2) 9.3W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS

Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
See Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 19.2"
- B. Blade Drop: 11.7"
- C. Housing Width: 10.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	59 Watts	36 Watts
AIRFLOW	4510 CFM	3228 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	77 CFM/Watt	90 CFM/Watt



5HVO52BKD
Matte Black Housing
Matte Black ABS Blades
Matte White Glass



5HVO52RZWD
Matte White Housing
Matte White ABS Blades
Matte White Glass

HAVEN OUTDOOR 52



5HVO52RZW
Matte White Housing
Matte White ABS Blades

HAVEN OUTDOOR 52

WET

BLADES

(5) Blades (Included)
 12° Blade Pitch
 52" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
 Included Hardware: 30°

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
 Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
 Light Kit Adaptable (pg. 202)
 See Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.9"
- B. Blade Drop: 11.7"
- C. Housing Width: 10.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	59 Watts	36 Watts
AIRFLOW	4482 CFM	3206 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	76 CFM/Watt	89 CFM/Watt



5HVO52BK
 Matte Black Housing
 Matte Black ABS Blades

HAVEN OUTDOOR 44



5HVO44BK
Matte Black Housing
Matte Black ABS Blades

HAVEN OUTDOOR 44

WET

BLADES

(5) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL

ABS

MOUNTING

Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS


Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95 (pg. 207)
Light Kit Adaptable (pg. 202)
See Control Compatibility Chart (pg. 200)

FAN SPECIFICATIONS



- A. Fixture Drop: 13.9"
- B. Blade Drop: 11.7"
- C. Housing Width: 10.3"
- D. Downrod: 4.5" (additional lengths pg. 216)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	36 Watts
AIRFLOW	4025 CFM	2900 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	69 CFM/Watt	81 CFM/Watt



5HVO44BZ
Bronze Housing
Bronze ABS Blades



5HVO44RZW
Matte White Housing
Matte White ABS Blades

ARCADE 68

Midnight Black Housing, Midnight Black ABS Blades
with optional Light and Finish Kit



ACCESSORIES

Fan Controls	191
Light Kits	202
Custom Finish Kits	204
Mounting Canopies	207
Finishing Caps	208

NEO REMOTE CONTROL
MCRC1 Wall Mount



NEO REMOTE CONTROLS

The NEO remote control is complete with both a magnet and a wall holster. It can fit anywhere in the home for easy access, and with its sleek profile, it complements any décor.

UNIVERSAL CAPABILITY

MCRC1 works with virtually all Monte Carlo pull-chain fans. The receiver is installed into the canopy of most standard, non-remote 3-speed fans.

HAND-HELD OR WALL-MOUNTED HOLSTER

Transmitter operates all functions while in the wireless, low-profile wall holster. The holster fits over standard switch plates, or can be mounted elsewhere.

MAGNETIZED TRANSMITTER

Attaches to metal surfaces for easy access.

SPEED CONTROL WITH LED SPEED INDICATOR

Single-button speed control with blue speed-indicator lights.

FOUR SPEEDS

Low, low/medium, medium/high and high speeds.

CONTROL CFL, INCANDESCENT OR LED

On/Off or dimming capability via dip switch on receiver.

60,000+ FREQUENCIES

Good for any large hotel, condo or apartment projects to eliminate frequency interference.

BATTERY OPERATED HAND-HELD TRANSMITTER

Transmitter includes an extra battery in the box.

2,000W SURGE PROTECTION

Twice the industry standard of 1000W.

WIRED WALL REMOTE CONTROL MCRC3 AVAILABLE

Ultimate control, with wired and hand-held controls able to work in concert.

NEO Functionality Chart

Complete System (Transmitter and Receiver)

MODEL/SERIES	FAN SPEED	FAN OFF	REVERSE	DOWNLIGHT	ITEM#
MCRC1	X	X		X	MCRC1
MCRC3	X	X		X	MCRC3

Transmitter Only

MODEL/SERIES	FAN SPEED	FAN OFF	REVERSE	DOWNLIGHT	ITEM#
MCRC1T	X	X		X	MCRC1T
MCRC3W	X	X		X	MCRC3W

Receiver Only

MODEL/SERIES	FAN SPEED	FAN OFF	REVERSE	DOWNLIGHT	ITEM#
MCRC-RC1	X	X		X	MCRC-RC1

NEO MAGNETIC HAND-HELD & WALL MOUNT

Battery Operated | Hard Wired



MCRC1 (Universal)

- Hand-held or wall mount
- Works with virtually all pull-chain fans
- Non-reversing fan and light control
- Canopy installed receiver
- Can be used with MCRC3



(Transmitter)



(Receiver)

TRANSMITTER AND FAN RECEIVER
MCRC1

TRANSMITTER ONLY
MCRC1T



MCRC3 (Universal)

- 2-wire wall control
- Works with virtually all pull-chain fans
- Non-reversing fan and light control
- Canopy installed receiver
- Includes white and almond face plates
- Can be used with MCRC1



(Transmitter)



(Receiver)

TRANSMITTER AND FAN RECEIVER
MCRC3

TRANSMITTER ONLY
MCRC3W

COMPATIBLE FANS WITH MCRC1 AND MCRC3

Arcade 54	pg. 94	Haven 52 LED2	pg. 162
Centro 44	pg. 128	Haven 52	pg. 166
Colony Collection	pg. 142	Haven Outdoor 52	pg. 184
Cruise 52	pg. 180	Haven Outdoor 52 LED	pg. 182
Cyclone 60	pg. 172	Haven Outdoor 44	pg. 186
Discus Classic 52	pg. 134	Jovie 52	pg. 80
Discus Classic 44	pg. 136	Syrus 52	pg. 82
Discus Ornate 52	pg. 158	Traverse 52	pg. 138
Discus Outdoor 52	pg. 174	York Collection	pg. 150
Haven 52 LED3	pg. 164		

COMBO WALL-MOUNT, HAND-HELD WALL CONTROL



CK250 (Combo Wall-Mount/Hand-Held Kit)

- Non-reversing fan and dimming downlight control
- Canopy installed receiver
- 3-speed
- Battery-operated hand-held transmitter or wall control (no hardwiring required)
- Dip switch control offering 16 different frequencies
- 1,000W surge protection
- White and almond face plates included



(Transmitter)



(Receiver)



(Includes Enclosure for Hand-Held Use)

TRANSMITTER ONLY
CT100 (does not reverse fan)



CK300 (Combo Wall-Mount/Hand-Held Kit)

- Reversing fan and dimming downlight control
- Switch housing installed receiver
- 3-speed
- Battery-operated hand-held transmitter or wall control (no hardwiring required)
- Dip switch control offering 16 different frequencies
- 1,000W surge protection
- White and almond face plates included



(Transmitter)



(Receiver)



(Includes Enclosure for Hand-Held Use)

TRANSMITTER ONLY
CT150

COMPATIBLE FANS WITH CK250

Arcade 54	pg. 94	Haven 52 LED2	pg. 162
Centro 44	pg. 128	Haven 52	pg. 166
Colony Collection	pg. 142	Haven Outdoor 52 LED	pg. 182
Cruise 52	pg. 148	Haven Outdoor 52	pg. 184
Cyclone 60	pg. 172	Haven Outdoor 44	pg. 186
Discus Classic 52	pg. 134	Jovie 52	pg. 80
Discus Classic 44	pg. 136	Syrus 52	pg. 82
Discus Ornate 52	pg. 158	Traverse 52	pg. 138
Discus Outdoor 52	pg. 174	York Collection	pg. 150
Haven 52 LED3	pg. 164		

COMPATIBLE FANS WITH CK300

Cruise 52	pg. 180
Cyclone 60	pg. 172

WALL-MOUNT CONTROLS



ESWC-1 (Wall Control)

- Rotary-style fan wall control
- 3-speed
- Includes ivory and white knobs
- Face plate not included



ESSWC-3-WH (Wall Control)

- Converts standard two-wire wall switch to a four-speed (High, Medium/High, Medium, Low) fan control

COMPATIBLE FANS WITH ESWC-1 & ESSWC3-WH

Arcade 54	pg. 94
Centro 44	pg. 128
Colony 60	pg. 144
Colony 52	pg. 148
Cruise 52	pg. 180
Haven 52	pg. 166
Haven Outdoor 52	pg. 184
Haven Outdoor 44	pg. 186
York 60	pg. 150
York 52	pg. 151

WALL-MOUNT CONTROLS



ESSWC-4-WH (Wall Control)

- For use with extra heavy duty 212mm motors
- Converts standard two-wire wall switch to a heavy duty (212mm motor fans) four-speed (high, medium/high, medium, low) fan control



ESSWC-5-WH (Wall Control)

- Converts standard wall switch to fan and on/off light control
- Wall switch must have three wires, (with two hot leads) to operate both fan and light separately

COMPATIBLE FANS WITH ESSWC-4-WH

Cyclone 60 pg. 172

COMPATIBLE FANS WITH ESSWC-5-WH

Arcade 54	pg. 94	Haven 52 LED 3	pg. 164
Centro 44	pg. 128	Haven 52 LED 2	pg. 162
Colony 60 LED	pg. 142	Haven 52	pg. 166
Colony 60	pg. 144	Haven Outdoor 52 LED	pg. 182
Colony 52 LED	pg. 146	Haven Outdoor 52	pg. 184
Colony 52	pg. 148	Haven Outdoor 44	pg. 186
Cruise 52	pg. 180	Syrus 52	pg. 82
Discus Classic 52	pg. 134	Traverse 52	pg. 138
Discus Classic 44	pg. 136	York 60	pg. 150
Discus Ornate 52	pg. 158	York 52	pg. 151
Discus Outdoor 52	pg. 174		

WALL-MOUNT CONTROLS



ESSWC-6-WH (Wall Control)

- 4-speed wall control
- Converts standard wall switch to a multi-function fan and light control
- Wall switch must have three wires, (with two hot leads) to operate both fan and light separately



ESSWC-7-WH (Wall Control)

- 6-speed wall transmitter
- 2-wire wall control
- Reversing fan and light control
- LED light dimmer

COMPATIBLE FANS WITH ESSWC-6

Arcade 54	pg. 94	Haven Outdoor 44	pg. 186
Centro 44	pg. 128	Haven 52 LED 3	pg. 164
Colony 60 LED	pg. 142	Haven 52 LED 2	pg. 162
Colony 60	pg. 144	Haven 52	pg. 166
Colony 52 LED	pg. 146	Haven Outdoor 52 LED	pg. 182
Colony 52	pg. 148	Haven Outdoor 52	pg. 184
Cruise 52	pg. 180	Syrus 52	pg. 82
Discus Classic 52	pg. 134	Traverse 52	pg. 138
Discus Classic 44	pg. 136	York 60	pg. 150
Discus Ornate 52	pg. 158	York 52	pg. 151
Discus Outdoor 52	pg. 184		

COMPATIBLE FANS WITH ESSWC-7-WH

Adler 60	pg. 72
Maverick Coastal 60	pg. 170
Maverick 88	pg. 30
Maverick 70	pg. 34
Maverick 60	pg. 38
Maverick 52	pg. 42
Minimalist 72	pg. 44
Minimalist 56	pg. 46



ESSWC-8 (Wall Control)

- 6-speed wall transmitter
- Battery operated
- On/off switch for fan power
- Reversing fan and light control
- LED light dimmer



ESSWC-9 (Wall Control)

- 4-speed wall transmitter (1 = low speed, 2 = medium low speed, 3 = medium speed, 4 = high speed)
- Battery operated
- On/off switch for fan power
- Reversing fan and light control
- LED light dimmer

COMPATIBLE FANS WITH ESSWC-8

Adler 60	pg. 72	Maverick 60 LED	pg. 36
Kingston 72	pg. 96	Maverick 60	pg. 38
Maverick Coastal 60	pg. 170	Maverick 52 LED	pg. 40
Maverick 88	pg. 30	Maverick 52	pg. 42
Maverick 70 LED	pg. 32	Minimalist 72	pg. 44
Maverick 70	pg. 34	Minimalist 56	pg. 46

COMPATIBLE FANS WITH ESSWC-9

Akova 56 LED	pg. 90	Lily 56	pg. 98
Armstrong 60	pg. 74	Loft 96	pg. 50
Aspen 70	pg. 112	Loft 72	pg. 52
Aspen 56	pg. 114	Loft 62	pg. 54
Avvo 56	pg. 84	Prairie 72	pg. 106
Cirque 56	pg. 70	Prairie 62	pg. 108
Destin 57	pg. 88	Prairie 52	pg. 110
Dylan 56	pg. 178	Rockland 60	pg. 120
Launceton 56	pg. 118	Stockton 60	pg. 48

WALL-MOUNT CONTROLS



ESSWC-10 (Wall Control)

- 6-speed wall transmitter
- Reversing fan and light control
- LED light dimmer



ESSWC-11 (Wall Control)

- 3-speed wall transmitter
- Reversing fan and light control
- LED light dimmer
- Variable Breeze

COMPATIBLE FANS WITH ESSWC-10

Aerotour 56	pg. 154	Dover 60	pg. 126
Aerotour Semi-Flush 56	pg. 156	Giarre 60	pg. 20
Arcade 68	pg. 92	Lemont 56	pg. 152
Arezzo 60	pg. 24	Metrograph 56	pg. 122
Atlantic 56	pg. 86	Vision 72	pg. 58
Cupra 60	pg. 26	Volta 60	pg. 22
Dover 68	pg. 124		

COMPATIBLE FANS WITH ESSWC-11

Haven 52 DC LED	pg. 160
Haven 52 DC	pg. 161

DOVER 60

Oil Rubbed Bronze Housing with Bronze/KOA Blades



	NEO REMOTE CONTROL KIT		NEO TRANSMITTER ONLY		COMBO HAND-HELD/ WALL REMOTE KIT	
	MCRC1 MCRC3		MCRC1T MCRC3W		CK250	CK300
Arcade 54	x		x		x	
Centro 44	x		x		x	
Colony 60 LED	x		x		x	
Colony 60	x		x		x	
Colony 52 LED	x		x		x	
Colony 52	x		x		x	
Cruise 52	x		x		x	x
Cyclone 60	x		x		x	x
Discus Classic 52	x		x		x	
Discus Classic 44	x		x		x	
Discus Ornate 52	x		x		x	
Discus Outdoor 52	x		x		x	
Haven 52 LED 3	x		x		x	
Haven 52 LED 2	x		x		x	
Haven Outdoor 52 LED	x		x		x	
Haven 52	x		x		x	
Haven Outdoor 52	x		x		x	
Haven Outdoor 44	x		x		x	
Jovie 52	x		x		x	
Syrus 52	x		x		x	
Traverse 52	x		x		x	
York 60	x		x		x	
York 52	x		x		x	

DIRECT WIRED WALL CONTROLS

	ESWC-1	ESSWC-3-WH	ESSWC-4-WH	ESSWC-5-WH	ESSWC-6-WH
Arcade 54	x	x		x	x
Centro 44	x	x		x	x
Colony 60 LED				x	x
Colony 60	x	x		x	x
Colony 52 LED				x	x
Colony 52	x	x		x	x
Cruise 52	x	x		x	x
Cyclone 60			x		
Discus Classic 52				x	x
Discus Classic 44				x	x
Discus Ornate 52				x	x
Discus Outdoor 52				x	x
Haven 52 LED 2				x	x
Haven 52 LED 3				x	x
Haven Outdoor 52	x	x		x	x
Haven 52	x	x		x	x
Haven Outdoor 52 LED				x	x
Haven Outdoor 44	x	x		x	x
Jovie 52	x	x			
Syrus 52	x	x		x	x
Traverse 52				x	x
York 60	x	x		x	x
York 52	x	x		x	x

Can't find the fan you are looking for?

This means it is offered with its own remote control, included in the box. For remote control details, please check the fan's product page.

All remote controls are indoor rated only.

LIGHT KITS

These light kits are compatible with the following collections:

Centro 44
Colony 60
Colony 52
Cruise 52
Cyclone 60

Dover 68
Dover 60
Haven 52
Haven Outdoor 52
Haven Outdoor 44

York 60
York 52



MC224

MC224 LED
HUGGER LIGHT FROSTED GLASS
- H: 4.5" W: 12.4"
- (3) Candelabra 6W LED Bulb (Included)
- 2700K | 1500 Lumens Net | CRI 90+

MC224BS-V1
Brushed Steel (shown)

MC224RB-V1
Roman Bronze

MC224RZW-V1
Matte White



MC242

MC242 LED DAMP
MATTE OPAL GLASS
- H: 4.9" W: 11.75"
- (2) 9.3W Medium A19 LED Bulbs (Included)
- 3000K | 1600 Lumens Net | CRI 90+

MC242AGP
Aged Pewter

MC242BS
Brushed Steel

MC242OZ
Oil Rubbed Bronze

MC242RB
Roman Bronze
(shown)

MC242RZW
Matte White



MC247

MC247 LED DAMP
MATTE OPAL GLASS
- H: 3.8" W: 15.7"
- (3) 9.3W Medium A19 LED Bulbs (Included)
- 3000K | 2400 Lumens Net | CRI 90+

MC247RZW
Matte White

MC247RB
Roman Bronze

MC247BS
Brushed Steel (shown)

Universal Light Kits

MC261 LED
 LIGHT KIT
 - H: 2.6" W: 11.2"
 - 21W Integrated LED
 - 3000K | 1800 Lumens Net | CRI 90+
 - Frosted White Shade

MC261BS
 Brushed Steel

MC261OZ
 Oil Rubbed Bronze

MC261RZW
 Matte White

MC261AGP
 Aged Pewter (shown)



MC261

MC260 LED
 LIGHT KIT
 - H: 1.2" W: 5.1"
 - 18W Integrated LED
 - 3000K | 1600 Lumens Net | CRI 90+
 - Frosted White Shade

MC260MBK
 Midnight Black

MC260PN
 Polished Nickel

MC260RZW
 Matte White

MC260BS
 Brushed Steel (shown)



MC260

This light kit is compatible with the Aspen 70 and Aspen 56 collections.

MC263 LED
 ASPEN LIGHT KIT
 - H: 2.5" W: 3.9"
 - 15W Integrated LED
 - 3000K | 1500 Lumens Net | CRI 90+

MC263MBK
 Midnight Black

MC263BS
 Brushed Steel (shown)

MC263RZW
 Matte White

MC263BBS
 Burnished Brass

MC263AGP
 Aged Pewter

MC263PN
 Polished Nickel



MC263BS

This light kit is compatible with the Rozzen 52 and Rozzen 44 collections.

MC262
 ROZZEN LED LIGHT KIT
 - H: 2.1" W: 6.25"
 - 18W Integrated LED
 - 3000K | 1500 Lumens Net | CRI 90+




MC262

MAVERICK FINISH KITS

The below Maverick Finish Kits can be added to the Maverick 70, Maverick 60 and Maverick 52 fans to create a custom look.*


MCFK-BK

Maverick Finish Kit in Matte Black




MCFK-AGP

Maverick Finish Kit in Aged Pewter




MCFK-BBS

Maverick Finish Kit in Burnished Brass




MCFK-BS

Maverick Finish Kit in Brushed Steel



MCFK-RZW

Maverick Finish Kit in Matte White



MCFK-PN

Maverick Finish Kit in Polished Nickel



*For Maverick 88 use part number 88MCFK-BK, 88MCFK-BBS, 88MCFK-RZW, 88MCFK-AGP, 88MCFK-BS, 88MCFK-PN.

The below Maverick LED Finish Kits can be added to the Maverick 70 LED, Maverick 60 LED and Maverick 52 LED fans to create a custom finish combination.

MCFKLED-BK

Maverick Finish Kit in Matte Black



MCFKLED-AGP

Maverick Finish Kit in Aged Pewter



MCFKLED-BBS

Maverick Finish Kit in Burnished Brass



MCFKLED-BS

Maverick Finish Kit in Brushed Steel



MCFKLED-RZW

Maverick Finish Kit in Matte White



MCFKLED-PN

Maverick Finish Kit in Polished Nickel



ARCADE FINISH KITS

The below Arcade Finish Kits can be added to the Arcade 68 and Arcade 54 fans to create a custom look.

ACFK-MBK

Arcade Kit in Midnight Black



ACFK-PN

Arcade Finish Kit in Polished Nickel



ACFK-BBS

Arcade Finish Kit in Burnished Brass



ACFK-BS

Arcade Finish Kit in Brushed Steel




ACFK-RZW

Arcade Finish Kit in Matte White



MC90 (Flush Mount Canopy Kit)



MC90RB
Roman Bronze

For lower ceilings, this flush mount canopy can easily be mounted directly on the top of most Monte Carlo models (under 35 lbs), bringing your fan closer to the ceiling.



MC90AGP
Aged Pewter



MC90BK
Matte Black



MC90BP
Brushed Pewter



MC90BS
Brushed Steel



MC90OZ
Oil Rubbed
Bronze



MC90PN
Polished Nickel



MC90RB
Roman Bronze




MC90TI
Titanium



MC90WH
White

MC95 (Slope Ceiling Canopy Kit)



MC95RB
Roman Bronze

For extreme sloped or vaulted ceilings (up to 46° pitch) this adapter can easily be mounted on most Monte Carlo models under 35 lbs.



MC95AGB
Aged Bronze



MC95AGP
Aged Pewter



MC95BBS
Burnished Brass



MC95BK
Matte Black



MC95MBK
Midnight Black



Brushed Pewter



MC95BS
Brushed Steel



MC95CH
Chrome



MC95BZ
Bronze



MC95GRY
Grey



MC95KOA
Koa



MC95BNZ
Deep Bronze



MC95OZ
Oil Rubbed
Bronze



MC95PN
Polished Nickel



MC95RB
Roman Bronze



MC95RZW
Matte White



MC95SN
Satin Nickel



MC95TI
Titanium



MC95WH
White

CANOPIES | FINISHING CAPS



MCM95AGP
Aged Pewter



MCM95BS
Brushed Steel



MCM95BK
Matte Black

MCM95

Slope Ceiling Canopy Kit
Exclusive for Minimalist and
Minimalist Max fans.



MCM95AGP
Aged Pewter

For sloped or vaulted ceilings (up to 25°
pitch), this adapter can easily be mounted
on the Minimalist or Minimalist Max fans.



MCM360AGP
Aged Pewter




MCM360BK
Matte Black



MCM360BS
Brushed Steel

MCM360

Finishing Cap (Blanking Plate)
Exclusive for Minimalist and
Minimalist Max fans.



MCM360BS
Brushed Steel



MC360AGP
Aged Pewter



MC360BS
Brushed Steel



MC360BK
Matte Black

MC360

Finishing Cap (Blanking Plate)
Exclusive for Discus Classic,
Discus Ornate, Discus Outdoor,
Discus Smart and Discus Trio Max fans.



MC360RB
Roman Bronze



MC360RZW
Matte White



MC360RB
Roman Bronze

HICKS 60

Deep Bronze/Hand-Rubbed Antique Brass Housing,
Bronze Carved Wood Blades
with optional Light and Finish Kit



ALBA 60

Midnight Black Housing with Midnight Black Blades
and Frosted Acrylic Lens



RESOURCES


Ceiling Fan Tips	212
Blade Finishes	214
Housing Finishes	215
Downrod Options	216
Product Specifications	218
Item Number Index	222
Collection Index	225

CEILING FAN TIPS

The right fan starts with knowing the fan's environment for maximum airflow. Monte Carlo's expertise in design and engineering provides ceiling fan and mounting options for every room.

Selecting The Right Size Fan


When choosing a ceiling fan for your space, you'll want at least 18" to 24" of clearance on all sides. In large spaces, consider using two smaller fans.



90-120 SQ. FEET
Fan Size: 44"-52"
CFM Range: 3,500-5,000





125-300 SQ. FEET
Fan Size: 52"-60"
CFM Range: 5,000-8,000



350 SQ. FEET (OR MORE)
Fan Size: 60"-96"
CFM Range: 7,000-15,000

Seasonal Settings


We recommend that you adjust your fan with the change of the seasons to ensure maximum comfort. Simply flip the switch on the fan housing or press the reverse button on your fan control.



Mounting Options


When choosing a ceiling fan for your space, you'll want at least 18" to 24" of clearance on all sides.

In large spaces, another option can be to go with two smaller fans.




FLUSH MOUNT/HUGGER FANS

This type of mount is recommended for 8' ceilings. By eliminating the downrod, the Hugger option saves 4"-6" in length between the fan's motor housing and the ceiling. The National Electric Code requires that all fan blades be a minimum of 7' above the floor. Many Monte Carlo fans include a dual mount canopy.




CLOSE-TO-CEILING FANS

For 8'-10' ceilings, a downrod from 4"-8" is installed between the ceiling canopy and the fan. Installing the blades further away from the ceiling allows for more air circulation and fan efficiency. Allow a minimum of 7' clearance from the floor to the lowest point on the fan blade.



EXTENDED DOWNROD FANS

For ceilings 10' and above, such as great rooms, lofts, and expansive entryways, a longer downrod is recommended. We offer downrod lengths of 12", 18", 24", 36", 48", 60" and 72". See page 209 for more information on downrods.



SLOPED CEILINGS

For ceilings pitched 25°-45°, a sloped ceiling canopy must be installed instead of the standard fan canopy—allowing the fan to hang straight. Monte Carlo offers slope canopy kits in a variety of finishes, see pages 209 - 209 for more information.

BLADE FINISHES



American Walnut



Bronze



Dark Mahogany



Dark Walnut



Distressed Grey
Weathered Oak



Grey



Koa



Light Grey
Weathered Oak



Matte Black



Matte Grey



Matte White




Midnight Black



Oak Grain



Oil Rubbed
Bronze



Painted Brushed
Steel



Roman Bronze




Silver



Teak




Washed Oak




White

HOUSING FINISHES



AGP
Aged Pewter




ANBZ
Antique Bronze




ATI
Antique Iron



BBS
Burnished Brass



BK
Matte Black




BNZ
Deep Bronze



BP
Brushed Pewter



BS
Brushed Steel




BZ
Bronze



CH
Chrome



GRY
Grey



HAB
Hand-Rubbed
Antique Brass



KOA
Koa Wood



OZ
Oil Rubbed
Bronze



PBS
Painted
Brushed Steel



PN
Polished Nickel



RB
Roman Bronze



RZW
Matte White




SN
Satin Nickel



TI
Titanium



WGR
Washed Grey

























WH
White

DOWNRODS


Our decorative downrods have pre-drilled holes on both ends. For optimum performance, we recommend that your ceiling fan be installed with the blades suspended 7' to 9' above the floor.

Standard 1/2" Diameter Downrods



Ceiling Height		9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
Suggested Downrod Length		12 IN	18 IN	24 IN	36 IN	48 IN	60 IN	72 IN
Aged Brass		DR12AGB	DR18AGB	DR24AGB	DR36AGB	N/A	N/A	N/A
Aged Pewter		DR12AGP	DR18AGP	DR24AGP	DR36AGP	DR48AGP	DR60AGP	DR72AGP
Bronze		DR12BZ	DR18BZ	DR24BZ	DR36BZ	DR48BZ	DR60BZ	DR72BZ
Brushed Pewter		DR12BP	DR18BP	DR24BP	DR36BP	DR48BP	DR60BP	DR72BP
Brushed Steel		DR12BS	DR18BS	DR24BS	DR36BS	DR48BS	DR60BS	DR72BS
Burnished Brass		DR12BBS	DR18BBS	DR24BBS	DR36BBS	DR48BBS	TBD	TBD
Chrome		DR12CH	DR18CH	DR24CH	DR36CH	DR48CH	DR60CH	DR72CH
Dark Weathered Zinc		DR12DWZ	DR18DWZ	DR24DWZ	DR36DWZ	DR48DWZ	DR60DWZ	DR72DWZ
Deep Bronze		DR12BNZ	DR18BNZ	DR24BNZ	DR36BNZ	N/A	N/A	N/A
Grey		DR12GRY	DR18GRY	DR24GRY	DR36GRY	N/A	N/A	N/A
Hand Rubbed Antique Brass		DR12HAB	DR18HAB	DR24HAB	N/A	N/A	N/A	N/A
Koa		DR12KOA	DR18KOA	DR24KOA	DR36KOA	DR48KOA	DR60KOA	DR72KOA
Matte Black		DR12BK	DR18BK	DR24BK	DR36BK	DR48BK	DR60BK	DR72BK
Matte White		DR12RZW	DR18RZW	DR24RZW	DR36RZW	DR48RZW	DR60RZW	DR72RZW
Midnight Black		DR12MBK	DR18MBK	DR24MBK	DR36MBK	DR48MBK	DR60MBK	DR72MBK
Oil Rubbed Bronze		DR12OZ	DR18OZ	DR24OZ	DR36OZ	DR48OZ	DR60OZ	DR72OZ
Polished Nickel		DR12PN	DR18PN	DR24PN	DR36PN	DR48PN	DR60PN	DR72PN
Roman Bronze		DR12RB	DR18RB	DR24RB	DR36RB	DR48RB	DR60RB	DR72RB
Satin Nickel		DR12SN	DR18SN	DR24SN	DR36SN	DR48SN	DR60SN	DR72SN
Titanium		DR12TI	DR18TI	DR24TI	DR36TI	DR48TI	DR60TI	N/A
Washed Grey		DR12WGR	DR18WGR	DR24WGR	DR36WGR	DR48WGR	DR60WGR	DR72WGR
White		DR12WH	DR18WH	DR24WH	DR36WH	DR48WH	DR60WH	DR72WH

Ceiling Height	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
Suggested Downrod Length	12 IN	18 IN	24 IN	36 IN	48 IN	60 IN	72 IN




Antique Fan 3/4" Diameter Downrods for use with Arezzo, Cupra, Giarre and Volta only.

Antique Iron 	DRA12ATI	DRA18ATI	DRA24ATI	DRA36ATI	DRA48ATI	DRA60ATI	DRA72ATI
--	----------	----------	----------	----------	----------	----------	----------

For use with Coastal fans.

Matte White 	DRC12RZW	DRC18RZW	DRC24RZW	DRC36RZW	DRC48RZW	DRC60RZW	DRC72RZW
Midnight Black 	DRC12MBK	DRC18MBK	DRC24MBK	DRC36MBK	DRC48MBK	DRC60MBK	DRC72MBK

For use with Minimalist 56 and Minimalist 72 Fans only.

Aged Pewter 	DRM12AGP	DRM18AGP	DRM24AGP	DRM36AGP	DRM48AGP	N/A	N/A
Bronze 	DRM12BZ	N/A	DRM24BZ	DRM36BZ	DRM48BZ	N/A	N/A
Matte Black 	DRM12BK	N/A	DRM24BK	DRM36BK	DRM48BK	N/A	N/A

Collection	Page Number	Fan Width (inches)	Number of Blades	Blade Pitch	Fan Height (inches)	Min Ceiling Height	Max Ceiling Slope with included hardware	Motor Diameter (mm)	Motor Height (mm)	AC or DC Motor	Wet / Damp Rated	ENERGY STAR Qualified
Adler 60	46	60	3	V	12.5	8.5	15°	85	28	DC	Damp	YES
Aerotour 56	154	56	3	13°	15.9	8	20°	155	22	DC		YES
Aerotour Semi-Flush 56	156	56	3	13°	11.3	8	N/A	178	12	DC		YES
Akova 56	90	56	3	17°	14.4	8	20°	125	20	DC	Damp	YES
Alba 60	46	60	3	18°	15.1	8	20°	155	22	DC	Damp	YES
Arcade 68	92	68	3	10°	15	8.5	20°	178	22	DC		YES
Arcade 54	94	54	3	10°	15	8.5	20°	153	18	AC		
Arezzo 60	24	60	3	24°	17.5	8	0°	178	12	DC		YES
Armstrong 60	74	60	3	16°	14.1	8	20°	125	20	DC	Damp	YES
Aspen 70	112	70	3	12°	13.1	8	20°	120	25	DC	Damp	YES
Aspen 56	114	56	5	13°	13.1	8	20°	120	25	DC	Damp	YES
Atlantic 56	86	56	5	14°	17.8	8	20°	178	12	DC		YES
Avvo 56	84	56	3	V	12.9	8	25°	120	25	DC	Damp	YES
Boynton 54	176	54	3	14°	19.8	8.5	30°	172	20	AC	Wet	
Butterfly 54	100	54	4	15°	20	9	22°	153	22	AC	Damp	
Centro 44	128	44	5	14°	13.1	8	18°	153	15	AC		
Cirque 56	70	56	3	15°	13.5	8	20°	120	20	DC	Damp	YES
Clarity 56	66	56	3	12°	9.7	8	N/A	172	17	AC		
Clarity 52	68	52	3	12°	9.2	8	N/A	153	18	AC		
Clarity 42	69	42	3	12°	9.2	8	N/A	153	12	AC		
Colony 60 LED	142	60	5	12°	18.5	8	30°	188	20	AC	Damp	
Colony 60	144	60	5	12°	18.5	8	30°	188	20	AC	Damp	
Colony 52 LED	146	52	5	12°	17.7	8	30°	153	18	AC	Damp	
Colony 52	148	52	5	12°	12.8	8	30°	153	18	AC	Damp	
Cruise 52	180	52	5	13°	14	8	30°	172	20	AC	Wet	
Cupra 60	26	60	3	22°	19	8.5	0°	178	12	DC		YES
Cyclone 60	172	60	5	13°	14	8	30°	212	25	AC	Wet	
Destin 57	88	57	3	16°	13.7	8	20°	120	15	DC	Damp	YES
Discus Smart 52	132	52	5	12°	15.1	8	30°	150	16	DC		YES
Discus Classic 52	134	52	5	12°	15.1	8	30°	153	18	AC		
Discus Classic 44	136	44	5	12°	15.1	8	30°	153	18	AC		
Discus Ornate 52	158	52	5	12°	15.1	8	30°	153	18	AC		
Discus Outdoor 52	184	52	5	12°	15.1	8	30°	153	18	AC	Wet	
Discus Trio 58	130	58	3	16°	15.7	8	30°	172	20	AC	Damp	
Dover 68	124	68	5	14°	15.8	8.5	20°	178	22	DC		YES
Dover 60	126	60	5	14°	15.8	8.5	20°	178	12	DC		YES
Dylan 56	178	56	3	16°	16.5	8.5	20°	188	25	DC	Wet	YES
Giarre 60	20	60	4	30°	21.8	9	0°	155	22	DC		YES
Haven DC 52 LED	160	52	5	12°	18.3	8	30°	150	16	DC		YES
Haven DC 52	161	52	5	12°	13.9	8	30°	150	16	DC		YES
Haven 52 LED3	164	52	5	12°	19.9	8	30°	153	12	AC		
Haven 52 LED2	162	52	5	12°	18.3	8	30°	153	12	AC		

PRODUCT SPECIFICATIONS

Energy Use at High (W)	Airflow at High (CFM)	Efficiency at High (CFM/W)	Energy Use Average (W) Standard	Airflow Average (CFM) Standard	Estimated Yearly Energy Cost (\$) Standard	Efficiency Average (CFM/W) Standard	Energy Use at High (W) Flush Mount	Airflow at High (CFM) Flush Mount	Efficiency at High (CFM/W) Flush Mount	Energy Use Average (W) Flush Mount	Airflow Average (CFM) Flush Mount	Estimated Yearly Energy Cost (\$) Flush Mount	Efficiency Average (CFM/W) Flush Mount
29	5251	178	20	5764	6	290							
23	7058	311	15	4814	4	319							
28	6647	241	17	4563	5	266							
33	4515	133	21	3391	6	162							
35	6262	177	20	4467	6	220							
37	9289	248	24	5764	7	244							
62	6112	99	39	4534	11	115							
35	8286	235	18	5497	5	307							
33	7732	234	22	5356	6	243							
***	***	***	***	***	***	***							
30	7228	240	20	4981	6	249							
28	7531	268	19	4831	5	254							
24	6461	269	12	3885	3	325							
65	5687	87	41	3929	11	97							
64	4903	76	41	3297	11	81							
44	3252	74	30	2400	8	81	44	3068	70	30	2297	8	77
28	7103	252	19	5102	5	276							
64	4494	70	38	2753	11	73							
51	3682	73	36	2804	10	77							
39	2405	62	30	1870	8	63							
72	5416	75	47	3963	13	84	72	4937	68	47	3356	13	71
72	5509	76	47	4096	13	87	72	4937	68	47	3633	13	77
58	4224	73	37	3164	10	85	58	2867	49	37	1900	10	51
58	4257	73	36	3475	10	97	56	3961	71	36	2892	10	80
67	4441	66	42	3238	12	76							
33	7857	235	18	5178	5	290							
81	6708	83	52	4890	15	93							
27	5803	215	17	3928	5	225							
***	***	***	25	4310	7	171							
65	4758	73	41	3415	11	83	65	3217	49	41	2164	12	53
58	3954	68	37	2854	10	77	58	3030	52	37	1970	10	53
65	4758	73	41	3415	11	83							
61	4470	74	39	3266	11	85							
69	5110	74	43	3527	12	83							
38	9508	249	24	6313	7	264							
38	7988	212	23	5156	7	221							
41	8606	212	28	6137	8	223							
33	8342	254	20	5824	6	284							
27	5682	210	18	4255	5	238	29	5284	184	19	3920	5	210
27	5579	208	18	4156	5	235	***	***	***	19	3940	5	209
60	4344	73	38	3225	11	85	60	4135	69	38	3039	11	80
60	4355	73	38	3241	11	86	60	4068	68	38	3020	11	80

***Testing data not available at press time.

Collection	Page Number	Fan Width (inches)	Number of Blades	Blade Pitch	Fan Height (inches)	Min Ceiling Height	Max Ceiling Slope with included hardware	Motor Diameter (mm)	Motor Height (mm)	AC or DC Motor	Wet / Damp Rated	ENERGY STAR Qualified
Haven 52	166	52	5	12°	13.9	8	30°	153	12	AC		
Haven Outdoor 52 LED	182	52	5	12°	19.2	8	30°	153	15	AC	Wet	
Haven Outdoor 52	184	52	5	12°	13.9	8	30°	153	15	AC	Wet	
Haven Outdoor 44	186	44	5	12°	13.9	8	30°	153	15	AC	Wet	
Hicks 60	116	60	3	13°	15.6	8.5	20°	178	22	DC		YES
Jovie 52	80	52	3	12°	13.4	8	20°	153	15	AC		
Kingston 72	96	72	8	V	17.3	8.5	15°	120	30	DC	Damp	YES
Launceton 56	118	56	4	16°	14	8	0°	120	20	DC	Damp	YES
Lemont 56	152	56	4	12°	16.5	8	20°	178	12	DC		YES
Lily 56	98	56	5	14°	16.2	8.5	15°	120	25	DC	Damp	
Loft 96	50	96	6	13°	13	8	20°	125	25	DC	Damp	YES
Loft 72	52	72	6	13°	13	8	20°	125	25	DC	Damp	YES
Loft 62	54	62	6	13°	13	8	20°	125	25	DC	Damp	YES
Mach One 52	102	52	3	13°	14.5	8	15°	172	20	AC		
Maverick Coastal 60	170	60	3	V	12	8	15°	120	30	DC	Wet	YES
Maverick 88	30	88	3	V	13.9	8.5	15°	120	25	DC	Damp	YES
Maverick 70 LED	32	70	3	V	13.8	8.5	15°	85	28	DC	Damp	YES
Maverick 70	34	70	3	V	11.7	8	15°	85	28	DC	Damp	YES
Maverick 60 LED	36	60	3	V	13.8	8.5	15°	85	28	DC	Damp	YES
Maverick 60	38	60	3	V	11.7	8	15°	85	28	DC	Damp	YES
Maverick 52 LED	40	52	3	V	13.8	8.5	15°	85	28	DC	Damp	YES
Maverick 52	42	52	3	V	11.7	8	15°	85	28	DC	Damp	YES
Metrograph 56	122	56	4	13°	16.6	8.5	20°	178	12	DC		YES
Minimalist 72	44	72	3	V	13.7	8.5	6°	85	28	DC	Damp	YES
Minimalist 56	46	56	3	V	13.7	8.5	6°	85	25	DC	Damp	YES
Prairie 72	106	72	14	14°	14.1	8.5	20°	125	25	DC	Damp	YES
Prairie 62	108	62	14	14°	14.1	8.5	20°	125	25	DC	Damp	YES
Prairie 52	110	52	14	14°	14.1	8.5	20°	125	25	DC	Damp	YES
Rockland 60	120	60	4	13.5°	19.5	8	20°	125	20	DC	Damp	YES
Rozzen 52	76	52	3	13°	12.6	8	20°	125	16	DC		YES
Rozzen 44	78	44	3	13°	12.6	8	20°	125	16	DC		YES
Stockton 60	48	60	3	V	13.1	8.5	20°	125	20	DC	Damp	YES
Syrus 52	82	52	3	13°	15.9	8	30°	153	18	AC		
Traverse 52	138	52	5	12°	12	8	N/A	153	18	AC		
Vision 72	58	72	5	12°	16.7	8.5	30°	178	22	DC		YES
Vision 56	60	56	3	12°	14	8	30°	172	20	AC	Damp	
Vision 52	62	52	3	12°	14.6	8.5	30°	153	18	AC		
Vision 42	64	42	3	12°	14.6	8.5	30°	153	12	AC		
Volta 60	22	60	3	17°	21.1	9	15°	155	22	DC		
York 60	150	60	5	12°	14.3	8	30°	188	20	AC		
York 52	151	52	5	12°	14.3	8	30°	153	18	AC		

PRODUCT SPECIFICATIONS

Energy Use at High (W)	Airflow at High (CFM)	Efficiency at High (CFM/W)	Energy Use Average (W) Standard	Airflow Average (CFM) Standard	Estimated Yearly Energy Cost (\$) Standard	Efficiency Average (CFM/W) Standard	Energy Use at High (W) Flush Mount	Airflow at High (CFM) Flush Mount	Efficiency at High (CFM/W) Flush Mount	Energy Use Average (W) Flush Mount	Airflow Average (CFM) Flush Mount	Estimated Yearly Energy Cost (\$) Flush Mount	Efficiency Average (CFM/W) Flush Mount
60	4402	74	38	3241	11	86	60	4026	68	38	3013	11	80
59	4510	77	36	3228	10	90	59	4072	69	36	2956	10	82
59	4482	76	36	3206	10	89	59	4102	70	36	2956	10	82
58	4025	69	36	2900	10	81	58	3913	67	36	2740	10	77
28	8752	317	18	5746	5	311							
62	5901	95	35	4128	***	117							
28	10213	367	20	7713	6	385							
28	6644	233	19	4744	5	248							
32	6688	210	22	4755	6	220							
29	6727	234	19	4698	5	253							
33	13634	413	19	9682	10	500							
33	8378	252	19	5693	5	302							
22	6928	310	15	4993	4	327							
56	4480	80	37	3057	10	81							
27	8574	321	18	6195	5	341							
26	14784	575	15	10168	8	668							
22	7336	331	18	5943	5	337							
30	6821	229	21	5192	6	250							
34	7680	228	20	5365	6	269							
27	6687	246	20	4551	6	231							
30	6928	230	21	4707	6	229							
27	5889	217	18	3807	5	208							
32	6944	219	20	4833	5	247							
31	9468	302	22	6934	6	322							
27	7240	267	21	5089	6	246							
35	7128	204	21	5326	6	251							
34	7233	221	23	5003	6	221							
23	5003	197	16	3310	4	211							
40	7805	197	23	5713	7	244							
21	5310	248	15	3712	4	241							
22	4644	211	16	3022	4	192							
32	7916	246	21	5685	6	271							
62	5336	86	40	3944	11	99							
64	2327	36	41	1737	11	43							
33	10197	308	21	7512	6	353							
64	5252	82	37	3334	10	89							
43	3420	79	32	2685	9	83							
40	2190	55	29	1678	8	57							
25	8861	360	14	5795	4	420							
71	6191	87	45	4419	13	99	71	4601	64	45	2809	13	63
61	4851	80	39	3645	11	93	60	3844	64	39	2769	11	71

***Testing data not available at press time.

INDEX

3ADR60AGP	73	3MAVR60AGP	39	3TAR56SND	155
3ADR60BKBK	73	3MAVR60AGPD	37	3VLR60ATI HAB	23
3ADR60BS	73	3MAVR60BK	39	3VNMR56BSLGD-V1	61
3ADR60RZW	73	3MAVR60BKBK	38	3VNMR56RBD-V1	61
3AKR56BKD	91	3MAVR60BKBKD	36	3VNMR56RZWD-V1	61
3AKR56CHD	91	3MAVR60BKD	36	3VNR42BSD-V1	65
3AKR56RZWD	91	3MAVR60BS	39	3VNR42BSLGD-V1	65
3ALBR60MBKD	57	3MAVR60BSD	37	3VNR42OZD-V1	64
3ALBR60RZWD	57	3MAVR60BSKOA	38	3VNR42RZWD-V1	65
3AMR60AGPD	75	3MAVR60BSKOAD	37	3VNR52BSLGD-V1	63
3AMR60BSD	75	3MAVR60RZW	39	3VNR52OZD-V1	63
3AMR60RZWD	75	3MAVR60RZWBBS	38	3VNR52RZWD-V1	62
3AOR60ATI HAB	25	3MAVR60RZWD	37	4BFR54BSD-V1	101
3AR54BS	95	3MAVR70AGP	35	4GIR60ATI HAB	21
3AR54MBK	94	3MAVR70AGPD	33	4LMR56DWZD	153
3AR54RZWBBS	95	3MAVR70BK	35	4LMR56WGRD	153
3ARR68BS	93	3MAVR70BKBK	34	4LNCR56HAB	119
3ARR68MBK	93	3MAVR70BKBKD	32	4LNCR56MBK	119
3ARR68RZWBBS	93	3MAVR70BKD	32	4RKR60AGPD	121
3AVOR56KOAD-V1	84	3MAVR70BS	34	4RKR60BSD	121
3AVOR56RZWD-V1	85	3MAVR70BSD	33	4RKR60MBKD	121
3BTR54ANBZD	177	3MAVR70BSKOA	35	4RKR60OZD	121
3CLMR56BSD-V1	67	3MAVR70BSKOAD	33	4TSR56BNZD	123
3CLMR56BSLGD-V1	67	3MAVR70RZW	35	4TSR56BNZHABD	123
3CLMR56RZWD-V1	67	3MAVR70RZWBBS	34	4TSR56PNGRYD	123
3CLYR42BSD-V1	69	3MAVR70RZWD	33	5ASPR56AGP	114
3CLYR42BSLGD-V1	69	3MAVR88AGP	31	5ASPR56BBS	114
3CLYR42OZD-V1	69	3MAVR88BK	30	5ASPR56BS	115
3CLYR42RZWD-V1	69	3MAVR88BKBK	30	5ASPR56MBK	115
3CLYR52BSD-V1	68	3MAVR88BS	31	5ASPR56PN	115
3CLYR52BSLGD-V1	68	3MAVR88BSKOA	31	5ASPR56RZW	115
3CLYR52OZD-V1	68	3MAVR88RZW	31	5ASPR70AGP	112
3CLYR52RZWD-V1	68	3MGMR60MBKMBK	171	5ASPR70BBS	113
3CPR60ATI HAB	27	3MGMR60RZW	171	5ASPR70BS	113
3CQR56MBKD	71	3MNLR56AGPD-V1	47	5ASPR70MBK	113
3CQR56RZWD	71	3MNLR56BKD-V1	47	5ASPR70RZW	113
3DIR58BSD-V1	131	3MNLR72AGPD-V1	44	5ATR56HABD	87
3DIR58RBD-V1	131	3MNLR72BKD-V1	45	5ATR56MBKD	87
3DIR58RZWD-V1	131	3MNLR72BSD-V1	45	5ATR56PND	87
3DSTR57AGPD	89	3MO52TMO-V1	103	5COM52AGP	149
3DSTR57BSD	89	3ROZR44AGP	78	5COM52AGPD-V1	146
3DYR56AGB	179	3ROZR44BS	79	5COM52BS	149
3DYR56AGP	179	3ROZR44MBK	79	5COM52BSD-V1	147
3HCKR60BNZHABD	117	3ROZR44RZW	79	5COM52MBK	149
3HCKR60HABD	117	3ROZR52AGP	77	5COM52MBKD-V1	147
3JOVR52AGP	81	3ROZR52BS	77	5COM52RB	149
3JOVR52BS	81	3ROZR52MBK	77	5COM52RBD-V1	147
3JOVR52MBK	81	3ROZR52RZW	77	5COM52RZW	149
3JOVR52RZW	81	3STR60AGPD	49	5COM52RZWD-V1	147
3MAVR52AGP	43	3STR60BSD	49	5CQM44AGP	129
3MAVR52AGPD	40	3STR60MBKD	49	5CQM44BS	129
3MAVR52BK	43	3STR60RZWD	49	5CQM44RB	129
3MAVR52BKBK	42	3SY52BSD	82	5CQM44RZW	128
3MAVR52BKBKD	40	3SY52MBKD	83	5CSM60AGP	145
3MAVR52BKD	41	3SY52OZD	83	5CSM60AGPD-V1	143
3MAVR52BS	43	3SY52RZWD	83	5CSM60BS	145
3MAVR52BSD	41	3TAHR56BNZD	157	5CSM60BSD-V1	143
3MAVR52BSKOA	43	3TAHR56PNDMD	157	5CSM60MBK	145
3MAVR52BSKOAD	41	3TAHR56PNGRYD	157	5CSM60MBKD-V1	143
3MAVR52RZW	42	3TAHR56SND	157	5CSM60RB	145
3MAVR52RZWBBS	42	3TAR56BNZD	155	5CSM60RBD-V1	142
3MAVR52RZWD	41	3TAR56PNDMD	155	5CSM60RZW	145

5CSM60RZWD-V1	143	5HVO52BK	185	DR12OZ	216
5CU52BK	181	5HVO52BKD	183	DR12PN	216
5CU52RB	181	5HVO52BZD	182	DR12RB	216
5CU52WH	181	5HVO52RZW	184	DR12RZW	216
5CY60BK	173	5HVO52RZWD	183	DR12SN	216
5CY60RB	173	5LLR56BSD-V1	99	DR12TI	216
5CY60WH	173	5LLR56RZWD-V1	99	DR12WGR	216
5DIC44AGPD-V1	137	5TV52AGPD-V1	139	DR12WH	216
5DIC44BKD-V1	137	5TV52BSD-V1	139	DR18AGB	216
5DIC44BSD-V1	137	5TV52RBD-V1	139	DR18AGP	216
5DIC44PND-V1	136	5TV52WHD-V1	139	DR18BBS	216
5DIC44RBD-V1	136	5VMR72BSD	59	DR18BK	216
5DIC44WHD-V1	137	5VMR72OZD	59	DR18BNZ	216
5DIC52AGPD-V1	135	5VMR72RZWD	59	DR18BP	216
5DIC52BKD-V1	135	5YK52AGP	151	DR18BS	216
5DIC52BSD-V1	134	5YK52BK	151	DR18BZ	216
5DIC52PND-V1	135	5YK60BK	150	DR18CH	216
5DIC52RBD-V1	134	6LFR62MBKD	55	DR18DWZ	216
5DIC52WHD-V1	135	6LFR62RZWBBS	55	DR18GRY	216
5DIO52AGPD	159	6LFR62RZWD	55	DR18HAB	216
5DIO52BKD	159	6LFR72MBKD	53	DR18KOA	216
5DIO52RBD	159	6LFR72RZWBBS	53	DR18MBK	216
5DISM52AGPD	133	6LFR72RZWD	53	DR18OZ	216
5DISM52BSD	133	6LFR96MBKD	51	DR18PN	216
5DISM52MBKD	133	6LFR96PBSD	51	DR18RB	216
5DISM52RZWD	133	6LFR96RZWD	51	DR18RZW	216
5DIW52BKD	175	8KGR72BKD	97	DR18SN	216
5DIW52PBSD	175	14PRR52AGPD	111	DR18TI	216
5DIW52RBD	175	14PRR52BSD	111	DR18WGR	216
5DIW52WHD	174	14PRR62AGPD	109	DR18WH	216
5DVR60AGP	127	14PRR62BSD	109	DR24AGB	216
5DVR60BS	127	14PRR72AGPD	106	DR24AGP	216
5DVR60OZ	127	14PRR72BSD	107	DR24BBS	216
5DVR60RZW	127	88MCFK-AGP	204	DR24BK	216
5DVR68AGP	125	88MCFK-BBS	204	DR24BNZ	216
5DVR68BS	124	88MCFK-BK	204	DR24BP	216
5DVR68OZ	125	88MCFK-BS	204	DR24BS	216
5DVR68RZW	125	88MCFK-PN	204	DR24BZ	216
5HV52BK	166	88MCFK-RZW	204	DR24CH	216
5HV52BKD	162	ACFK-BBS	206	DR24DWZ	216
5HV52BKF	164	ACFK-BS	206	DR24GRY	216
5HV52BPD	163	ACFK-MBK	206	DR24HAB	216
5HV52BS	167	ACFK-PN	206	DR24KOA	216
5HV52BSD	163	ACFK-RZW	206	DR24MBK	216
5HV52BSF	165	CK250	193	DR24OZ	216
5HV52BZ	167	CK300	193	DR24PN	216
5HV52BZD	163	CT100	193	DR24RB	216
5HV52BZF	165	CT150	193	DR24RZW	216
5HV52CH	166	DR12AGB	216	DR24SN	216
5HV52CHD	163	DR12AGP	216	DR24TI	216
5HV52CHF	165	DR12BBS	216	DR24WGR	216
5HV52RZW	167	DR12BK	216	DR24WH	216
5HV52RZWD	162	DR12BNZ	216	DR36AGB	216
5HVDC52BS	161	DR12BP	216	DR36AGP	216
5HVDC52BSD	160	DR12BS	216	DR36BBS	216
5HVDC52BZ	161	DR12BZ	216	DR36BK	216
5HVDC52BZD	160	DR12CH	216	DR36BNZ	216
5HVDC52RZW	161	DR12DWZ	216	DR36BP	216
5HVDC52RZWD	160	DR12GRY	216	DR36BS	216
5HVO44BK	186	DR12HAB	216	DR36BZ	216
5HVO44BZ	187	DR12KOA	216	DR36CH	216
5HVO44RZW	187	DR12MBK	216	DR36DWZ	216

INDEX

DR36GRY	216	DRA18ATI	217	MC95KOA	207
DR36KOA	216	DRA24ATI	217	MC95MBK	207
DR36MBK	216	DRA36ATI	217	MC95OZ	207
DR36OZ	216	DRA48ATI	217	MC95PN	207
DR36PN	216	DRA60ATI	217	MC95RB	207
DR36RB	216	DRA72ATI	217	MC95RZW	207
DR36RZW	216	DRC12MBK	217	MC95SN	207
DR36SN	216	DRC12RZW	217	MC95TI	207
DR36TI	216	DRC18MBK	217	MC95WH	207
DR36WGR	216	DRC18RZW	217	MC224BS-V1	202
DR36WH	216	DRC24MBK	217	MC224RB-V1	202
DR48AGP	216	DRC24RZW	217	MC224RZW-V1	202
DR48BBS	216	DRC36MBK	217	MC242AGP	202
DR48BK	216	DRC36RZW	217	MC242BS	202
DR48BP	216	DRC48MBK	217	MC242OZ	202
DR48BS	216	DRC48RZW	217	MC242RB	202
DR48BZ	216	DRC60MBK	217	MC242RZW	202
DR48CH	216	DRC60RZW	217	MC247BS	202
DR48DWZ	216	DRC72MBK	217	MC247RB	202
DR48KOA	216	DRC72RZW	217	MC247RZW	202
DR48MBK	216	DRM12AGP	217	MC260BS	203
DR48OZ	216	DRM12BK	217	MC260MBK	203
DR48PN	216	DRM12BZ	217	MC260PN	203
DR48RB	216	DRM18AGP	217	MC260RZW	203
DR48RZW	216	DRM24AGP	217	MC261AGP	203
DR48SN	216	DRM24BK	217	MC261BS	203
DR48TI	216	DRM24BZ	217	MC261OZ	203
DR48WGR	216	DRM36AGP	217	MC261RZW	203
DR48WH	216	DRM36BK	217	MC262	203
DR60AGP	216	DRM36BZ	217	MC263AGP	203
DR60BK	216	DRM48AGP	217	MC263BBS	203
DR60BP	216	DRM48BK	217	MC263BS	203
DR60BS	216	DRM48BZ	217	MC263MBK	203
DR60BZ	216	ESSWC-3-WH	194	MC263PN	203
DR60CH	216	ESSWC-4-WH	195	MC263RZW	203
DR60DWZ	216	ESSWC-5-WH	195	MC360AGP	208
DR60KOA	216	ESSWC-6-WH	196	MC360BK	208
DR60MBK	216	ESSWC-7-WH	196	MC360BS	208
DR60OZ	216	ESSWC-8	197	MC360RB	208
DR60PN	216	ESSWC-9	197	MC360RZW	208
DR60RB	216	ESSWC-10	198	MCFK-AGP	204
DR60RZW	216	ESSWC-11	198	MCFK-BBS	204
DR60SN	216	ESWC-1	194	MCFK-BK	204
DR60TI	216	MC90AGP	207	MCFK-BS	204
DR60WGR	216	MC90BK	207	MCFK-PN	204
DR60WH	216	MC90BP	207	MCFK-RZW	204
DR72AGP	216	MC90BS	207	MCFKLED-AGP	205
DR72BK	216	MC90OZ	207	MCFKLED-BBS	205
DR72BP	216	MC90PN	207	MCFKLED-BK	205
DR72BS	216	MC90RB	207	MCFKLED-BS	205
DR72BZ	216	MC90TI	207	MCFKLED-PN	205
DR72DWZ	216	MC90WH	207	MCFKLED-RZW	205
DR72KOA	216	MC95AGB	207	MCM95AGP	208
DR72MBK	216	MC95AGP	207	MCM95BK	208
DR72OZ	216	MC95BBS	207	MCM95BS	208
DR72PN	216	MC95BK	207	MCM360AGP	208
DR72RB	216	MC95BNZ	207	MCM360BK	208
DR72RZW	216	MC95BP	207	MCM360BS	208
DR72SN	216	MC95BS	207	MCRC1	192
DR72WGR	216	MC95BZ	207	MCRC1T	192
DR72WH	216	MC95CH	207	MCRC3	192
DRA12ATI	217	MC95GRY	207	MCRC3W	192

COLLECTION INDEX

Adler 60	72	Haven 52	166
Aerotour 56	154	Haven Outdoor 52 LED	182
Aerotour Semi-Flush 56	156	Haven Outdoor 52	184
Akova 56	90	Haven Outdoor 44	186
Alba 60	56	Hicks 60	116
Arcade 68	92	Jovie 52	80
Arcade 54	94	Kingston 72	96
Arezzo 60	24	Launceton 56	118
Armstrong 60	74	Lemont 56	152
Aspen 70	112	Lily 56	98
Aspen 56	114	Loft 96	50
Atlantic 56	86	Loft 72	52
Avvo 56	84	Loft 62	54
Boynton 54	176	Mach One 52	102
Butterfly 54	100	Maverick Coastal 60	170
Centro 44	128	Maverick 88	30
Cirque 56	70	Maverick 70 LED	32
Clarity 56	66	Maverick 70	34
Clarity 52	68	Maverick 60 LED	36
Clarity 42	69	Maverick 60	38
Colony 60 LED	142	Maverick 52 LED	40
Colony 60	144	Maverick 52	42
Colony 52 LED	146	Metrograph 56	122
Colony 52	148	Minimalist 72	44
Cruise 52	180	Minimalist 56	46
Cupra 60	26	Prairie 72	106
Cyclone 60	172	Prairie 62	108
Destin 57	88	Prairie 52	110
Discus Smart 52	132	Rockland 60	120
Discus Classic 52	134	Rozzen 52	76
Discus Classic 44	136	Rozzen 44	78
Discus Ornate 52	158	Stockton 60	48
Discus Outdoor 52	174	Syrus 52	82
Discus Trio 58	130	Traverse 52	138
Dover 68	124	Vision 72	58
Dover 60	126	Vision 56	60
Dylan 56	178	Vision 52	62
Giarre 60	20	Vision 42	64
Haven 52 DC LED	160	Volta 60	22
Haven 52 DC	161	York 60	150
Haven 52 LED 3	164	York 52	151
Haven 52 LED 2	162		

MONTE  CARLO
FAN COLLECTIONS

7400 Linder Avenue
Skokie, IL 60077

Phone: 800.519.4092
Fax: 866.490.7765

montecarlofans.com | [@montecarlofanco](https://twitter.com/montecarlofanco) | [#montecarlofans](https://www.instagram.com/montecarlofans)
© 2021 Visual Comfort & Co.