

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Hudson

Picture Light 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
PL-LED17 17"	3000K 90	14W	1125	811	AB Aged Brass BK Black

Example: **PL-LED17-30-AB**

DESCRIPTION

Fine art illuminated. Available in two designer finishes to complement upscale artwork.

FEATURES


- Conserves artwork while providing vibrant color rendering
- Head rotates 90° up or down
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120-277 VAC
CRI:	90
Dimming:	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
	Damp Location Listed
Construction:	Aluminum body with acrylic diffuser



FINISHES



LINE DRAWING



PL-LED17-30

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Hudson

Picture Light 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
PL-LED23 23"	3000K 90	17.5W	1490	1078	AB Aged Brass BK Black

Example: **PL-LED23-30-AB**

DESCRIPTION

Fine art illuminated. Available in two designer finishes to complement upscale artwork.

FEATURES


- Conserves artwork while providing vibrant color rendering
- Head rotates 90° up or down
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC
CRI:	90
Dimming:	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
	Damp Location Listed
Construction:	Aluminum body with acrylic diffuser





FINISHES



Aged Brass Black

LINE DRAWING



PL-LED23-30

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Hudson

Picture Light 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
PL-LED34 34"	3000K 90	24W	1992	1500	AB Aged Brass BK Black

Example: **PL-LED34-30-AB**

DESCRIPTION

Fine art illuminated. Available in two designer finishes to complement upscale artwork.

FEATURES


- Conserves artwork while providing vibrant color rendering
- Head rotates 90° up or down
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC
CRI:	90
Dimming:	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
	Damp Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES



Aged Brass Black

LINE DRAWING



PL-LED34-30