



HINKLEY

2024 LIGHTING AND FANS

HINKLEY

THIS SUPPLEMENT INCLUDES NEW PRODUCTS AND LINE
ADDITIONS FOR INTERIOR, BATH, OUTDOOR, AND FANS.
FOR LANDSCAPE LIGHTING, SEE [HINKLEY.COM](https://www.hinkley.com).

Inspired by artisan craftsmanship, natural elegance, and the evolution of interior and outdoor spaces, we are thrilled to announce our latest product release for Spring and Summer 2024. Our newest designs from Hinkley and Fredrick Ramond highlight unique glass elements, bold statement sizes, and timeless additions of some of our favorite fixture families—all crafted with passion to enhance your aesthetic and honor our commitment to our customers.

Discover our newest designs to illuminate your space.

Cheers,

Jess + Eric



WEYMOUTH 20015 BK
PAGE 77

INDY 56" 900956 FMW-NWA
VISIT HINKLEY.COM



ANA 38258 HB
PAGE 34

HI THERE, WE'RE HINKLEY

Welcome to the *family*

We're here to make your research process a snap with our newest designs, featured collections, in-depth product details, and endless inspiration throughout these pages and at hinkley.com.

Our easy-to-use website will guide you through every lighting and ceiling fan decision. We deliver the most helpful product features, specs, and tips at a glance for every project, as well as a quick connection to our elite network of retailers.

Once you've welcomed Hinkley into your home, stay connected with us. We know that sometimes things happen, and we want to answer any questions as quickly as possible.

Just head to hinkley.com/register - we're always here if you have a question, need some help, or want to chat about our products.

Discover new designs to fit your space

INSPIRATION AWAITS

Just like you, we are passionate about our homes, and we appreciate more than ever how important interior and exterior spaces are to our health, happiness, and well-being.

We love seeing how you live and share inspiration with each other. Stay in the loop on all Hinkley happenings, from your favorite styles to the best giveaways, helpful tips, our latest collabs, and brand-new design drops @hinkleylighting.



#hinkleystyle

STITCH FR42456 LCB

PAGE 48

EZRA 45042 HB

PAGE 26





Formidable Fixtures

Grand chandeliers, substantial sconces, and statement pendants fill this season's collection of premier designs. Crafted to complement sizeable settings and fulfill the many requests we receive for larger silhouettes; these oversized styles will bathe your indoor and outdoor spaces in an opulent atmosphere.

ABOVE: ALCHEMY 30527 LCB | PAGE 18

A Style for Every Space

Inspired by over a century of innovation, Hinkley's newest lighting and ceiling fan collections are crafted to enhance every interior, bath, and outdoor space.

INTERIOR	07
FREDRICK RAMOND	41
BATH	51
OUTDOOR	63
LUMIGLO	87
CEILING FANS	89
HINKLEY HOME AUTOMATION APP	114
SAY HELLO TO HIRO	116
INDEX	118



INTERIOR

FAMILIES

ALCHEMY	16	GRETA	10, 54
ANA	32	JUDE	53
CLARKE	28	LILLIA	43
COCO	42	OBERON	44
DECLAN	52	RAFFI	38
ELIN	14	REGIS	36
EMME	56	RENE	46
EZRA	24	RYDEN	20
FOSTER	58	STITCH	48

ICON DESCRIPTIONS



ADA COMPLIANT

Indicates fixtures that adhere to the standards and guidelines listed by the Americans with Disabilities Act.



FIXTURE EXCEEDS 50 LBS.

Indicates fixtures weighing over 50 lbs. Fixtures must be supported independently of the outlet box unless the outlet box is UL listed for the appropriate weight. Required hardware included.



INVISIMOUNT

Indicates fixtures where the mounting hardware is hidden on the backplate.



LED

Fixtures supplied with fully integrated LEDs and drivers or specifically matched LED lamps based on performance and application.



OVAL-SHAPED FIXTURE

Indicates chandeliers that are oval in shape.



TITLE 24

Meets California Energy Commission Title regulations.



UP/DOWN

Fixture can be mounted in either an upward or downward direction.

FINISH CODES AND NAMES

BK	BLACK
BK-LDB	BLACK WITH LACQUERED DARK BRASS
BK-OP	BLACK WITH ETCHED OPAL GLASS
BK-WH	BLACK WITH ETCHED GLASS
BLB	BLACKENED BRASS
BLB-OP	BLACKENED BRASS WITH ETCHED OPAL GLASS
BN	BRUSHED NICKEL
BN-WH	BRUSHED NICKEL WITH ETCHED GLASS
BNG	BURNISHED GOLD
BX	BLACK OXIDE
CBK	CARBON BLACK
CM	CHROME
CM-OP	CHROME WITH ETCHED OPAL GLASS
DA	DISTRESSED BRASS
HB	HERITAGE BRASS
HB-BX	HERITAGE BRASS WITH BLACK OXIDE
HB-GW	HERITAGE BRASS WITH GLOSS WHITE
HB-OP	HERITAGE BRASS WITH ETCHED OPAL GLASS
HB-WH	HERITAGE BRASS WITH ETCHED GLASS
HBR	HERITAGE BRASS
LCB	LACQUERED BRASS
LDB	LACQUERED DARK BRASS
LDB-OW	LACQUERED DARK BRASS WITH OFF-WHITE LINEN
PBO	PAINTED BLACK OXIDE
PN	POLISHED NICKEL
WS	WARM BRASS

INTERIOR FIXTURE FEATURES


OUR LATEST COLLECTION OF STATEMENT-MAKING CHANDELIERS, SCONCES, AND PENDANTS COMBINES TRADITIONAL AND MODERN AESTHETICS WITH GLAMOROUS DETAILING AND ARTISAN-CRAFTED GLASS.

COCO

BY FREDRICK RAMOND

INTERIOR P. 42

The elegant glow of Coco's crackled-glass globes along its slim ring is as classic as a strand of pearls!





GRETA

INTERIOR & BATH P. 10, P. 54



Greta is reminiscent of a classic chandelier. It exudes sophistication from its slim silhouette, intricate details and luxuriously rich brass finishings.

DECLAN

BATH P. 52

The patterned, cast cross-hatched design on Declan combined with its contrasting two-tone finish make this a beautiful and dynamic traditional piece.



GRETA™

FINISH Blackened Brass
SHADE Off-White Linen

Inspired by traditional lighting styles, Greta complements its slim, contemporary silhouette with timeless details and classic finishes. Tapered, off-white linen shades softly diffuse light, filling your space with a warm ambiance.

FOR GRETA BATH SCONCES
see page 54



45160 BLB
6¼" W x 15¾" H

INV



45162 BLB
16" W x 15½" H

INV



45165 BLB
36" DIA. x 13" H
36" MAX. H*



45167 BLB
23" DIA. x 19" H
48" MAX. H*



45164 BLB
41¼" W x 13" H
36" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TOP TO OUTLET	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
45160 BLB	1-5w Cand. LED, 60w Equiv.		10"	10¼"	5¼" Dia. Backplate		
45162 BLB	2-5w Cand. LED, 60w Equiv.		9½"	10¼"	5¼" Dia. Backplate		
45164 BLB	2-5w Cand. LED, 60w Equiv.	6¼"			5¼" Dia. Canopy	10'	1-6", 2-12"
45165 BLB	5-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
45167 BLB	1-12w Med. LED, 100w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, S12BLB5S121.

GRETA™

FINISH Heritage Brass
SHADE Off-White Linen

Inspired by traditional lighting styles, Greta complements its slim, contemporary silhouette with timeless details and classic finishes. Tapered, off-white linen shades softly diffuse light, filling your space with a warm ambiance.

FOR GRETA BATH SCONCES

see page 54



45160 HB
6¼" W x 15¾" H

INV



45162 HB
16" W x 15½" H

INV



45165 HB
36" DIA. x 13" H
36" MAX. H*



45167 HB
23" DIA. x 19" H
48" MAX. H*



45164 HB
41¼" W x 13" H
36" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TOP TO OUTLET	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
45160 HB	1-5w Cand. LED, 60w Equiv.		10"	10¼"	5¼" Dia. Backplate		
45162 HB	2-5w Cand. LED, 60w Equiv.		9½"	10¼"	5¼" Dia. Backplate		
45164 HB	2-5w Cand. LED, 60w Equiv.	6¼"			5¼" Dia. Canopy	10'	1-6", 2-12"
45165 HB	5-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
45167 HB	1-12w Med. LED, 100w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 60312 HB.

ELIN™

FINISH Black, Lacquered Brass
GLASS Clear

The centerpiece of Elin's bold and contemporary design is its sculpted clear glass that highlights an integrated LED inner light source. Featuring both conventional and striking elements, Elin is ideal for modern and transitional interiors and available in Black or Lacquered Brass finish options.

DESIGN NOTE
Elin sconces can be used in both bathrooms and interior living spaces.



33107 BK
14" DIA. x 15½" H
49½" MAX. H*
 



53102 BK
5" W x 23" H
  



33107 LCB
 14" DIA. x 15½" H
 49½" MAX. H*
 



53102 LCB
 5" W x 23" H
  

LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY	WIRE	STEMS INCLUDED
33107 BK, LCB	14w LED	750	3000K	90	1 x 75w			5" Dia.	10'	1-6", 2-12"
53102 BK, LCB	19w LED	1200	3000K	90	1 x 100w	5"	2½"	5" Dia.		

Elin fixtures are dimmable. For complete product details and LED specifications, refer to hinkley.com. *Maximum achievable height with stems included. Additional 12" stems available, 60313 BLK, LCB.

ALCHEMY™

FINISH Black
GLASS Clear

Inspired by the vintage flasks of a chemistry classroom, Alchemy is a unique statement piece. Its tapered globes instantly stand out in a variety of spaces, while the open silhouette enhances its sophisticated edge.



30520 BK
5¼" W x 15¾" H



30525 BK
20" DIA. x 27¾" H
53¼" MAX. H*



30527 BK
30" DIA. x 40" H
80½" MAX. H*



30529 BK
37¾" DIA. x 16¼" H
49" MAX. H*



30526 BK
24¼" DIA. x 16¼" H
49" MAX. H*



30528 BK
48¼" W x 17" H
49¾" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY	WIRE	STEMS INCLUDED
30520 BK**	1-5w Cand. LED, 60w Equiv.		6¼"	13¼"	5" Dia. Backplate		
30525 BK	6-5w Cand. LED, 60w Equiv.				4¾" Dia. Canopy	10'	1-6", 3-12"
30526 BK	8-5w Cand. LED, 60w Equiv.				4½" W x 9" L Canopy	10'	2-6", 4-12"
30527 BK	10-5w Cand. LED, 60w Equiv.				4¾" Dia. Canopy	10'	1-6", 3-12"
30528 BK	10-5w Cand. LED, 60w Equiv.	12"			4½" W x 15" L Canopy	10'	2-6", 4-12"
30529 BK	16-5w Cand. LED, 60w Equiv.				4½" W x 9" L Canopy	10'	2-6", 4-12"

For use with T6 or T8 bulbs only (not included). *Maximum achievable height with stems included. Additional 12" stems available, for 30525 use 6038 BK. For 30526, 30527, 30528 and 30529 use 6068 BK. **Can be mounted in an upward position only.

ALCHEMY™

FINISH Lacquered Brass

GLASS Clear

Inspired by the vintage flasks of a chemistry classroom, Alchemy is a unique statement piece. Its tapered globes instantly stand out in a variety of spaces, while the open silhouette enhances its sophisticated edge.



30520 LCB
5¼" W x 15¾" H



30525 LCB
20" DIA. x 27¾" H
53¼" MAX. H*



30527 LCB
30" DIA. x 40" H
80½" MAX. H*



30529 LCB
37¾" DIA. x 16¼" H
49" MAX. H*



30526 LCB
24¼" DIA. x 16¼" H
49" MAX. H*



30528 LCB
48¼" W x 17" H
49¾" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY	WIRE	STEMS INCLUDED
30520 LCB**	1-5w Cand. LED, 60w Equiv.		6¼"	13¼"	5" Dia. Backplate		
30525 LCB	6-5w Cand. LED, 60w Equiv.				4¾" Dia. Canopy	10'	1-6", 3-12"
30526 LCB	8-5w Cand. LED, 60w Equiv.				4½" W x 9" L Canopy	10'	2-6", 4-12"
30527 LCB	10-5w Cand. LED, 60w Equiv.				4¾" Dia. Canopy	10'	1-6", 3-12"
30528 LCB	10-5w Cand. LED, 60w Equiv.	12"			4½" W x 15" L Canopy	10'	2-6", 4-12"
30529 LCB	16-5w Cand. LED, 60w Equiv.				4½" W x 9" L Canopy	10'	2-6", 4-12"

For use with T6 or T8 bulbs only (not included). *Maximum achievable height with stems included. Additional 12" stems available, for 30525 use 6038 LCB. For 30526, 30527, 30528 and 30529 use 6068 LCB. **Can be mounted in an upward position only.

RYDEN™

FINISH Black, Brushed Nickel, Heritage Brass
GLASS Clear, Etched Glass

A versatile stunner, Ryden's chic, modern-industrial silhouette is practical yet stylish, featuring elongated glass shades held by heavy cast prongs. Classic finishes are complemented by black, fabric-wrapped cord and subtle detailing.



37852 BK-WH
 4½" W x 24" H



37852 HB-WH
 4½" W x 24" H



37850 BK-WH
 4½" W x 16¼" H



37850 BN-WH
 4½" W x 16¼" H



37850 HB-WH
 4½" W x 16¼" H



ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
37850 BK-WH, BN-WH, HB-WH	1-12w Med. LED**, 60w Equiv.	4¾"	7¼"	4½" W x 14" H
37852 BK-WH, HB-WH	1-12w Med. LED*, 60w Equiv.	4¾"	11"	4½" W x 22" H

*Lumiglo LED bulb E26T1042411CL included. **Shown with T-Style bulb (not included). For full product details and LED specifications, refer to hinkley.com.



37852 BK-LL
4½" W x 24" H



37852 HB-LL
4½" W x 24" H



37850 BK
4½" W x 16¼" H



37850 BN
4½" W x 16¼" H



37850 HB
4½" W x 16¼" H



ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
37850 BK, BN, HB	1-12w Med. LED**, 60w Equiv.	4¾"	7¼"	4½" W x 14" H
37852 BK-LL, HB-LL	1-12w Med. LED*, 60w Equiv.	4¾"	11"	4½" W x 22" H

*Lumiglo LED bulb E26T1042411CL included. **Shown with T-Style bulb (not included). For full product details and LED specifications, refer to hinkley.com.

RYDEN™

FINISH Black, Heritage Brass
GLASS Clear

A versatile stunner, Ryden's chic, modern-industrial silhouette is practical yet stylish, featuring elongated glass shades held by heavy cast prongs. Classic finishes are complemented by black, fabric-wrapped cord and subtle detailing.



37855 BK
 28" DIA. x 22¼" H
 55½" MAX. H*



37855 HB
 28" DIA. x 22¼" H
 55½" MAX. H*

ITEM	MAXIMUM WATTAGE	CANOPY	WIRE	STEMS INCLUDED
37855 BK, HB	6-7w Med. LED**, 60w Equiv.	5½" Dia.	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 6066 BK, HB. **Shown with T-Style bulbs (not included).



EZRA™

FINISH Black Oxide

The Ezra family stunningly pairs minimalist elegance with an industrial edge. The strong square arms, sharp angles, and bold silhouette add dimensional appeal, bringing interest to dining rooms, foyers, kitchens, and beyond. Pairing Ezra with a globe-style lamp nails the transitional, mid-century modern vibe.



45042 BX
7½" W x 12½" H



45048 BX
36" W x 9" H
41¼" MAX. H*





45046 BX
27" DIA. x 9" H
41¾" MAX. H*



45049 BX
50" DIA. x 9" H
42" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	TOP TO OUTLET	EXT.	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
45042 BX	2-5w Cand. LED, 60w Equiv.		7¾"	4"	5" Dia. Backplate		
45046 BX	6-5w Cand. LED, 60w Equiv.				5½" Dia. Canopy	10'	1-6", 2-12"
45048 BX	6-5w Cand. LED, 60w Equiv.	20"			5½" Dia. Canopy	10'	1-6", 2-12"
45049 BX	8-5w Cand. LED, 60w Equiv.				5½" Dia. Canopy	10'	1-6", 2-12"

Shown with G16.5 bulbs (not included). *Maximum achievable height with stems included. Additional 12" stems available, 6067 BX.

EZRA™

FINISH Heritage Brass

The Ezra family stunningly pairs minimalist elegance with an industrial edge. The strong square arms, sharp angles, and bold silhouette add dimensional appeal, bringing interest to dining rooms, foyers, kitchens, and beyond. Pairing Ezra with a globe-style lamp nails the transitional, mid-century modern vibe.



45042 HB
7½" W x 12½" H



45048 HB
36" W x 9" H
41¼" MAX. H*





45046 HB
27" DIA. x 9" H
41¾" MAX. H*



45049 HB
50" DIA. x 9" H
42" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	TOP TO OUTLET	EXT.	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
45042 HB	2-5w Cand. LED, 60w Equiv.		7¾"	4"	5" Dia. Backplate		
45046 HB	6-5w Cand. LED, 60w Equiv.				5½" Dia. Canopy	10'	1-6", 2-12"
45048 HB	6-5w Cand. LED, 60w Equiv.	20"			5½" Dia. Canopy	10'	1-6", 2-12"
45049 HB	8-5w Cand. LED, 60w Equiv.				5½" Dia. Canopy	10'	1-6", 2-12"

Shown with G16.5 bulbs (not included). *Maximum achievable height with stems included. Additional 12" stems available, 6067 HB.

CLARKE™

FINISH Black, Lacquered Dark Brass
SHADE Off-White Linen

An effortless blend of classic style elements, Clarke's transitional design is fresh and elegant. Its captivating metal or linen shade and contrasting frame lend architectural beauty to any space with a selection of sophisticated finishes to complement any décor aesthetic.

DESIGN NOTE

Off-white linen shades softly diffuse light, creating a warm and inviting atmosphere.



4893 BK
15" DIA. x 9½" H



4890 BK
7½" W x 15¾" H



4895 BK
24½" DIA. x 25¼" H
60½" MAX. H*



4894 BK
16¼" DIA. x 16¼" H
51½" MAX. H*



4893 LDB-OW
15" DIA. x 9½" H



DESIGN NOTE
Clarke sconces have
an on/off pull chain.

4890 LDB-OW
7½" W x 15¾" H



4895 LDB-OW
24½" DIA. x 25¼" H
60½" MAX. H*



4894 LDB-OW
16¼" DIA. x 16¼" H
51½" MAX. H*

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
4890 BK, LDB-OW	1-14w Med. LED, 60w Equiv.	8¾"	13¼"	5¼" Dia. Backplate		
4893 BK, LDB-OW	2-12w Med. LED, 100w Equiv.			5¼" Dia. Canopy		
4894 BK, LDB-OW	1-12w Med. LED, 100w Equiv.			5¼" Dia. Canopy	12'	1-6", 2-12"
4895 BK, LDB-OW	4-5w Cand. LED, 60w Equiv.			5¼" Dia. Canopy	12'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 6033 BK, 6033 LDB.

CLARKE™

FINISH Black with Lacquered Dark Brass, Lacquered Dark Brass with Dark Matte Gray, Polished Nickel with Matte White, Warm Brass with Black
SHADE Metal

An effortless blend of classic style elements, Clarke's transitional design is fresh and elegant. Its captivating metal or linen shade and contrasting frame lend architectural beauty to any space with a selection of sophisticated finishes to complement any décor aesthetic.

ALL STYLES
are available in finishes shown.



4893 BK-LDB
15" DIA. x 9¼" H



DESIGN NOTE
Clarke sconces have an on/off pull chain.

4890 LDB
7¼" W x 15¾" H



4895 WS
24½" DIA. x 24¼" H
60½" MAX. H*



4894 PN
16¼" DIA. x 16¼" H
51½" MAX. H*

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE/ CANOPY	WIRE	STEMS INCLUDED
4890 LDB	1-12w Med. LED, 100w Equiv.	8¾"	13¼"	5¼" Dia. Backplate		
4893 BK-LDB	2-12w Med. LED, 100w Equiv.			5¼" Dia. Canopy		
4894 PN	1-12w Med. LED, 100w Equiv.			5¼" Dia. Canopy	10'	1-6", 2-12"
4895 WS	4-5w Cand. LED, 60w Equiv.			5¼" Dia. Canopy	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 6033 BK, 6033 LDB, 6033 PNI, 6033 WS.



CLARKE 4895 LDB
VISIT HINKLEY.COM
LEWIS 45000 HB
VISIT HINKLEY.COM

ANA™

FINISH Black Oxide
GLASS Faceted Clear Crystal

Ana embodies modern elegance. Faceted heavy-cut crystal gleams against a Black Oxide or Heritage Brass finish. Like a piece of statement-making jewelry, Ana is the signature finishing touch in any setting.



38259 BX
58" DIA. x 32¼" H
67" MAX. H*



DESIGN NOTE

Heavy cut crystal



38258 BX
36" DIA. x 24¾" H
59¾" MAX. H*





38255 BX
30" DIA. x 22¾" H
57¾" MAX. H*



38250 BX
5¼" W x 25" H



38257 BX
6½" W x 14" H
45½" MAX. H*



38256 BX
46" W x 14" H
38¼" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TTO	BACKPLATE / CANOPY	WIRE	STEMS INCLUDED
38250 BX	1-5w Cand. LED, 60w Equiv.		5½"	13¼"	5¼" Dia. Backplate		
38255 BX	6-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
38256 BX	8-5w Cand. LED, 60w Equiv.	13¾"			5" W x 23¾" L Canopy	10'	2-6", 4-12"
38257 BX	1-5w Cand. LED, 60w Equiv.	4"			5" Sq. Canopy	10'	1-6", 2-12"
38258 BX	8-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
38259 BX	12-5w Cand. LED, 60w Equiv.				5" Dia. Canopy	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 6068 BX. For 38257 BX use 6038 BX.

ANA™

FINISH Heritage Brass
GLASS Faceted Clear Crystal

Ana embodies modern elegance. Faceted heavy-cut crystal gleams against a Black Oxide or Heritage Brass finish. Like a piece of statement-making jewelry, Ana is the signature finishing touch in any setting.

DESIGN NOTE

Heavy cut crystal



38259 HB
58" DIA. x 32¼" H
67" MAX. H*

50



38258 HB
36" DIA. x 24¾" H
59¾" MAX. H*

50



38255 HB
30" DIA. x 22¾" H
57¾" MAX. H*



38250 HB
5" W x 25" H



38257 HB
6½" W x 14" H
45½" MAX. H*



38256 HB
46" W x 14" H
38¼" MAX. H*

ITEM	MAXIMUM WATTAGE	DEPTH	EXT.	TTO	BACKPLATE / CANOPY	WIRE	STEMS INCLUDED
38250 HB	1-5w Cand. LED, 60w Equiv.		5½"	13¼"	5¼" Dia. Backplate		
38255 HB	6-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
38256 HB	8-5w Cand. LED, 60w Equiv.	13¾"			5" W x 23¾" L Canopy	10'	2-6", 4-12"
38257 HB	1-5w Cand. LED, 60w Equiv.	4"			5" Sq. Canopy	10'	1-6", 2-12"
38258 HB	8-5w Cand. LED, 60w Equiv.				5¼" Dia. Canopy	10'	1-6", 2-12"
38259 HB	12-5w Cand. LED, 60w Equiv.				5" Dia. Canopy	10'	1-6", 2-12"

*Maximum achievable height with stems included. Additional 12" stems available, 6068 HB. For 38257 HB use 6038 HB.

REGIS™

FINISH Heritage Brass, Heritage Brass with Black, Heritage Brass with Gloss White
GLASS Acrylic Lens

A sophisticated statement to enhance featured décor, Regis accent lighting sets a stylish stage for your aesthetic. Dimmable integrated LEDs provide ideal illumination, complemented by classic finishes and modern, architectural details.




31010 HB-HB
14" W x 5½" H
T24



31012 HB-GW
24½" W x 5½" H
T24



31012 HB-HB
24½" W x 5½" H
T24



31013 HB-HB
32½" W x 5½" H
INV T24



31010 HB
14" W x 5½" H







31012 HB
24½" W x 5½" H







31013 HB
32½" W x 5½" H






LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	EXT	TTO	BACKPLATE
31010 HB, HB-HB	16w LED	1400	3000K	95	1 x 100w	7"	2½"	7" W x 5" H
31012 HB, HB-HB, HB-GW	28w LED	2300	3000K	95	2 x 75w	7"	2½"	7" W x 5" H
31013 HB, HB-HB	40w LED	3700	3000K	95	3 x 75w	7¼"	2½"	16½" W x 5" H

The head fully pivots. All dimensions listed are as shown.

lisa mcdennon
COLLECTION

RAFFI™

FINISH Burnished Gold, Carbon Black


Raffi's coastal bohemian vibe is balanced by its distinctively modern shape. A unique LED design offers abundant light, while a slim frame hand-wrapped in natural reeds provides unexpected texture. Bold Carbon Black or Burnished Gold finishes perfectly complement any color palette.



34106 CBK
30" DIA. x 36¼" H
 



34107 CBK
52" W x 36½" H
  




34108 CBK
48" DIA. x 38½" H
 



34106 BNG
30" DIA. x 36¼" H
 



34107 BNG
52" W x 36½" H
  



34108 BNG
48" DIA. x 38½" H
 

LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	DEPTH	CANOPY	WIRE / CHAIN
34106 CBK, BNG	22w LED	2700	3000K	90	6 x 25w		6½" Dia.	12', 10'
34107 CBK, BNG	30w LED	3600	3000K	90	8 x 25w	21"	6½" Dia.	12', 10'
34108 CBK, BNG	33w LED	4050	3000K	90	9 x 25w		6½" Dia.	12', 10'

Raffi fixtures include fully dimmable integrated LEDs. Equipped with 120/277V universal driver. CL, ELV, and 0-10V dimming. For complete product details and LED specifications, refer to hinkley.com.





FREDRICK RAMOND

Featuring uniquely detailed artisan glass,
this season's newest luxury lighting is inspired
by natural textures and enchanting aesthetics.

COCO™

TRANSITIONAL DESIGN
DRAMATIC CRACKLED GLASS GLOBES
LACQUERED BRASS FINISH



FR30524 LCB [32" DIA. x 19.75" H]



FR30525 LCB [44.25" DIA. x 30.5" H]



FR30526 LCB [59.75" DIA. x 43" H]

Coco fixtures are shown with T-Style bulbs.
LED bulbs are required (not included).

Coco fixtures are provided with 12' of wire
and three 10' chains.

FR30524 LCB
32" DIA. x 19.75" H
5" DIA. CANOPY
12-5W CAND. LED

FR30525 LCB
44.25" DIA. x 30.5" H
5" DIA. CANOPY
18-5W CAND. LED

FR30526 LCB
59.75" DIA. x 43" H
5" DIA. CANOPY
24-5W CAND. LED

LILLIA™

TRANSITIONAL ELEGANCE
GENTLY CURVED GLASS PANELS WITH SUBTLE TEXTURE
HERITAGE BRASS FINISH



FREDRICK RAMOND



FR30514 HB [36.25" DIA. x 21.5" H]
shown as convertible semi-flush



FR30514 HB [36.25" DIA. x 17.25" H]



FR30516 HB [36.25" DIA. x 23.25" H]

Lillia fixtures are provided with 12' of wire and 10' of chain.

FR30514 HB
36.25" DIA. x 17.25" H
5" DIA. CANOPY
6-12W MED. LED
60W EQUIV.
Convertible

FR30516 HB
36.25" DIA. x 23.25" H
5" DIA. CANOPY
9-12W MED. LED
40W EQUIV.



FREDRICK RAMOND

OBERON™

TAILORED, TRANSITIONAL SILHOUETTE
SPHERICAL MULTICOLORED SWIRL GLASS SHADES
HERITAGE BRASS, BLACK OXIDE FINISH



FR30502 BX [7" W x 18" H]



OBERON SHOWN FROM BELOW



FR30506 BX [36.5" DIA. x 10.75" H]



FR30502 HBR [7" W x 18" H]



FR30502 HBR [18" W x 7" H]
shown mounted horizontally



FR30506 HBR [36.5" DIA. x 10.75" H]

Oberon sconces can be mounted up or down, vertically or horizontally.

Oberon chandeliers can be hung on a sloped ceiling.

Oberon chandeliers are provided with 10' of wire and the following stems: (1) 6" stem and (2) 12" stems.

*Maximum achievable height with stems included. Additional 12" stems are available:
6036 BX and 6066 HB

FR30502 BX

7" W x 18" H x 7.5" EXT.
6.5" W x 17.5" H BACKPLATE
9" TTO
2-5W CAND. LED
60W EQUIV.

Invisimount

FR30502 HBR

7" W x 18" H x 7.5" EXT.
6.5" W x 17.5" H BACKPLATE
9" TTO
2-5W CAND. LED
60W EQUIV.

Invisimount

FR30506 BX

36.5" DIA. x 10.75" H
42.5" MAX. HEIGHT*
5" DIA. CANOPY
6-5W CAND. LED
60W EQUIV.

FR30506 HBR

36.5" W x 10.75" H
42.5" MAX. HEIGHT*
5" DIA. CANOPY
6-5W CAND. LED,
60W EQUIV.

RENE™

MULTILAYERED RADIANCE
CLEAR PRESSED GLASS DISKS
DISTRESSED BRASS FINISH



FR30120 DA [10" W x 11.75" H]



FR30128 DA [28.5" DIA. x 26" H]



FR30126 DA [28.5" DIA. x 10.5" H]



FR30124 DA [45" DIA. x 10.5" H]



FR30125 DA [60" DIA. x 10.75" H]

FR30124DA, FR30125DA:

provided with 12' of wire and the following stems:
(2) 6" and (4) 12"

- Additional 12" stems are available:
S12DA625S31

FR30126 DA, FR30128DA:

provided with 12' of wire and the following stems:
(1) 6" and (2) 12"

- Additional 12" stems are available: **6063DA**

*Maximum achievable height with stems included.

FR30120 DA

10" DIA. x 11.75" H x 4" EXT.
5.25" DIA. BACKPLATE
5" TTO

1-5W CAND. LED,
60W EQUIV.
ADA Compliant

FR30124 DA

45" DIA. x 10.5" H
39.25" MAX. HEIGHT*
12" DIA. CANOPY
8-12W MED. LED
40W EQUIV.

Fixture exceeds 50 pounds

FR30125 DA

60" DIA. x 10.75" H
39.5" MAX. HEIGHT*
12" DIA. CANOPY
10-12W MED. LED
40W EQUIV.

Fixture exceeds 50 pounds

FR30126 DA

28.5" DIA. x 10.5" H
44" MAX. HEIGHT*
6.5" DIA. CANOPY
6-5W MED. LED,
60W EQUIV.

Fixture exceeds 50 pounds

FR30128 DA

28.5" DIA. x 26" H
56" MAX. HEIGHT*
6.5" DIA. CANOPY
16-5W CAND. LED,
60W EQUIV.

Fixture exceeds 50 pounds



FREDRICK RAMOND

STITCH™


INNOVATIVE LINEAR ILLUMINATION
DISTINCT ARTICULATING LED PANELS
LACQUERED BRASS, PAINTED BLACK OXIDE FINISH



FR42455 LCB [42" W x 12" H x 7.5" D]



STITCH CHANDELIERS ARE ADJUSTABLE
TO CREATE VERSATILE LOOKS.



FR42456 LCB [58.75" W x 12" H x 7.5" D]



FR42455 PBO [42" W x 12" H x 7.5" D]



FR42456 PBO [58.75" W x 12" H x 7.5" D]

Stitch fixtures include fully dimmable integrated LEDs. Equipped with 120/277V universal driver. CL, ELV, and 0-10V dimming.

Stitch fixtures are provided with 10' of wire and the following stems: (2) 6" and (4) 12"

*Maximum achievable height with stems included. Additional 12" stems are available: **60313 LCB and S12PBO5S1**

FR42455 LCB

42" W x 12" H x 7.5" D
37" MAX. HEIGHT*
6" W x 23.75" L CANOPY
34W LED
2000 LUMENS
3000K | 92 CRI
T24 Listed

FR42455 PBO

42" W x 12" H x 7.5" D
37" MAX. HEIGHT*
6" W x 23.75" L CANOPY
34W LED
2000 LUMENS
3000K | 92 CRI
T24 Listed

FR42456 LCB

58.75" W x 12" H x 7.5" D
37" MAX. HEIGHT*
4.75" W x 31" L CANOPY
48W LED
2800 LUMENS
3000K | 92 CRI
T24 Listed

FR42456 PBO

58.75" W x 12" H x 7.5" D
37" MAX. HEIGHT*
4.75" W x 31" L CANOPY
48W LED
2800 LUMENS
3000K | 92 CRI
T24 Listed



BATH

Bring charm, elegance, and chic style
to any primary bath or powder room.

DECLAN™

FINISH Heritage Brass with Black Oxide
GLASS Etched Opal

Featuring a geometric, crosshatch motif, Declan's substantial silhouette is enhanced by a heavy cast backplate and stems accentuated by a contrasting, two-tone finish. Tall, tapered, etched opal glass shades create softly diffused illumination and a comfortable atmosphere.



51372 HB-BX
 15" W x 11" H
 INV ↑↓



51370 HB-BX
 5" W x 11" H
 INV ↑↓



51373 HB-BX
 25" W x 11" H
 INV ↑↓

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
51370 HB-BX	1-5w Cand. LED, 60w Equiv.	6¾"	8½"	4½" Dia.
51372 HB-BX	2-5w Cand. LED, 60w Equiv.	6¾"	8½"	4½" Dia.
51373 HB-BX	3-5w Cand. LED, 60w Equiv.	6¾"	8½"	4½" Dia.

Add a dash of traditional brilliance into your every day with Jude. Featuring fluted glass held in place with decorative knobs, this family showcases timeless, traditional elegance with a unique finish. The light extends from either side, anchored in the middle for a silhouette that's as striking as it is functional.

FINISH Black Oxide, Heritage Brass, Polished Nickel
GLASS Clear Fluted

JUDE™



50092 HB
5" W x 24" H

INV



50092 PN
5" W x 24" H

INV



50092 BX
5" W x 24" H

INV



50092 HB
24" W x 5" H
(mounted horizontally)

INV

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
50092 BX, HB, PN	2-10w Med. LED, 60w Equiv.	5½"	12"	5" Dia.

T10 bulb required (not included).

GRETA™

FINISH Blackened Brass,
Heritage Brass
GLASS Etched Opal

Inspired by traditional lighting styles, Greta complements its slim, contemporary silhouette with timeless details and classic finishes. Tapered, etched opal glass shades softly diffuse light, filling your space with a warm ambiance.

FOR GRETA INTERIOR FIXTURES

see page 10



52492 BLB-OP
18" W x 11" H

INV



52490 BLB-OP
6¼" W x 17½" H

INV



52493 BLB-OP
24" W x 11¼" H

INV



52492 HB-OP
18" W x 11" H

INV



52490 HB-OP
6¼" W x 17½" H

INV



52493 HB-OP
24" W x 11¼" H

INV

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
52490 BLB-OP, HB-OP	1-5w Cand. LED, 60w Equiv.	7"	11"	5¼" Dia.
52492 BLB-OP, HB-OP	2-5w Cand. LED, 60w Equiv.	8¼"	8½"	5¼" Dia
52493 BLB-OP, HB-OP	3-5w Cand. LED, 60w Equiv.	8¼"	9¼"	5¼" Dia

EMME™

FINISH Heritage Brass
GLASS Etched Opal


Beautifully retro, Emme showcases a midcentury-inspired elliptical design. Its etched opal glass dome projects soft, warm illumination surrounded by a robust, oversized frame. Versatile sconce silhouettes feature concealed on/off switches and removable cords to complement any bathroom, kitchen, or living space.



55163 HB
6" W x 22" H




55162 HB
6" W x 15" H

DOMED ETCHED OPAL GLASS

LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	EXT.	TOP TO OUTLET	BACKPLATE
55162 HB	12w LED	930	3000K	90	1 x 75w	3"	7½"	5" W x 14" H
55163 HB	24w LED	1860	3000K	90	2 x 75w	3"	11"	5" W x 21" H

Fixtures can be hardwired or mounted with an included 96" plug-in cord. Optional cord covers are available. Pack of two 12" covers – 6938 HB. For complete product details and LED specifications, refer to hinkley.com.



FOSTER™

FINISH Black, Chrome
GLASS Etched Opal

Clean and airy, Foster breathes composed simplicity into any bath space. Softly tapered glass suspended from arched handle prongs creates a sophisticated transitional silhouette, enhanced by practical yet stylized details.



5132 BK-OP
13¾" W x 10¾" H



5130 BK-OP
5" W x 10" H



5133 BK-OP
22¾" W x 10¾" H





5132 CM-OP
13¾" W x 10¾" H



5133 CM-OP
22¾" W x 10¾" H



5130 CM-OP
5" W x 10" H



ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
5130 BK-OP, CM-OP	1-12w Med. LED, 60w Equiv.	6½"	6"	4½" W x 8" H
5132 BK-OP, CM-OP	2-12w Med. LED, 60w Equiv.	6½"	8½"	8" W x 4½" H
5133 BK-OP, CM-OP	3-12w Med. LED, 60w Equiv.	6½"	8½"	8" W x 4½" H

FOSTER™

FINISH Black, Chrome
GLASS Clear

Clean and airy, Foster breathes composed simplicity into any bath space. Softly tapered glass suspended from arched handle prongs creates a sophisticated transitional silhouette, enhanced by practical yet stylized details.



5132 BK
13¾" W x 10¾" H



5130 BK
5" W x 10" H



5133 BK
22¾" W x 10¾" H



5134 BK
31¾" W x 10¾" H





5132 CM
13¾" W x 10¾" H

INV ↑↓



5133 CM
22¾" W x 10¾" H

INV ↑↓



5130 CM
5" W x 10" H

INV ↑↓



5134 CM
31¾" W x 10¾" H

INV ↑↓

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
5130 BK, CM	1-14w Med. LED, 100w Equiv.	6¼"	4"	4½" W x 8" H
5132 BK, CM	2-14w Med. LED, 100w Equiv.	6½"	2¼"	8" W x 4½" H
5133 BK, CM	3-14w Med. LED, 100w Equiv.	6½"	2¼"	8" W x 4½" H
5134 BK, CM	4-14w Med. LED, 100w Equiv.	6½"	2¼"	8" W x 4½" H

Ideal for vintage filament bulbs (not included).



CATALINA 23015 BK
PAGE 72

REPUBLIC 15558 BK-LL
VISIT HINKLEY.COM

MAX 28858 BK
VISIT HINKLEY.COM

OUTDOOR

FAMILIES

CAMPBELL	66	RUNE	69
CATALINA	72	TORRENT	68
EDGEWATER	82	WEYMOUTH	74
FACET	70		
REPUBLIC	78		

ESTATE S E R I E S

Our Estate Series boasts a breadth of fixtures defined by coordinating composition, enduring architecture, and time-honored craftsmanship, designed to meet the needs of expansive properties with extended outdoor living spaces. From the entrance of your driveway to the depths of your backyard, these collections provide cohesive design for stately exteriors.

Highlighting a wide range of fixtures with scaled-up elements, these collections emphasize the features needed to balance grand outdoor spaces while creating a distinguished and welcoming environment.

- Breadth of Fixture Styles
- Complementary Finishes
- Fine Rivet Details
- Traditional Textures

EDGEWATER	82
REPUBLIC	78
WEYMOUTH	74

ICON DESCRIPTIONS



12V

Low Voltage semi-permanent solution that comes equipped with 12-volt LED vintage filament bulbs. Requires transformer, sold separately.



ADA COMPLIANT

Indicates fixtures that adhere to the standards and guidelines listed by the Americans with Disabilities Act.



ADJUSTABLE BACKPLATE

Indicates the fixture comes equipped with an adjustable backplate to allow you to customize the installation height.



INVISIMOUNT

Indicates fixtures where the mounting hardware is hidden on the backplate.



LED

Fixtures supplied with fully integrated LEDs and drivers or specifically matched LED lamps based on performance and application.



TITLE 24

Meets California Energy Commission Title regulations.

FINISH CODES AND NAMES

BK	BLACK
BK-BU	BLACK WITH BURNISHED BRONZE
OZ	OIL RUBBED BRONZE
SI	SATIN NICKEL
TW	TEXTURED WHITE

ARTISAN-CRAFTED MODERN CLASSICS

THIS SEASON'S NEWEST OUTDOOR LIGHTING COLLECTION FEATURES CONTEMPORARY SCONCES WITH UNIQUELY DETAILED ARTISAN GLASS AND CLASSIC, LANTERN DESIGNS CRAFTED TO COMPLEMENT ARCHITECTURE OF ALL STYLES.

CAMPBELL

— P. 66

Classic but cool, Campbell's exaggerated design with oversized cast roof merges traditional styling with a uniquely modern charm and inviting contrast finishes.





RUNE

P. 69

Rune truly elevates outdoor ambiance. Its beautiful artisanal glass and sleek matte black finish enhance its downlight to deliver both functional illumination and a captivating aesthetic appeal.

TORRENT

P. 68

An artisanal showstopper, Torrent's unique glass features striking striations that not only look beautiful but refract light exquisitely.



Heritage
COLLECTION

TIMELESS LANTERN DESIGNS THAT
PAY TRIBUTE TO THE NOSTALGIA OF
AMERICA'S PAST.

CAMPBELL™

FINISH Black with
Burnished Bronze

GLASS Clear

Inspired by traditional colonial lanterns, Campbell's carriage house styling complements classic architecture accentuated by a bold arched roof and a cast top ring. Candelabra lamps with contrasting warm white candle sleeves are enhanced by a Black with Burnished Bronze finish.



10665 BK-BU
9½" W x 26" H





10662 BK-BU
7¾" W x 24" H



10660 BK-BU
6" W x 16" H

ADJ INV



10664 BK-BU
7¾" W x 21¾" H

ADJ INV



10661 BK-BU
7¾" W x 24½" H



LUMIGLO RECOMMENDATION
E12T62245CL, E12T62243CL

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER	WIRE / CHAIN
10660 BK-BU	1-5w Cand. LED, 60w Equiv.	5¾"	9" - 13½"	5¾" W x 10" H Backplate	
10661 BK-BU	3-5w Cand. LED, 60w Equiv.			3" Dia. Post Fitter	
10662 BK-BU	3-5w Cand. LED, 60w Equiv.			5" Sq. Canopy	6', 5'
10664 BK-BU	2-5w Cand. LED, 60w Equiv.	5¾"	10½" - 17½"	7¾" W x 15¼" H Backplate	
10665 BK-BU	2-5w Cand. LED, 60w Equiv.	5¾"	10½" - 18½"	9¼" W x 19¾" H Backplate	

TORRENT™

FINISH Black
GLASS Clear Ribbed

Torrent's clear, ribbed glass accentuates classic and contemporary exteriors with a subtle yet striking texture. Torrent's unique glass creates captivating refractions and sophisticated ambiance.



10604 BK
 6" W x 19" H



10605 BK
 8" W x 24" H



BULB RECOMMENDATIONS
 E26T1042411CL

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE
10604 BK	1-5w Med. LED, 60w Equiv.	6"	7" - 16¾"	6" W x 19" H
10605 BK	1-5w Med. LED, 60w Equiv.	8"	7¼" - 21¼"	8" W x 24" H

Chic and luxurious, Rune casts an ethereal glow through its robust textured glass. Subtle textural details within the glass create soft refractions and glamorous ambiance throughout the surrounding space.

FINISH Black
GLASS Clear

RUNE™



10594 BK
5" W x 20" H



10595 BK
6¼" W x 24" H



LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	EXT	TTO	BACKPLATE
10594 BK	18w LED	1350	3000K	90	2 x 60w	4"	3¾" - 16¼"	4¼" W x 17¾" H
10595 BK	18w LED	1350	3000K	90	2 x 60w	4"	3¾" - 20¼"	5½" W x 24" H

For full product details and LED specifications, refer to hinkley.com.

FACET™

FINISH Black
GLASS Etched White

View the many sides of Facet. Interesting angles combine with bold metal features to create an edgy and contemporary profile that is unpretentious yet unforgettable. Hexagonal etched white glass is showcased by a bold Black finish.

FOR FACET FAN STYLES
see page 102



10504 BK

4½" W x 23¾" H



LED ITEM	INTEGRATED LED LIGHT SOURCE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	EXT	TTO	BACKPLATE
10504 BK	24w LED	1860	3000K	90	2 x 75w	2¾"	8½" - 15"	4½" W x 23¾" H

For full product details and LED specifications, refer to hinkley.com.



CATALINA™

FINISH Black with Burnished Bronze
GLASS Clear

Striking and airy, Catalina breathes modern simplicity into outdoor spaces. Oversized clear glass, a unique single socket, and a two-tone Black with Burnished Bronze finish pair perfectly to present a statement-making fixture. The finishing touch is a floating effect created by the classic rectangular lantern design suspended from a top knob.



23010 BK
6½" W x 16" H

INV



23014 BK
7½" W x 24" H

INV



23015 BK
9" W x 30" H

ADJ INV



23012 BK
7½" W x 20¼" H
54¼" MAX. H*



23011 BK
7½" W x 23½" H



LUMIGLO RECOMMENDATIONS

E26T1042415CL, E26T1042411CL, E26T102247CL

ITEM	MAXIMUM WATTAGE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER	WIRE	STEMS INCLUDED
23010 BK	1-12w Med. LED, 100w Equiv.	8"	8"	5¼" W x 14" H Backplate		
23011 BK	1-5w Med. LED, 60w Equiv.			3" Dia. Post Fitter		
23012 BK	1-5w Med. LED, 60w Equiv.			5" Dia. Canopy	6'	1-6", 2-12"
23014 BK	1-12w Med. LED, 100w Equiv.	9"	10¾"	6¼" W x 20½" H Backplate		
23015 BK	1-5w Med. LED, 60w Equiv.	10½"	7¼" - 18½"	7½" W x 24¼" H Backplate		

*Maximum achievable height with stems included. Additional 12" stems available, S12BK5A21. For posts and pier mounts, refer to hinkley.com.

WEYMOUTH™

FINISH Oil Rubbed Bronze
GLASS Clear Beveled

Modernize your outdoor space without sacrificing the traditional appeal you long for. Weymouth's subtle yet overstated frame features a clean design, while its symmetrical lines evoke timeless elegance with a contemporary edge. The contrast candle sleeves in warm white balance the robust aluminum cast frame. The beveled glass is an elegant touch to help refract the light.

ESTATE S E R I E S



20018 OZ
11" W x 27" H





20016 OZ
6¼" W x 13¼" H



20010 OZ
7¾" W x 14¼" H



20014 OZ
7¾" W x 18¼" H



20015 OZ
9" W x 22" H



PIER MOUNT
20017 OZ
20017 OZ-LV
9" W x 20¼" H



20011 OZ
9" W x 22¼" H



LUMIGLO RECOMMENDATIONS
E12T62245CL, E12T62243CL

ITEM	MAXIMUM WATTAGE	LED ITEM	LED LIGHT SOURCE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER
20010 OZ	2-5w Cand. LED, 60w Equiv.			8¼"	5¼"	5½" W x 6¾" H Backplate
20011 OZ	3-5w Cand. LED, 60w Equiv.					3" Dia. Post Fitter
20014 OZ	2-5w Cand. LED, 60w Equiv.			8¼"	6"	5½" W x 6¾" H Backplate
20015 OZ	3-5w Cand. LED, 60w Equiv.			9½"	7½"	7" W x 9¼" H Backplate
20016 OZ	1-5w Med. LED, 60w Equiv.			6½"	5"	4¾" Sq. Base
20017 OZ	3-5w Cand. LED, 60w Equiv.	20017 OZ-LV	3-3.5w Cand. LED*			9" Sq. Base
20018 OZ	4-5w Cand. LED, 60w Equiv.			11¾"	6½" - 11½"	9" W x 11¼" H Backplate

*12v LED bulbs included. For complete product details and LED specifications, refer to hinkley.com. For posts and pier mounts, refer to hinkley.com.

WEYMOUTH™

FINISH Black
GLASS Clear Beveled

Modernize your outdoor space without sacrificing the traditional appeal you long for. Weymouth's subtle yet overstated frame features a clean design, while its symmetrical lines evoke timeless elegance with a contemporary edge. The contrast candle sleeves in warm white balance the robust aluminum cast frame. The beveled glass is an elegant touch to help refract the light.

ESTATE S E R I E S



20018 BK
11" W x 27" H





20016 BK
6¼" W x 13¼" H



20010 BK
7¾" W x 14¼" H



20014 BK
7¾" W x 18¼" H



20015 BK
9" W x 22" H



PIER MOUNT
20017 BK
20017 BK-LV
9" W x 20¼" H



20011 BK
9" W x 22¼" H



LUMIGLO RECOMMENDATIONS
E12T62245CL, E12T62243CL

ITEM	MAXIMUM WATTAGE	LED ITEM	LED LIGHT SOURCE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER
20010 BK	2-5w Cand. LED, 60w Equiv.			8¼"	5¼"	5¾" W x 5¾" H Backplate
20011 BK	3-5w Cand. LED, 60w Equiv.					3" Dia. Post Fitter
20014 BK	2-5w Cand. LED, 60w Equiv.			8¼"	6"	5½" W x 6¾" H Backplate
20015 BK	3-5w Cand. LED, 60w Equiv.			9½"	7½"	7" W x 9¼" H Backplate
20016 BK	1-5w Med. LED, 60w Equiv.			6½"	5"	4¾" Sq. Base
20017 BK	3-5w Cand. LED, 60w Equiv.	20017 BK-LV	3-3.5w Cand. LED*			9" Sq. Base
20018 BK	4-5w Cand. LED, 60w Equiv.			11¾"	6½" - 11½"	9" W x 11¼" H Backplate

*12v LED bulbs included. For complete product details and LED specifications, refer to hinkley.com. For posts and pier mounts, refer to hinkley.com.

**COASTAL
ELEMENTS™**
collection

VERSATILE DESIGNS OFFERING MAXIMUM
DURABILITY IN HARSH CLIMATES

REPUBLIC™

FINISH Black, Oil Rubbed Bronze,
Satin Nickel, Textured White

GLASS Clear Seedy

Republic's striking double frame design, constructed from a composite material and treated with an anti-fading agent for maximum durability, is at home on the coast or a country lodge. The Oil Rubbed Bronze, Satin Nickel, Textured White, and Black resilience finishes feature a 5-year warranty and are resistant to rust and corrosion.

ESTATE
S E R I E S



PIER MOUNT
1008 BK
12" SQ. x 7½" H



PIER MOUNT
1008 OZ
12" SQ. x 7½" H



PIER MOUNT
1008 TW
12" SQ. x 7½" H



PIER MOUNT
1008 SI
12" SQ. x 7½" H

ITEM	MAXIMUM WATTAGE	DEPTH	BASE
1008 BK, OZ, SI, TW	2-8w Med. LED*	12"	12" Sq.

*LED bulbs are required.



REPUBLIC 1000 BK, 1007 BK
PAGES 80, 81

**COASTAL
ELEMENTS™**
collection

VERSATILE DESIGNS OFFERING MAXIMUM
DURABILITY IN HARSH CLIMATES

REPUBLIC™

FINISH Black, Oil Rubbed Bronze,
Satin Nickel, Textured White

GLASS Clear Seedy

Republic's striking double frame design, constructed from a composite material and treated with an anti-fading agent for maximum durability, is at home on the coast or a country lodge. The Oil Rubbed Bronze, Satin Nickel, Textured White, and Black resilience finishes feature a 5-year warranty and are resistant to rust and corrosion.

ESTATE
S E R I E S

ALL STYLES
are available in
finishes shown.



1000 BK
1000 BK-LL
7" W x 12" H



1003 TW
11" SQ. x 6½" H



1004 OZ
1004 OZ-LL
7" W x 16" H



1005 TW
7" W x 20" H



1009 SI
9" W x 27" H





PIER MOUNT
1007 BK
1007 BK-LL
1007 BK-LV
 7" W x 16½" H



PIER MOUNT
1008 TW
 12" SQ. x 7½" H



1002 OZ
1002 OZ-LL
 7" W x 16¾" H



1001 SI
1001 SI-LL
1001 SI-LV
 7" W x 17" H



LUMIGLO RECOMMENDATIONS

E26T1042415CL, E26T1042411CL, E26T102247CL

ITEM	MAXIMUM WATTAGE	LED ITEM	LED LIGHT SOURCE	DEPTH	EXT	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER	WIRE / CHAIN
1000 BK	1-12w Med. LED, 100w Equiv.	1000 BK-LL	1-5w Med. LED*		6¾"	4¾"	5" W x 6½" H Backplate	
1001 SI	1-12w Med. LED, 100w Equiv.	1001 SI-LL	1-5w Med. LED*	6"			3" Dia. Post Fitter	
		1001 SI-LV	1-3.5w Med. LED**					
1002 OZ	1-12w Med. LED, 100w Equiv.	1002 OZ-LL	1-5w Med. LED*	6"			5¼" Dia. Canopy	6', 5'
1003 TW	2-8w Med. LED***						11" Sq. Canopy	
1004 OZ	1-12w Med. LED, 100w Equiv.	1004 OZ-LL	1-5w Med. LED*		6¾"	4¾"	5" W x 6½" H Backplate	
1005 TW	1-8w Med. LED, 60w Equiv.				6¾"	4¾"	5" W x 6½" H Backplate	
1007 BK	1-12w Med. LED, 100w Equiv.	1007 BK-LL	1-5w Med. LED*	6"			8" W x 6¾" H Base	
		1007 BK-LV	1-3.5w Med. LED**					
1008 TW	2-8w Med. LED***				12"		12" Sq. Base	
1009 SI	1-12w Med. LED, 100w Equiv.				8½"	4½" - 9¾"	6½" W x 10¼" H Backplate	

*LED bulb (included). **12v LED bulb included. For complete product details and LED specifications, refer to hinkley.com.

***LED bulbs are required. For posts and pier mounts, refer to hinkley.com.

EDGEWATER™

FINISH Black
GLASS Clear Seedy

Edgewater's classic design features a durable cast aluminum and brass construction in a rich Black finish with clear seedy glass.

ESTATE S E R I E S



1674 BK
6½" W x 11½" H



1676 BK
1676 BK-LL
10" W x 18" H



1670 BK
1670 BK-LL
10" W x 21" H



1675 BK
1675 BK-LL
15" W x 25½" H



1679 BK
15" W x 34¾" H





1672 BK
1672 BK-LL
10" W x 19½" H



1683 BK
13" W x 6¾" H



1677 BK
1677 BK-LL
1677 BK-LV
15" W x 27¾" H
(shown as pier mount
with 1304 BK)*



1671 BK
1671 BK-LL
1671 BK-LV
10" W x 21¼" H



LUMIGLO RECOMMENDATIONS
E12T62245CL, E12T62243CL

ITEM	MAXIMUM WATTAGE	LED ITEM	LED LIGHT SOURCE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER	WIRE / CHAIN
1670 BK	3-5w Cand. LED, 40w Equiv.	1670 BK-LL	3-4w Cand. LED**	9½"	15¼"	5" W x 14" H Backplate	
1671 BK	3-5w Cand. LED, 40w Equiv.	1671 BK-LL	3-4w Cand. LED**			3" Dia. Post Fitter	
		1671 BK-LV	3-3.5w Cand. LED***				
1672 BK	3-5w Cand. LED, 40w Equiv.	1672 BK-LL	3-4w Cand. LED**			5" Dia. Canopy	6', 5'
1674 BK	1-10w Med. LED, 60w Equiv.			6½"	4¾"	5" W x 7" H Backplate	
1675 BK	4-5w Cand. LED, 40w Equiv.	1675 BK-LL	4-4w Cand. LED**	13¾"	10½"	5" W x 14" H Backplate	
1676 BK	3-5w Cand. LED, 40w Equiv.	1676 BK-LL	3-4w Cand. LED**	9½"	7¼"	4¾" W x 9" H Backplate	
1677 BK	4-5w Cand. LED, 40w Equiv.	1677 BK-LL	4-4w Cand. LED**			3" Dia. Post Fitter	
		1677 BK-LV	4-3.5w Cand. LED***				
1679 BK	4-5w Cand. LED, 60w Equiv.			13¾"	18½" - 28"	4½" W x 23" H Backplate	
1683 BK	2-12w Med. LED, 60w Equiv.						

*Not for use within 4 ft. of ground. **LED bulb (included) is JA8 2016 certified. ***12v LED bulb included. For complete product details and LED specifications, refer to hinkley.com. For posts and pier mounts, refer to hinkley.com.

EDGEWATER™

FINISH Oil Rubbed Bronze
GLASS Clear Seedy

Edgewater's classic design features durable cast aluminum and brass construction in a rich Oil Rubbed Bronze finish with clear seedy glass.

ESTATE S E R I E S



1674 OZ
6½" W x 11½" H



1676 OZ
1676 OZ-LL
10" W x 18" H



1670 OZ
1670 OZ-LL
10" W x 21" H



1675 OZ
1675 OZ-LL
15" W x 25½" H



1679 OZ
15" W x 34¾" H





1672 OZ
1672 OZ-LL
 10" W x 19½" H



1683 OZ
 13" W x 6¾" H



1671 OZ
1671 OZ-LL
 10" W x 21¼" H



1677 OZ
1677 OZ-LL
 15" W x 27¾" H



LUMIGLO RECOMMENDATIONS
 E12T62245CL, E12T62243CL

ITEM	MAXIMUM WATTAGE	LED ITEM	LED LIGHT SOURCE	EXT.	TOP TO OUTLET	BACKPLATE / CANOPY / POST FITTER	WIRE / CHAIN
1670 OZ	3-5w Cand. LED, 40w Equiv.	1670 OZ-LL	3-4w Cand. LED*	9½"	15¼"	5" W x 14" H Backplate	
1671 OZ	3-5w Cand. LED, 40w Equiv.	1671 OZ-LL	3-4w Cand. LED*			3" Dia. Post Fitter	
1672 OZ	3-5w Cand. LED, 40w Equiv.	1672 OZ-LL	3-4w Cand. LED*			5" Dia. Canopy	6', 5'
1674 OZ	1-10w Med. LED, 60w Equiv.			6½"	4¾"	5" W x 7" H Backplate	
1675 OZ	4-5w Cand. LED, 40w Equiv.	1675 OZ-LL	4-4w Cand. LED*	13¾"	10½"	5" W x 14" H Backplate	
1676 OZ	3-5w Cand. LED, 40w Equiv.	1676 OZ-LL	3-4w Cand. LED*	9½"	7¼"	4¾" W x 9" H Backplate	
1677 OZ	4-5w Cand. LED, 40w Equiv.	1677 OZ-LL	4-4w Cand. LED*			3" Dia. Post Fitter	
1679 OZ	4-5w Cand. LED, 60w Equiv.			13¾"	18½" - 28"	4½" W x 23" H Backplate	
1683 OZ	2-12w Med. LED, 60w Equiv.						

*LED bulb (included) is JA8 2016 certified. For complete product details and LED specifications, refer to hinkley.com. For posts and pier mounts, refer to hinkley.com.

lumiglo

FOR HINKLEY

A. T10 E26
EXTRA LONG



H. G40 E26
MATTE WHITE

E. T6 E12
SHORT



D. T6 E12
LONG




G. G40 E26
CLEAR

I. G16.5 E12
CLEAR



B. T10 E26
LONG



F. ST19 E26
CLEAR



C. T10 E26
MEDIUM



J. G16.5 E12
MATTE WHITE



INTRODUCING lumiglo

To create SUPERIOR, SOFTER LIGHT that sets the scene in any indoor or outdoor setting, Hinkley's LUMIGLO LED bulbs feature unique filament technology designed to cast a WARM AMBIENT GLOW. Dimmable functionality provides full control over brightness, allowing you to CRAFT AN ATMOSPHERE that perfectly accentuates your space.

RECOMMENDATIONS have been provided throughout this catalog to help pair your Hinkley fixture with the ideal Lumiglo lamp. A selection of 10 NEW LED BULBS provides a FLAWLESS COMPLEMENT to any exterior sconce, lantern, or outdoor chandelier.



LUMIGLO BULB SPECS

LAMP ITEM NO.	ITEM NAME	SIZE	WATTAGE	LUMENS	COLOR TEMP.	CRI	INCAN. EQUIV.	DIMMABLE	
A	E26T1042415CL	T10 E26 EXTRA LONG	15" L	4W	360	2400K	90	1-40W	YES - CL TYPE DIMMER (SSL7A)
B	E26T1042411CL	T10 E26 LONG	11" L	4W	320	2400K	90	1-40W	YES - CL TYPE DIMMER (SSL7A)
C	E26T102247CL	T10 E26 MEDIUM	7" L	2W	160	2400K	90	1-25W	YES - CL TYPE DIMMER (SSL7A)
D	E12T62245CL	T6 E12 LONG	5" L	2W	150	2400K	90	1-25W	YES - CL TYPE DIMMER (SSL7A)
E	E12T62243CL	T6 E12 SHORT	3.5" L	2W	150	2400K	90	1-25W	YES - CL TYPE DIMMER (SSL7A)
F	E26ST192245CL	ST19 E26 CLEAR	5" L	2W	220	2400K	90	1-30W	YES - CL TYPE DIMMER (SSL7A)
G	E26G402247CL	G40 E26 CLEAR	7" DIA.	2W	220	2400K	90	1-30W	YES - CL TYPE DIMMER (SSL7A)
H	E26G402277MW	G40 E26 MATTE WHITE	7" DIA.	2W	220	2700K	90	1-30W	YES - CL TYPE DIMMER (SSL7A)
I	E12G162243CL	G16.5 E12 CLEAR	3.2" DIA.	2W	220	2400K	90	1-30W	YES - CL TYPE DIMMER (SSL7A)
J	E12G162273MW	G16.5 E12 MATTE WHITE	3.2" DIA.	2W	220	2700K	90	1-30W	YES - CL TYPE DIMMER (SSL7A)



CEILING FANS

FAMILIES

60" AILERON	92	36" SAWYER	110
56" ALBA	94	52" SAWYER	112
64" BODIN	96	64" TALAN	100
52" FACET	102	60" TURBINE	106
60" FACET	104	80" TURBINE	108
60" LIV	98		

FINISH CODES AND NAMES

FBB	MATTE BLACK
FBD	MATTE BLACK
FCW	CHALK WHITE
FHB	HERITAGE BRASS
FMB	MATTE BLACK
FMM	METALLIC MATTE BRONZE
FMW	MATTE WHITE
FWC	MATTE WHITE
FWW	MATTE WHITE

ICON DESCRIPTIONS



COASTAL
ELEMENTS

COASTAL ELEMENTS COLLECTION

Versatile designs offering maximum durability in harsh climates.



DAMP

DAMP

Suitable for use in damp (interior moist and outdoor no direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



DC MOTOR

DC MOTOR

Fan comes equipped with a DC motor which uses up to 70% less energy than an AC motor and runs cooler and quieter for a longer life.



Intertek

ETL LISTED

Fan has been tested by Intertek and found in compliance with accepted national safety standards.



HIRO CONTROL

All-in-one wireless remote and wall control combines flexible operation for fan speed and light control with ease of installation for multiple configurations.



LED

LED

Fan supplied with fully integrated LEDs and drivers or specifically matched LED bulbs based on performance and application.



LISTED

UL LISTED

Fan has been tested by Underwriters Laboratories and found in compliance with accepted national safety standards.



WET

WET

Suitable for use in wet (interior direct splash and outdoor direct rain or sunlight) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.



WIFI

Fan is WiFi compatible.

GRAND STYLE MEETS HIGH-PERFORMANCE

OUR NEWEST CEILING STYLES ARE EXPERTLY ENGINEERED TO FIT SPACES OF ALL SIZES. FRESH SILHOUETTES AND EXPANSIONS TO OUR FAVORITE FAMILIES INCLUDE NEW SIZES AND FINISHES DESIGNED FOR SETTINGS INSIDE AND OUT.



LIV

P. 98

Part of the Coastal Elements Collection, Liv's sleek, wet-rated design is built with weather-resistant composite materials.



AILERON

P. 92

Aileron's unique modern industrial design, with optional light kit cover, is highlighted by chic Heritage Brass trim and rivet details.



ALBA

P. 94

Featuring integrated warm-dim LEDs for exceptional illumination, Alba's flowing silhouette provides refreshing breezes and an inviting, modern look.




60" AILERON™

Accented by unique metal trim along the blades and central light, Aileron's modern design brings added interest to your ceiling and a cool breeze to the surrounding space. Its versatile, damp-rated design is perfect for both interior and outdoor settings. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.



906760 FMB-LDD
MATTE BLACK WITH HERITAGE BRASS ACCENTS
AND MATTE BLACK BLADES



DESCRIPTION

906760 FMB-LDD - MATTE BLACK

906760 FMW-LDD - MATTE WHITE

BLADES:

- 3 Wood Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 26.40 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



- Includes WiFi Enabled Control



Light Kit Cover
Included with Fan



906760 FMW-LDD
MATTE WHITE WITH HERITAGE BRASS ACCENTS
AND MATTE WHITE BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5839	4003
ENERGY USE (WATTS)	37	25
AIRFLOW EFFICIENCY (CFM/W)	157	163
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	.52	.06
RPMS	144	49

56" ALBA™

Featuring unique, upwardly curved blades complemented by an exaggerated central light, Alba's modern look strikes a perfect balance between style and function. Its damp-rated design with integrated LEDs is suitable for both interior and covered outdoor areas. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.



906556 FMW-LDD
MATTE WHITE WITH HERITAGE BRASS ACCENTS
AND MATTE WHITE BLADES



DESCRIPTION

906556 FMB-LDD - MATTE BLACK

906556 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14.5° Blade Pitch
- 56" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 24 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 24w LED Included
- 2400 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



 Includes WiFi Enabled Control



906556 FMB-LDD
 MATTE BLACK WITH HERITAGE BRASS ACCENTS
 AND MATTE BLACK BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6340	4336
ENERGY USE (WATTS)	37	25
AIRFLOW EFFICIENCY (CFM/W)	170	173
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	.52	.07
RPMS	145	49

64" BODIN™

Classic with a sophisticated tapered silhouette, Bodin's uniquely curved blades add a cool touch and refreshing breezes to any setting. A versatile, damp-rated design complements both interiors and covered outdoor areas. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.



906564 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

906564 FHB-LDD - HERITAGE BRASS

906564 FMB-LDD - MATTE BLACK

906564 FMW-LDD - MATTE WHITE

BLADES:

- 5 Composite Blades Included
- 14° Blade Pitch
- 64" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 17 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
 6 Speed HIRO Reversing



 Includes WiFi Enabled Control



Light Kit Cover
Included with Fan



906564 FMW-LDD
MATTE WHITE WITH
MATTE WHITE BLADES



906564 FHB-LDD
HERITAGE BRASS WITH MATTE BLACK ACCENTS
AND MATTE BLACK BLADES

PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	7749	5665
ENERGY USE (WATTS)	34	23
AIRFLOW EFFICIENCY (CFM/W)	230	244
ENERGY COSTS (YEARLY)	\$10.00	\$7.00
AMPS	0.50	0.30
RPMS	118	85

60" LIV™


Liv's sleek, wet-rated design accentuates modern interior or outdoor spaces with its artfully arranged blades. Part of the Coastal Elements Collection, this resilient fan is crafted with composite materials that are coated with an anti-fading finish for maximum durability. Liv is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.



Part of the Coastal Elements Collection, Liv is a versatile design offering maximum durability in harsh climates.



906660 FMW-NWD
MATTE WHITE WITH
MATTE WHITE BLADES



DESCRIPTION

906660 FBB-NWD - MATTE BLACK

906660 FBD-NWD - MATTE BLACK

906660 FMW-NWD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 12.5 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



Includes WiFi Enabled Control



906660 FBD-NWD
 MATTE BLACK WITH
 DRIFTWOOD BLADES



906660 FBB-NWD
 MATTE BLACK WITH
 MATTE BLACK BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6428	4515
ENERGY USE (WATTS)	35	23
AIRFLOW EFFICIENCY (CFM/W)	184	192
ENERGY COSTS (YEARLY)	\$12.00	\$7.00
AMPS	0.52	0.30
RPMS	143	97

64" TALAN™

Featuring a low-profile, modern retro design, Talan's subtly curved blades and classic finishes complement its central, integrated 24W LED lamps, which provide superior light output for optimal functionality. Damp rated for use in covered outdoor areas or large interior spaces. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.



906864 FHB-LDD
HERITAGE BRASS WITH
MATTE BLACK BLADES



DESCRIPTION

906864 FHB-LDD - HERITAGE BRASS

906864 FMB-LDD - MATTE BLACK

906864 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14° Blade Pitch
- 64" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 16 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 16w LED Included
- 1320 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- White Polycarbonate Lens

INCLUDED CONTROLS:

980014 FWH-R
6 Speed HIRO Reversing



- Includes WiFi Enabled Control



Light Kit Cover
Included with Fan



906864 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



906864 FMW-LDD
MATTE WHITE WITH
MATTE WHITE BLADES

PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	7311	5123
ENERGY USE (WATTS)	39	26
AIRFLOW EFFICIENCY (CFM/W)	186	237
ENERGY COSTS (YEARLY)	\$11.00	\$7.00
AMPS	.46	.08
RPMS	137	50

52" FACET™


For a profile that is unpretentious yet unforgettable, view all sides of Facet. Featuring substantial elements and designer finishes, this family of ceiling fans adds a touch of glam along with breezy comfort. Facet is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp rated and ready for any indoor or outdoor application. For taller ceilings, a downrod kit is an accessory option for easy customization.

FOR OUTDOOR STYLES

see page 70



905852 FWC-LDD
MATTE WHITE WITH
CLEAR ACRYLIC BLADES



DESCRIPTION

905852 FHB-LDD - HERITAGE BRASS

905852 FMB-LDD - MATTE BLACK

905852 FMW-LDD - MATTE WHITE

905852 FWC-LDD - MATTE WHITE

905852 FWW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14° Blade Pitch
- 52" Blade Sweep

MOUNTING:

- 56" Lead Wire
- 13.12 lbs. Hanging Weight

LAMPING/GLASS:

- 16w LED Included
- 1267 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6-Speed HIRO Reversing



-  Includes WiFi-Enabled Control



905852 FWW-LDD
MATTE WHITE WITH
MATTE WHITE BLADES



905852 FHB-LDD
HERITAGE BRASS WITH
CLEAR ACRYLIC BLADES



905852 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES



905852 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



Light Kit Cover
Included with Fan

OPTIONAL ACCESSORIES:

Facet can be mounted with an optional Downrod Kit. This will result in an overall fan height of 18½" and a ceiling-to-blade height of 14¼".

See hinkley.com for additional accessories and specifications.



99058 FHB
Downrod Kit,
Heritage Brass



99058 FMB
Downrod Kit,
Matte Black



99058 FMW
Downrod Kit,
Matte White

MOUNTING:

- 4½" Downrod (Any length of downrod can be use with this kit.)
- 6½" Dia. Canopy
- Mounts to Sloped Ceilings - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	5159	3302
ENERGY USE (WATTS)	17.8	15
AIRFLOW EFFICIENCY (CFM/W)	290	220
ENERGY COSTS (YEARLY)	\$5.00	\$4.00
AMPS	0.26	0.16
RPMS	170	108

60" FACET™


For a profile that is unpretentious yet unforgettable, view all sides of Facet. Featuring substantial elements and designer finishes, this family of ceiling fans adds a touch of glam along with breezy comfort. Facet is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp rated and ready for any indoor or outdoor application. For taller ceilings, a downrod kit is an accessory option for easy customization.

FOR OUTDOOR STYLES

see page 70



905860 FMB-LDD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

905860FHB-LDD - HERITAGE BRASS

905860 FMB-LDD - MATTE BLACK

905860 FMW-LDD - MATTE WHITE

BLADES:

- 3 Composite Blades Included
- 14° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 56" Lead Wire
- 13.89 lbs. Hanging Weight

LAMPING/GLASS:

- 16w LED Included
- 1267 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6-Speed HIRO Reversing



- Includes WiFi-Enabled Control



905860 FHB-LDD
HERITAGE BRASS WITH
CLEAR ACRYLIC BLADES



905860 FMW-LDD
MATTE WHITE WITH
NATURAL FINISH BLADES



Light Kit Cover
Included with Fan

OPTIONAL ACCESSORIES:

Facet can be mounted with an optional Downrod Kit. This will result in an overall fan height of 18½" and a ceiling-to-blade height of 14¼".

See hinkley.com for additional accessories and specifications.



99058 FHB
Downrod Kit,
Heritage Brass



99058 FMB
Downrod Kit,
Matte Black



99058 FMW
Downrod Kit,
Matte White

MOUNTING:

- 4½" Downrod (Any length of downrod can be use with this kit.)
- 6½" Dia. Canopy
- Mounts to Sloped Ceilings - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	6212	4069
ENERGY USE (WATTS)	26.2	20
AIRFLOW EFFICIENCY (CFM/W)	237	203
ENERGY COSTS (YEARLY)	\$7.00	\$6.00
AMPS	0.38	0.22
RPMS	150	98

60" TURBINE™

Turbine is a robust nine-blade fan, offering a clean look and excellent breeze. Its sleek blades accentuate all spaces, available in a variety of finishes. Complemented by beautiful etched opal glass, Turbine boasts modern functionality with integrated 24W LED lighting for improved illumination. Versatile in style and form, Turbine appeals to both interior and outdoor living spaces.



904260 FWW-LWD
CHALK WHITE WITH
CHALK WHITE BLADES



DESCRIPTION

904260 FBB-LWD - MATTE BLACK

904260 FCW-LWD - CHALK WHITE

904260 FMB-LWD - MATTE BLACK

904260 FMM-LWD - METALLIC MATTE BRONZE

904260 FWW-LWD - CHALK WHITE

BLADES:

- 9 Composite Blades Included
- 13° Blade Pitch
- 60" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 31 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 24w LED Included
- 2000 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6-Speed HIRO Reversing



 Includes WiFi-Enabled Control



904260 FBB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



Light Kit Cover
Included with Fan



904260 FCW-LWD
CHALK WHITE FINISH WITH
WEATHERED WOOD BLADES



904260 FMB-LWD
MATTE BLACK WITH
DRIFTWOOD BLADES



904260 FMM-LWD
METALLIC MATTE BRONZE
WITH WALNUT BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	9147	6160
ENERGY USE (WATTS)	39	27
AIRFLOW EFFICIENCY (CFM/W)	235	232
ENERGY COSTS (YEARLY)	\$11.00	\$7.00
AMPS	0.51	0.29
RPMS	136	90

80" TURBINE™

Turbine is a robust nine-blade fan, offering a clean look and excellent breeze. Its sleek blades accentuate all spaces, available in a variety of finishes. Complemented by beautiful etched opal glass, Turbine boasts modern functionality with integrated 24W LED lighting for improved illumination. Versatile in style and form, Turbine appeals to both interior and outdoor living spaces.



904280 FBB-LWD
MATTE BLACK WITH
MATTE BLACK BLADES



DESCRIPTION

904280 FBB-LWD - MATTE BLACK

904280 FCW-LWD - CHALK WHITE

904280 FMB-LWD - MATTE BLACK

904280 FMM-LWD - METALLIC MATTE BRONZE

904280 FWW-LWD - CHALK WHITE

BLADES:

- 9 Composite Blades Included
- 13° Blade Pitch
- 80" Blade Sweep

MOUNTING:

- 6" Downrod Included
- 80" Lead Wire
- 38 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING/GLASS:

- 24w LED Included
- 2000 Lumens | 90 CRI | 3000K
- Dimmable - Warm Dim
- Etched Opal Glass

INCLUDED CONTROLS:

980014 FWH-R
6-Speed HIRO Reversing



 Includes WiFi-Enabled Control



904280 FMM-LWD
METALLIC MATTE BRONZE
WITH WALNUT BLADES



Light Kit Cover
Included with Fan



904280 FWW-LWD
CHALK WHITE WITH
CHALK WHITE BLADES



904280 FMB-LWD
MATTE BLACK FINISH WITH
DRIFTWOOD BLADES



904280 FCW-LWD
CHALK WHITE FINISH WITH
WEATHERED WOOD BLADES


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	12944	8634
ENERGY USE (WATTS)	36	26
AIRFLOW EFFICIENCY (CFM/W)	360	337
ENERGY COSTS (YEARLY)	\$11.00	\$7.00
AMPS	0.47	0.27
RPMS	97	63

36" SAWYER FANDELIER™

Fresh yet rustic, Sawyer will inject any outdoor living experience with the warm, cozy ambiance of an indoor setting. Available in a variety of finish, accent, and blade combinations, Sawyer features durable composite materials and a versatile, wet-rated design. Operated by the HIRO control or WiFi compatible with the Hinkley App.



902928 FMM-LWD
METALLIC MATTE BRONZE WITH SEQUOIA
ACCENTS AND SEQUOIA BLADES
(SHOWN WITH 12" DOWNROD)



DESCRIPTION

902928 FMB-LWD - MATTE BLACK

902928 FMM-LWD - METALLIC MATTE BRONZE

902928 FMW-LWD - MATTE WHITE

BLADES:

- 5 Composite Blades Included
- 16° Blade Pitch
- 28" Blade Sweep

MOUNTING:

- 12" & 24" Downrod Included
- Max height is 33" with 24" Downrod
- 76" Lead Wire
- 30 lbs. Hanging Weight
- Mounts to Sloped Ceilings
- Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING / GLASS:

- 8-4w Cand. LED Included
- 2840 Lumens | 90 CRI | 3000K
- Dimmable
- Clear Seedy Glass

INCLUDED CONTROLS:

980014 FWH-R
6-Speed HIRO Reversing



 Includes WiFi-Enabled Control



902928 FMW-LWD
 MATTE WHITE WITH WEATHERED WOOD ACCENTS
 AND WEATHERED WOOD BLADES
 (SHOWN WITH 12" DOWNROD)



902928 FMB-LWD
 MATTE BLACK WITH DRIFTWOOD
 ACCENTS AND DRIFTWOOD BLADES
 (SHOWN WITH 24" DOWNROD)


PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	2432	1637
ENERGY USE (WATTS)	10.7	8
AIRFLOW EFFICIENCY (CFM/W)	227	201
ENERGY COSTS (YEARLY)	\$3.00	\$2.00
AMPS	0.19	0.12
RPMS	319	211

52" SAWYER FANDELIER™

Fresh yet rustic, Sawyer will inject any outdoor living experience with the warm, cozy ambiance of an indoor setting. Available in a variety of finish, accent, and blade combinations, Sawyer features durable composite materials and a versatile, wet-rated design. Operated by the HIRO control or WiFi compatible with the Hinkley App.



906144 FMW-LWD
 MATTE WHITE WITH WEATHERED WOOD ACCENTS
 AND WEATHERED WOOD BLADES
 (SHOWN WITH 12" DOWNROD)



DESCRIPTION

906144 FMB-LWD - MATTE BLACK

906144 FMM-LWD - METALLIC MATTE BRONZE

906144 FMW-LWD - MATTE WHITE

BLADES:

- 5 Composite Blades Included
- 16° Blade Pitch
- 44" Blade Sweep

MOUNTING:

- 12" & 24" Downrod Included
- Max height is 33" with 24" Downrod
- 76" Lead Wire
- 41.8 lbs. Hanging Weight
- Mounts to Sloped Ceilings
 - Up to 20° Pitch

Slope ceiling kit required for ceiling pitch greater than 20°, 992001 FXX, see hinkley.com.

LAMPING / GLASS:

- 8-4w Cand. LED Included
- 2840 Lumens | 90 CRI | 3000K
- Dimmable
- Clear Seedy Glass

INCLUDED CONTROLS:

980014 FWH-R
 6-Speed HIRO Reversing



 Includes WiFi-Enabled Control



906144 FMM-LWD
 METALLIC MATTE BRONZE WITH SEQUOIA
 ACCENTS AND SEQUOIA BLADES
 (SHOWN WITH 12" DOWNROD)



906144 FMB-LWD
 MATTE BLACK WITH DRIFTWOOD
 ACCENTS AND DRIFTWOOD BLADES
 (SHOWN WITH 24" DOWNROD)

PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVG SPEED
AIRFLOW (CFM)	4715	3074
ENERGY USE (WATTS)	23.7	18
AIRFLOW EFFICIENCY (CFM/W)	199	173
ENERGY COSTS (YEARLY)	\$6.64	\$5.00
AMPS	0.36	0.21
RPMS	184	117

TAKE A SPIN THROUGH THE

HINKLEY HOME AUTOMATION APP

PRESENTING THE EFFICIENT WAY TO MAKE YOUR SPACE SMARTER

Enjoy complete control of your home by pairing your Hinkley ceiling fan with the Hinkley Home Automation App. Every Hinkley fan can be a smart fan – Hinkley 6-speed DC fans are ready to connect right out of the box.

Hinkley 3-speed and 4-speed fans are WiFi adaptable with the additional purchase of optional control accessories.



HINKLEY

**PAIR YOUR CEILING FAN
WITH THE HINKLEY APP**

Download from the **Apple App Store**
or **Google Play**

COMPLETE CONTROL IN THE PALM OF YOUR HAND



EASY-TO-USE CUSTOMIZATION:

Turn the light on & off, switch the fan direction, and change the wind speed and light brightness on a slidable scale.



GROUP FANS TOGETHER:

Pair multiple smart fans together and control them all at once – no need to mess with multiple device settings.



SET IT + FORGET IT:

Make life seamless by setting schedules and preferences.



SMART DEVICE ENABLED:

Go hands-free with the option to manage your fan settings with smart home voice-controlled devices.



ACTIVATE BREEZE MODES:

Toggle between normal airflow speeds and varying airflow speeds with breeze mode.



EASILY SHARE ACCESS:

Easily share access to fan controls with family members or house guests.




For detailed setup guides and more information,
visit [Hinkley.com](https://www.hinkley.com) or scan the QR code.

Say hello to...

HIRO

INNOVATIVE FAN REMOTE + WALL CONTROL SYSTEM



THE POWER OF HIRO

DESIGN

HIGHLY INTELLIGENT, ALL-IN-ONE, WIRELESS DESIGN.

AVAILABLE IN 3 COLORS (WHITE, LIGHT ALMOND, AND BLACK).

FLEXIBILITY

SECURES TO A FLAT WALL OR SWITCH BOX.

CAN BE MOUNTED WITHIN A DECORATIVE FACE PLATE OR USED WITH AN OPTIONAL HANDHELD SILICONE HOLDER.

FUNCTIONALITY

COMPATIBLE WITH NEW AND EXISTING HINKLEY FANS.

UP TO 3 CONTROLS CAN BE CONNECTED TO EACH FAN.

TECHNOLOGY

INTEGRATES WITH OTHER SMART HOME DEVICES.

USES WIFI AND RF COMMUNICATION FOR SEAMLESS OPERATION.

FACET 52" 905852 FHB-LDD
PAGE 103

AIDEN 53062 LCB
VISIT HINKLEY.COM



INDEX

1000 BK	80	1676 BK	82	31012 HB	37	45162 HB	12
1000 BK-LL	80	1676 BK-LL	82	31012 HB-GW	36	45164 BLB	11
1001 SI	81	1676 OZ	84	31012 HB-HB	36	45164 HB	13
1001 SI-LL	81	1676 OZ-LL	84	31013 HB	37	45165 BLB	10
1001 SI-LV	81	1677 BK	83	31013 HB-HB	36	45165 HB	12
1002 OZ	81	1677 BK-LL	83	33107 BK	14	45167 BLB	11
1002 OZ-LL	81	1677 BK-LV	83	33107 LCB	15	45167 HB	13
1003 TW	80	1677 OZ	85	34106 BNG	39	4890 BK	28
1004 OZ	80	1677 OZ-LL	85	34106 CBK	38	4890 LDB	30
1004 OZ-LL	80	1679 BK	82	34107 BNG	39	4890 LDB-OW	29
1005 TW	80	1679 OZ	84	34107 CBK	38	4893 BK	28
1007 BK	81	1683 BK	83	34108 BNG	39	4893 BK-LDB	30
1007 BK-LL	81	1683 OZ	85	34108 CBK	38	4893 LDB-OW	29
1007 BK-LV	81	20010 BK	77	37850 BK	21	4894 BK	28
1008 BK	78	20010 OZ	75	37850 BK-WH	20	4894 LDB-OW	29
1008 OZ	78	20011 BK	77	37850 BN	21	4894 PN	30
1008 SI	78	20011 OZ	75	37850 BN-WH	20	4895 BK	28
1008 TW	78, 81	20014 BK	77	37850 HB	21	4895 LDB-OW	29
1009 SI	80	20014 OZ	75	37850 HB-WH	20	4895 WS	30
10504 BK	70	20015 BK	77	37852 BK-LL	21	50092 BX	53
10594 BK	69	20015 OZ	75	37852 BK-WH	20	50092 HB	53
10595 BK	69	20016 BK	77	37852 HB-LL	21	50092 PN	53
10604 BK	68	20016 OZ	75	37852 HB-WH	20	5130 BK	60
10605 BK	68	20017 BK	77	37855 BK	22	5130 BK-OP	58
10660 BK-BU	67	20017 BK-LV	77	37855 HB	22	5130 CM	61
10661 BK-BU	67	20017 OZ	75	38250 BX	33	5130 CM-OP	59
10662 BK-BU	67	20017 OZ-LV	75	38250 HB	35	5132 BK	60
10664 BK-BU	67	20018 BK	76	38255 BX	33	5132 BK-OP	58
10665 BK-BU	66	20018 OZ	74	38255 HB	35	5132 CM	61
1670 BK	82	23010 BK	72	38256 BX	33	5132 CM-OP	59
1670 BK-LL	82	23011 BK	73	38256 HB	35	5133 BK	60
1670 OZ	84	23012 BK	73	38257 BX	33	5133 BK-OP	58
1670 OZ-LL	84	23014 BK	72	38257 HB	35	5133 CM	61
1671 BK	83	23015 BK	72	38258 BX	32	5133 CM-OP	59
1671 BK-LL	83	30520 BK	16	38258 HB	34	5134 BK	60
1671 BK-LV	83	30520 LCB	18	38259 BX	32	5134 CM	61
1671 OZ	85	30525 BK	16	38259 HB	34	51370 HB-BX	52
1671 OZ-LL	85	30525 LCB	18	45042 BX	24	51372 HB-BX	52
1672 BK	83	30526 BK	17	45042 HB	26	51373 HB-BX	52
1672 BK-LL	83	30526 LCB	19	45046 BX	25	52490 BLB-OP	54
1672 OZ	85	30527 BK	16	45046 HB	27	52490 HB-OP	55
1672 OZ-LL	85	30527 LCB	18	45048 BX	24	52492 BLB-OP	54
1674 BK	82	30528 BK	17	45048 HB	26	52492 HB-OP	55
1674 OZ	84	30528 LCB	19	45049 BX	25	52493 BLB-OP	54
1675 BK	82	30529 BK	17	45049 HB	27	52493 HB-OP	55
1675 BK-LL	82	30529 LCB	19	45160 BLB	10	53102 BK	14
1675 OZ	84	31010 HB	37	45160 HB	12	53102 LCB	15
1675 OZ-LL	84	31010 HB-HB	36	45162 BLB	10	55162 HB	56

55163 HB	56	FR30120 DA	46
902928 FMB-LWD	111	FR30124 DA	47
902928 FMM-LWD	110	FR30125 DA	47
902928 FMW-LWD	111	FR30126 DA	46
904260 FBB-LWD	107	FR30128 DA	46
904260 FCW-LWD	107	FR30502 BX	44
904260 FMB-LWD	107	FR30502 HBR	45
904260 FMM-LWD	107	FR30506 BX	44
904260 FWW-LWD	106	FR30506 HBR	45
904280 FBB-LWD	108	FR30514 HB	43
904280 FCW-LWD	109	FR30516 HB	43
904280 FMB-LWD	109	FR30524 LCB	42
904280 FMM-LWD	109	FR30525 LCB	42
904280 FWW-LWD	109	FR30526 LCB	42
905852 FHB-LDD	103	FR42455 LCB	48
905852 FMB-LDD	103	FR42455 PBO	49
905852 FMW-LDD	103	FR42456 LCB	48
905852 FWC-LDD	102	FR42456 PBO	49
905852 FWW-LDD	103		
905860 FHB-LDD	105		
905860 FMB-LDD	104		
905860 FMW-LDD	105		
906144 FMB-LWD	113		
906144 FMM-LWD	113		
906144 FMW-LWD	112		
906556 FMB-LDD	95		
906556 FMW-LDD	94		
906564 FHB-LDD	97		
906564 FMB-LDD	96		
906564 FMW-LDD	97		
906660 FBB-NWD	99		
906660 FBD-NWD	99		
906660 FMW-NWD	98		
906760 FMB-LDD	92		
906760 FMW-LDD	93		
906864 FHB-LDD	100		
906864 FMB-LDD	101		
906864 FMW-LDD	101		
E12G162243CL	87		
E12G162273MW	87		
E12T62243CL	87		
E12T62245CL	87		
E26G402247CL	87		
E26G402277MW	87		
E26ST192245CL	87		
E26T102247CL	87		
E26T104241CL	87		
E26T1042415CL	87		



We want you to enjoy your experience with Hinkley.

We're proud to be a 4th generation family company, and we love what we do. We've been designing and creating products with the same level of style and quality we put in our own homes since 1922. So whether you are flipping through our catalog, surfing our site, getting inspired through social media, chatting with a member of our team or checking out our designs with one of our retailers, we're always looking for your experience with Hinkley to be a positive one. Here's all you need to know:

CATALOG COLLECTIONS

Hinkley catalogs feature our current and complete product line along with important product specs and detailed photography. A must for the print-loving researcher who likes to tab their favorites. Stop by your local showroom for your own copy.

HINKLEY.COM

Dive in! Our easy-to-use site makes your product research process a snap, with the added benefit of tips, trends, installation guidelines and a quick connection to our retail partners.

#HINKLEYSTYLE

We love seeing how you live and sharing ideas and inspiration with each other. Stay in the loop on all Hinkley happenings, from your favorites styles, the best (seriously) giveaways, helpful tips, our latest collabs, Team Hinkley shenanigans, and brand new design drops. @hinkleylighting



TEAM HINKLEY

Want to chat? Contact us at customer care@hinkley.com or 1.800.HINKLEY.


Hinkley stands behind the quality of our lighting fixtures and ceiling fans with product warranties that are among the strongest in the industry. For details of warranty coverage on specific products, please refer to hinkley.com or consult a qualified Hinkley retail distributor.

Several Hinkley products are protected under U.S. Patent and foreign patent, or patent pending.

WELCOME TO THE FAMILY

We stand by every fixture we make but we know that sometimes things happen. Simply register your fixture so we can answer any questions as quickly as possible. Just head over to hinkley.com/register. We're always here if you have a question, need some help, or want to chat about our products.

©2024 Hinkley, Inc. All rights reserved in all copyrightable works.



Hinkley is a proud partner of the American Lighting Association.

HINKLEY

HINKLEY.COM

GLOBAL HEADQUARTERS

33000 Pin Oak Parkway | Avon Lake, Ohio 44012
T 440 653 5500 | F 440 653 5555 | hinkley.com

SHOWROOMS

Dallas Trade Mart 3210 | Dallas, Texas 75207
High Point Market MS143 | High Point, North Carolina 27260

ON THE COVER: CLARKE 4890 LDB-OW, 4895 LDB-OW



Connect with us | [#hinkleystyle](https://www.instagram.com/hinkleystyle)

SUPPLEMENT : JUNE 2024 SUP624

