

PROGRESS
★
LIGHTING®

INCLUDING
DESIGN+SERIES™
PRODUCTS

Winter 2024

PRODUCT SUPPLEMENT

Your guide to selecting the perfect fixtures for your space.

The lighting and ceiling fans you select for your home should not only be functional, it is your opportunity to express your personality and elevate each room's design aesthetic. While there are many choices to make during the selection process, it doesn't have to be overwhelming. This catalog is intentionally designed so you can quickly understand different options and characteristics of each fixture category. It is your guide to easily and efficiently plan functional, beautiful lighting for every room in your home.

Featuring Cornett



Using this tool.



STEP 01



Go to the **Product Finder** starting on page 04 to search for your perfect fixture.



STEP 02



Use colored tabs to quickly turn to product sections.



STEP 03

Get more detailed information by searching the product number at:
ProgressLighting.com

04 PRODUCT FINDER



18 DESIGN+SERIES™



62 COLLECTIONS

74 PENDANTS

82 CEILING FANS

96 BATH AND MIRRORS

114 OUTDOOR

116 DOWNLIGHTING

118 Icon Guide

119 Index

COLLECTIONS

BOUNDARY
Brushed Nickel

56



BOUNDARY
Matte Black

53



CHEVALL
Gilded Silver

35




CHEVALL
Gold Ombre

33




HAAS
Brushed Bronze

59




HAAS
Brushed Nickel

59



HAAS
Matte Black

58



LAUREL
Gilded Silver

25



LAUREL
Gold Ombre

23



LORETTA
Gold Ombre

29



LUSAIL
Soft Gold

45



PINELLAS
Soft Gold

39



PINELLAS
White Plaster

41



RIVERA
Matte Black

48



RIVERA
Matte Black

49



PENDANTS

BOUNDARY
Brushed Nickel

56



BOUNDARY
Matte Black

53



CHEVALL
Gilded Silver

37



CHEVALL
Gold Ombre

33



LORETTA
Gold Ombre

29



LUSAIL
Soft Gold

45



PINELLAS
Soft Gold

40



PINELLAS
White Plaster

41



RIVERA
Matte Black

51



CLOSE-TO-CEILING

BOUNDARY
Brushed Nickel

57



BOUNDARY
Matte Black

55



CHEVALL
Gilded Silver

35



CHEVALL
Gilded Silver

35



CHEVALL
Gold Ombre

34



CHEVALL
Gold Ombre

34



LAUREL
Gilded Silver

25



LAUREL
Gold Ombre

24



LORETTA
Gold Ombre

31



LUSAIL
Soft Gold

47



PINELLAS
Soft Gold

40



PINELLAS
White Plaster

41



RIVERA
Matte Black

51



SCONCES & WALL BRACKETS

BOUNDARY
Brushed Nickel

57



BOUNDARY
Matte Black

55



CHEVALL
Gilded Silver

35



CHEVALL
Gold Ombre

34



CUMBERLAND
Aged Bronze

61



HAAS
Brushed Bronze

61



HAAS
Brushed Nickel

61



HAAS
Matte Black

61



LAUREL
Gilded Silver

25



LAUREL
Gold Ombre

24



LORETTA
Gold Ombre

31



LUSAIL
Soft Gold

45



PINELLAS
Soft Gold

40



PINELLAS
White Plaster

41



RIVERA
Matte Black

51





Collections

CORNETT
Brushed Gold

69



CORNETT
Brushed Nickel

68



CORNETT
Matte Black

66



HILLCREST
Brushed Nickel

72



HILLCREST
Matte Black

73



HILLCREST
Vintage Brass

71



Pendants

CARILLON
Brushed Gold

79



CARILLON
Brushed Nickel

79



CARILLON
Matte Black

79



LATHAM
Brushed Nickel

77



LATHAM
Matte Black

75



LATHAM
Vintage Gold

77



MYSTIC
Brushed Bronze

81



MYSTIC
Brushed Nickel

81



MYSTIC
Matte Black

81



Indoor/Outdoor Ceiling Fans

BELEN
Brushed Nickel



BELEN
Brushed Nickel



BELEN
Matte Black



BISBEE
Brushed Nickel



BISBEE
Matte Black



BISBEE
Satin White



BURNETT
Brushed Nickel



BURNETT
Matte Black



CONTE
Brushed Nickel



CONTE
Matte Black



CONTE
Satin White



FANIN
Matte Black



Indoor/Outdoor Ceiling Fans

FANIN

Polished Chrome

94



60" INSIGNA

Brushed Nickel

84



60" INSIGNA

Vintage Brass

84



60" INSIGNA

Finish

84



72" INSIGNA

Brushed Nickel

86



72" INSIGNA

Vintage Brass

86



72" INSIGNA

Vintage Brass

86



PASO

Matte Black

89



PASO

Black

89



PASO

Vintage Brass

89



SHEAR

Brushed Bronze

95



SHEAR

Matte Black

95



Close to Ceiling

CORNETT
Brushed Nickel

68



CORNETT
Matte Black

67



CORNETT
Brushed Gold

69



HILLCREST
Brushed Nickel

72



HILLCREST
Vintage Brass

71



HILLCREST
Matte Black

73



LATHAM
Brushed Nickel

77



LATHAM
Vintage Gold

77



LATHAM
Matte Black

75



Sconces and Wall Brackets

CASELL
Brushed Nickel

111



CASELL
Vintage Brass

111



CORNETT
Brushed Gold

69



CORNETT
Brushed Nickel

68



CORNETT
Matte Black

67



ESTRADA
Brushed Gold

107



ESTRADA
Matte Black

107



ESTRADA
Polished Chrome

107



LEXIE
Brushed Gold

109



LEXIE
Matte Black

109



LEXIE
Polished Chrome

109



MARTENNE
Aged Bronze

113



MARTENNE
Matte Black

113



QUILLAN
Gold Ombre

105



QUILLAN
White Plaster

105



Bath and Mirrors LED

CAPTARENT LED
White

97



CAPTARENT LED
White

99



CURVITY LED
Brushed Nickel

101



CURVITY LED
Matte Black

101



PHASE 5 LED
Brushed Nickel

100



PHASE 5 LED
Matte Black

100



Bath

CASELL
Brushed Nickel

111



CASELL
Vintage Brass

111



ESTRADA
Brushed Gold

107



ESTRADA
Matte Black

107



ESTRADA
Polished Chrome

107



LEXIE
Brushed Gold

109



LEXIE
Matte Black

109



LEXIE
Polished Chrome

109



Bath

MARTENNE
Aged Bronze

113



MARTENNE
Matte Black

113



QUILLAN
Gold Ombre

105



QUILLAN
White Plaster

105



Outdoor

BAYSIDE NON-METALLIC
Textured Black

115



BELDEN
Textured Black

115



BRISTOL
Matte Black

114



ELLERY
Textured Black

115



Z-2030 LED
Textured Black

114



Downlighting

FAIRWAY LED
Satin White

117



STANDBY LED
Satin White

117



DESIGN★SERIES™



VIEW THE
COMPLETE
CATALOG



Featuring Design Series Laurel





ELEVATE YOUR HOME

Our Design Series fixtures feature on-trend designs, artistic influences and fashion-forward elements. The statement making lighting found throughout the Design Series collections are the art piece that creates an overall elevated experience in the home. Included here are the latest Design Series fixtures. Explore the entire collection in detail using our Design Series catalog, a companion piece to this product supplement.





DESIGN★SERIES™

VIEW THE
COMPLETE
CATALOG



LAUREL

The Laurel Collection seamlessly blends natural beauty with elegant design. Handcrafted, gently curving leaves are finished in a richly blended patina that adds a touch of timeless sophistication.



FINISHES

176 Gilded Silver

204 Gold Ombre



LAUREL

P400360-204 Gold Ombre
38" dia., 30" ht.
8 candelabra base, 60w max.



P400359-204 Gold Ombre
28" dia., 25.5" ht.
6 candelabra base, 60w max.




LAUREL

P400361-204 Gold Ombre
50.5" L, 16" W, 9.5" ht.
7 candelabra base, 60w max.



P710123-204 Gold Ombre
9" W, 24.5" ht., 4.37" D.
4 candelabra base, 40w max.



P350263-204 Gold Ombre
28" dia., 14.5" ht.
6 candelabra base, 60w max.



LAUREL

P400361-176 Gilded Silver
50.5" L, 16" W, 9.5" ht.
7 candelabra base, 60w max.



P710123-176 Gilded Silver
9" W, 24.5" ht., 4.37" D.
4 candelabra base, 40w max.



P350263-176 Gilded Silver
28" dia., 14.5" ht.
6 candelabra base, 60w max.





MODERN TRANQUILITY

Step into a sanctuary of modern tranquility where serene hues wrap the room in a subtle mystique. The interplay of textures and tones throughout the bedroom is centered by the softly organic Laurel pendant, whose meticulously crafted, gently curving leaves are individually shaped and finished in a richly blended patina, transforming the space into a haven of contemporary elegance.

LAUREL

P400360-176 Gilded Silver
38" dia., 30" ht.
8 candelabra base, 60w max.



P400359-176 Gilded Silver
28" dia., 25.5" ht.
6 candelabra base, 60w max.



LORETTA

The Loretta Collection captures the serene feel of lily pads floating in a gently rippling pond. Glimmering artisanal clear glass is paired with handcrafted metal leaves finished in a soft patina.



FINISH

204 Gold Ombre



LORETTA

P400365-204 Gold Ombre
36" dia., 28.25" ht.
9 candelabra base, 60w max.



P400364-204 Gold Ombre
27" dia., 20.5" ht.
6 candelabra base, 60w max.



P710128-204 Gold Ombre
6.62" W, 9.25" ht., 4.87" D.
1 candelabra base, 60w max.





A RUSTIC TAKE ON ELEGANCE

Create a stunning space that is both cozy and polished by combining rustic elements and clean lines. Simple furniture and earthy linens contrast with the natural drama of the Loretta Collection pendant and wall sconces, highlighting this bedroom. Glimmering pressed glass and organically shaped leaves finished in a softly blended patina capture the serene feel of lily pads floating in a gently rippling pond.

LORETTA

P500442-204 Gold Ombre
18" dia., 13.5" ht.
3 candelabra base, 60w max.



*Fixture can be installed
as a pendant using
included hardware.*



P710124-204 Gold Ombre
24" L, 12.75" ht., 4.87" D.
4 candelabra base, 40w max.



CHEVALL

The Chevall collection combines layers of distinctive artisanal glass encircling a richly burnished frame. Glimmering illumination creates a sparkling ambiance that fills the room.



FINISHES

176 Gilded Silver

204 Gold Ombre



CHEVALL

P400368-204 Gold Ombre
32" dia., 23.5" ht.
9 candelabra base, 60w max.

Note: Weight of fixture exceeds NEC limits for outlet box hanging. Consult professional electrician for proper installation.



P400367-204 Gold Ombre
24.87" dia., 15.87" ht.
6 candelabra base, 60w max.



CHEVALL

P500443-204 Gold Ombre
17" dia., 15.12" ht.
3 candelabra base, 60w max.

*Fixture can be installed
as a pendant using
included hardware.*



P350268-204 Gold Ombre
12.62" dia., 7.87" ht.
2 candelabra base, 60w max.

P710125-204 Gold Ombre
7" W, 15" ht., 4.5" D.
2 candelabra base, 60w max.



CHEVALL

P500443-176 Gilded Silver
17" dia., 15.12" ht.
3 candelabra base, 60w max.



*Fixture can be installed
as a pendant using
included hardware.*



350268-176 Gilded Silver
12.62" dia., 7.87" ht.
2 candelabra base, 60w max.



P710125-176 Gilded Silver
7" W, 15" ht., 4.5" D.
2 candelabra base, 60w max.





CHEVALL

P400368-176 Gilded Silver
32" dia., 23.5" ht.
9 candelabra base, 60w max.

Note: Weight of fixture exceeds NEC limits for outlet box hanging. Consult professional electrician for proper installation.



P400367-176 Gilded Silver
24.87" dia., 15.87" ht.
6 candelabra base, 60w max.



PINELLAS

The Pinellas collection gets to the point with a modern expression of a timeless form. The signature dual conical motif has the elements artfully nested together to provide a pleasing diffusion of light.



FINISHES

197 White Plaster

205 Soft Gold



PINELLAS

P400374-205 Soft Gold
50" L, 15.5" W, 11" ht.
6 candelabra base, 60w max.



P400373-205 Soft Gold
40" dia., 14.37" ht.
8 candelabra base, 60w max.



PINELLAS

P400372-205 Soft Gold
30" dia., 11.25" ht.
6 candelabra base, 60w max.



P710127-205 Soft Gold
5.12" W, 22.5" ht., 5.75" D.
1 candelabra base, 60w max.



P350270-205 Soft Gold
25" dia., 14" ht.
(Height is adjustable with included
stems - 10.75" ht. - 28" ht.)
4 medium base, 40w max.



*Fixture includes additional stems
to adjust installed semi-flushmount
distance from ceiling.*

P500445-205 Soft Gold
12" dia., 23.87" ht.
3 candelabra base, 60w max.



PINELLAS

P400372-197 White Plaster
30" dia., 11.25" ht.
6 candelabra base,
60w max.



P710127-197 White Plaster
5.12" W, 22.5" ht., 5.75" D.
1 candelabra base, 60w max.



P350270-197 White Plaster
25" dia., 14" ht.
(Height is adjustable with included
stems - 10.75" ht. - 28" ht.)
4 medium base, 40w max.



*Fixture includes additional stems
to adjust installed semi-flushmount
distance from ceiling.*

P500445-197 White Plaster
12" dia., 23.87" ht.
3 candelabra base,
60w max.





INSPIRING ILLUMINATION

Wall sconces, strategically placed, are perfect for highlighting artwork and creating a more comfortable and visually appealing environment. Pinellas wall lights get to the point with a signature dual conical motif with the elements artfully nested together, offering a modern expression of a timeless form and a pleasing diffusion of light.



PINELLAS

P400374-197 White Plaster
50" L, 15.5" W, 11" ht.
6 candelabra base, 60w max.



P400373-197 White Plaster
40" dia., 14.37" ht.
8 candelabra base, 60w max.



LUSAIL

The Lusail Collection showcases a sensuous texture that brings forward a luxurious appearance. Rustic sensibility contrasts beautifully with the sleek Soft Gold finish with a Foundry Gold accent that form the modernist frame.



FINISH

205 Soft Gold



P400377-205 Soft Gold
48" dia., 42" ht.
13 candelabra base, 60w max.

LUSAIL

P400358-205 Soft Gold
32" dia., 26" ht.
6 candelabra base, 60w max.



P400357-205 Soft Gold
26" dia., 20.75" ht.
5 candelabra base, 60w max.



P710122-205 Soft Gold
5.87" W, 23.5" ht., 5" D.
2 candelabra base, 60w max.





REFINED + RUSTIC

Embrace natural, earthy tones like blues and warm neutrals to create a calming and serene dining atmosphere. This modern organic vibe is balanced by the luxe industrial touches of the room's lighting. The lines of the Lusail pendant and wall sconce showcase geometric forms with a hand-forged appearance that contrasts beautifully with sleek golden elements, bringing a refined look to the scene.

LUSAIL

P400369-205 Soft Gold
54" L, 6" W, 6.5" ht.
8 candelabra base, 60w max.



P500437-205 Soft Gold
19" dia., 16.25" D, 13.37" ht.
4 candelabra base, 60w max.

*Fixture can be installed
as a pendant using
included hardware.*



RIVERA

The Rivera collection creates an otherworldly effect by softly filtering illumination through rippled panes. Linear segments in rich, deep black tones frame billets of handcrafted, clear textured glass in a modern craftsman-inspired design.



FINISH


31M Matte Black



P400355-31M Matte Black
30" dia., 24" ht.
6 candelabra base, 60w max.

RIVERA

P400356-31M Matte Black
51.25" L, 14.25" D, 8" ht.
5 medium base, 60w max.



P400363-31M Matte Black
30" dia., 16.75" ht.
5 candelabra base, 60w max.





A LIGHTER SPIN ON BLACK AND WHITE

A graphic, black and white palette comes together naturally when softened with organic touches like marble countertops and textured glass. Two Rivera pendants create an otherworldly effect by softly filtering illumination through an icy display. Linear segments in rich, deep black tones frame billets of handcrafted glass in a modern craftsman-inspired design

RIVERA

P400354-31M Matte Black
20.5" dia., 22.5" ht.
4 medium base, 60w max.



P710121-31M Matte Black
4.5" W, 18" ht., 4.75" D.
1 candelabra base, 60w max.



P350271-31M Matte Black
13" sq., 7.25" ht.
4 candelabra base, 60w max.



P500434-31M Matte Black
4.75" sq., 10.5" ht.
1 medium base, 60w max.



BOUNDARY

Simple rectangles form the building blocks of the Boundary Collection. The fixture's modern organic design is crafted from natural wood and offers warmth and timeless style to contemporary settings. Matte Black finish with a Roasted Chicory wood frame or a Brushed Nickel finish with a Gray Washed Oak frame.



FINISHES

31M Matte Black

009 Brushed Nickel



BOUNDARY

P400370-31M Matte Black
30" D, 14.25" ht.
4 medium base, 60w max.



P500444-31M Matte Black
6" W, 24.37" ht.
1 medium base, 60w max.



Create your own custom light—combine Boundary pendants with a Progress Lighting accessory canopy. Visit progresslighting.com for more details.





NATURAL MATERIALS, TIMELESS STYLE

Sustainable materials such as wood, stone, and natural fibers bring new life to a room's design. A dynamic mix of textures, geometric forms and subtle earthy hues add depth and warmth. Tactile, simple rectangles form the building blocks of the Boundary pendant. The fixture's modern organic design is crafted from natural wood and offers timeless style to contemporary settings.

BOUNDARY

P350269-31M Matte Black
24" dia., 9.25" ht.
4 medium base, 60w max.



P710126-31M Matte Black
24" L, 5.5" ht., 5.25" D.
2 medium base, 60w max.



BOUNDARY

P400370-009 Brushed Nickel
30" D, 14.25" ht.
4 medium base, 60w max.



P500444-009 Brushed Nickel
6" W, 24.37" ht.
1 medium base, 60w max.



Create your own custom light—combine Boundary pendants with a Progress Lighting accessory canopy. Visit [progresslighting.com](https://www.progresslighting.com) for more details.



BOUNDARY

P350269-009 Brushed Nickel
24" dia., 9.25" ht.
4 medium base, 60w max.



P710126-009 Brushed Nickel
24" L, 5.5" ht., 5.25" D.
2 medium base, 60w max.





HAAS

Modern and organic inspirations elegantly meld together in Haas. A bold linear frame branches out to embrace smoothly etched opal glass globes that imbue a room with soft illumination.



FINISHES

- 009 Brushed Nickel
- 31M Matte Black
- 109 Brushed Bronze




P400378-31M Matte Black
50" dia., 5.87" ht.
6 candelabra base, 60w max.


Haas chandeliers can be installed with shades installed level or rotated to create an artful asymmetric statement.

HAAS

P400378-009 Brushed Nickel
50" dia., 5.87" ht.
6 candelabra base, 60w max.



P400378-109 Brushed Bronze
50" dia., 5.87" ht.
6 candelabra base, 60w max.





BOLD, ARCHITECTURAL APPEAL

Mid-century modern style melds form and function, using bold colors, clean lines and sculptural shapes.

Pair functional furniture with dramatic art plus the graphic, linear frames of the Haas pendant and wall sconces to bring a contemporary appeal to the space.

HAAS

- 009
Brushed Nickel- 31M
Matte Black- 109
Brushed Bronze

P710130-009 Brushed Nickel
5.87" W., 24" ht., 7.12" D.
2 candelabra base,
60w max.



P710130-31M Matte Black
5.87" W., 24" ht., 7.12" D.
2 candelabra base,
60w max.



P710130-109 Brushed Bronze
5.87" W., 24" ht., 7.12" D.
2 candelabra base,
60w max.



CUMBERLAND

- 031
Matte Black- 196
Aged Bronze

P710076-196 Aged Bronze
5.12" W, 14.62" ht., 4" D.
1 candelabra base, 60w max.



P710076-031 Matte Black
5.12" W, 14.62" ht., 4" D.
1 candelabra base, 60w max.



PAIRS WITH BRECKENRIDGE



PAIRS WITH BURGESS



See the Burgess and Breckenridge collections online.

Search the product number on progresslighting.com for full product details.



Collections

DISCOVER
THE LATEST





1 In this section

You'll find a close up view for featured collections, as well as available products and finishes offered within a collection.



2 Quick selection

Use the **Product Finder**, page 10, to quickly see all collections offered in this catalog.



3 Want more?

Scan the code to view the full Progress Lighting catalog.



Collections Guide

Cornett

Cornett trumpets its arrival on the scene with a blending of timeless modern design. Dynamic angles offer a dramatic counterpoint to the softly sculpted curves of the matching metal reflector shades.

FINISHES

009 Brushed Nickel

31M Matte Black

191 Brushed Gold



P400380-31M Matte Black
44.12" dia., 23" ht.
6 medium base LED, 15w max.

Cornett

P350272-31M Matte Black
24" dia., 7.5" ht.
3 medium base LED, 15w max.



P710131-31M Matte Black
4.5" W, 19" ht., 20" D.
1 medium base LED, 15w max.




Featuring:

- *Integrated touch on/off switch*
- *Swing arm left/right*
- *Tilting shade*

Cornett

P400380-009 Brushed Nickel
44.12" dia., 23" ht.
6 medium base LED, 15w max.



P710131-009 Brushed Nickel
4.5" W, 19" ht., 20" D.
1 medium base LED, 15w max.



P350272-009 Brushed Nickel
24" dia., 7.5" ht.
3 medium base LED, 15w max.




Featuring:

- *Integrated touch on/off switch*
- *Swing arm left/right*
- *Tilting shade*

Search the product number on progresslighting.com for full product details

Cornett

P400380-191 Brushed Gold
44.12" dia., 23" ht.
6 medium base LED, 15w max.



P710131-191 Brushed Gold
4.5" W, 19" ht., 20" D.
1 medium base LED, 15w max.



Featuring:

- Integrated touch on/off switch
- Swing arm left/right
- Tilting shade

P350272-191 Brushed Gold
24" dia., 7.5" ht.
3 medium base LED, 15w max.



Hillcrest

Hillcrest reinterprets the traditional carriage light for the modern age, giving it a fresh update with a refined angular silhouette. A classic candelabra is suspended within a clear glass frame.

FINISHES

009 Brushed Nickel

31M Matte Black

163 Vintage Brass



Hillcrest

P500441-163 Vintage Brass
17" sq., 29.75" ht.
4 candelabra base, 60w max.



P500440-163 Vintage Brass
13" sq., 22" ht.
4 candelabra base, 60w max.



P350264-163 Vintage Brass
13" sq., 11" ht.
4 candelabra base, 60w max.



Hillcrest

P500441-009 Brushed Nickel
17" sq., 29.75" ht.
4 candelabra base, 60w max.



P500440-009 Brushed Nickel
13" sq., 22" ht.
4 candelabra base, 60w max.



P350264-009 Brushed Nickel
13" sq., 11" ht.
4 candelabra base, 60w max.



Hillcrest

P500441-31M Matte Black
17" sq., 29.75" ht.
4 candelabra base, 60w max.



P500440-31M Matte Black
13" sq., 22" ht.
4 candelabra base, 60w max.



P350264-31M Matte Black
13" sq., 11" ht.
4 candelabra base, 60w max.



Latham

Latham is composed of a geometric framework that features an artful array of handmade white glass. Inspired as a modern expression of an origami lantern to deliver striking illumination to any room.

FINISHES

009 Brushed Nickel

31M Matte Black

078 Vintage Gold



Latham

P500436-31M Matte Black
14" dia., 19.75" ht.
1 medium base, 100w max.




P500435-31M Matte Black
9" dia., 13" ht.
1 medium base, 100w max.



P350261-31M Matte Black
18" dia., 14.87" D, 11" ht.
3 candelabra base,
60w max.



*Fixture can be installed
as a pendant using
included hardware.*





FEATURED PRODUCT

Latham

Statement lighting can add character to a kitchen island, and pendants installed in multiples become an arresting visual focal point. Inspired as a modern expression of an origami lantern, a trio of Latham pendants glows from within a geometric framework containing an artful array of handmade white glass to deliver striking illumination to any room.

STYLE YOUR ROOM

Find inspiration for your next project on [progresslighting.com](https://www.progresslighting.com)

Latham

P500436-009 Brushed Nickel
14" dia., 19.75" ht.
1 medium base, 100w max.



P500436-078 Vintage Gold
14" dia., 19.75" ht.
1 medium base, 100w max.



P500435-009 Brushed Nickel
9" dia., 13" ht.
1 medium base, 100w max.



P500435-078 Vintage Gold
9" dia., 13" ht.
1 medium base, 100w max.



P350261-009 Brushed Nickel
18" dia., 14.87" D, 11" ht.
3 candelabra base,
60w max.



P350261-078 Vintage Gold
18" dia., 14.87" D, 11" ht.
3 candelabra base,
60w max.



Carillon

Carillon commands attention with its impressive scale and gleaming surface. An impressive clear bell-shaped glass shade surrounds a white opal diffuser to create a warm and inviting ambiance.

FINISHES

009 Brushed Nickel

31M Matte Black

191 Brushed Gold



Carillon

P500439-009 Brushed Nickel
15" dia., 20.75" ht.
1 medium base, 100w max.



P500438-009 Brushed Nickel
9.87" dia., 14.25" ht.
1 medium base, 100w max.



P500439-31M Matte Black
15" dia., 20.75" ht.
1 medium base, 100w max.



P500438-31M Matte Black
9.87" dia., 14.25" ht.
1 medium base, 100w max.



P500439-191 Brushed Gold
15" dia., 20.75" ht.
1 medium base, 100w max.



P500438-191 Brushed Gold
9.87" dia., 14.25" ht.
1 medium base, 100w max.



Mystic

Mystic is a revelation derived from the pleasing intersection of geometric forms. A glass cylinder is supported by a crisp rectangular frame and capped by an expansive metal brim that adds both substance and distinction.

FINISHES

009 Brushed Nickel

31M Matte Black

109 Brushed Bronze



Mystic

P500446-009 Brushed Nickel
18" dia., 10.87" ht.
1 medium base, 100w max.



P500446-31M Matte Black
18" dia., 10.87" ht.
1 medium base, 100w max.



P500446-109 Brushed Bronze
18" dia., 10.87" ht.
1 medium base, 100w max.





FEATURED PRODUCT

Conte

Like a breath of fresh air, the organic design trend focuses on a connection with nature and a minimalist aesthetic. Incorporate plants and earthy tones like greens, blues, and warm neutrals to create a calming and serene atmosphere. The Conte LED ceiling fan's clean lines are inspired by the delicate elegance of a blooming flower with blades that gracefully curve upwards at the ends, evoking a sense of gentle movement even when the fan is still.

STYLE YOUR ROOM

Find inspiration for your next project on [progresslighting.com](https://www.progresslighting.com)

Conte

009 Brushed Nickel

028 Matte White

31M Matte Black

P250105-009-30 Brushed Nickel
52" dia., 14.06" ht.
*Shown with Gray Weathered wood blades
and light kit replaced by blank plate*



Gray Weathered Wood



P250105-028-30 Satin White
52" dia., 14.06" ht.
Shown with Salt Aged Cypress blades



Salt Aged Cypress



P250105-31M-30 Matte Black
52" dia., 14.06" ht.
Shown with Matte Black blades



Matte Black



ENERGY INFORMATION

| | |
|---------------------------|-------------------------------|
| Airflow | 5037 cubic feet per minute |
| Electricity Use | 56.74 watts (excludes lights) |
| DOE Weighted CFM/W | 99 CFM/W |



Full Function Remote Control Included
*Three-speed fan operation
Full-range dimming for light*

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20)
- AC Motor
- Remote control with batteries included
- Add the P2667-31 WiFi remote control
- Reversible Motor
- Light Blank Plate included



LAMPING

20w LED module, 3000K, 90CRI,
1865 source lumens, dimmable.

All fixtures:



60" Insigna

009 Brushed Nickel

163 Vintage Brass

P250107-009-30 Brushed Nickel
60" dia., 14.75" ht.
*Shown with Matte Black blades
and light kit replaced by blank plate*

Matte Black



P250107-163-30 Vintage Brass
60" dia., 14.75" ht.
Shown with Matte Black blades

Matte Black



P250112-163-30 Vintage Brass
60" dia., 14.75" ht.
Shown with Matte White blades

Matte White



ENERGY INFORMATION

| | |
|---------------------------|-------------------------------|
| Airflow | 6766 cubic feet per minute |
| Electricity Use | 35.12 watts (excludes lights) |
| DOE Weighted CFM/W | 211 CFM/W |



Full Function Remote Control Included
*Six-speed fan operation
Full-range dimming for light
Reverse direction control*

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- ABS Blades
- Light Blank Plate Included



LAMPING

20w LED module, 3000K, 90CRI,
1865 source lumens, dimmable.

All fixtures:





72" Insigna

009 Brushed Nickel

163 Vintage Brass

P250108-009-30 Brushed Nickel

72" dia., 14.75" ht.

Shown with Matte Black blades

Matte Black



P250108-163-30 Vintage Brass

72" dia., 14.75" ht.

Shown with Matte Black blades

Matte Black



P250113-163-30 Vintage Brass

72" dia., 14.75" ht.

Shown with Matte White blades
and light kit replaced by blank plate

Matte White



ENERGY INFORMATION

| | |
|---------------------------|-------------------------------|
| Airflow | 8807 cubic feet per minute |
| Electricity Use | 28.95 watts (excludes lights) |
| DOE Weighted CFM/W | 334 CFM/W |



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- ABS Blades
- Light Blank Plate Included



LAMPING

20w LED module, 3000K, 90CRI,
1865 source lumens, dimmable.

All fixtures:



Bisbee

009 Brushed Nickel

028 Satin White

31M Matte Black

P250110-009-30 Brushed Nickel
55.31" dia., 14.75" ht.
*Shown with Silver Blades blades
and a Matte Black accent cage*

Silver



P250110-028-30 Satin White
55.31" dia., 14.75" ht.
*Shown with Matte White blades
and a Vintage Brass accent cage*

Matte White



P250110-31M-30 Matte Black
55.31" dia., 14.75" ht.
*Shown with Matte Black blades
and a Vintage Brass accent cage*

Matte Black



ENERGY INFORMATION

Airflow 5465 cubic feet per minute
Electricity Use 35.06 watts (excludes lights)
DOE Weighted CFM/W 170 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- Plywood Blades

LAMPING

20w LED module, 3000K, 90CRI,
1865 source lumens, dimmable.



Full Function Remote Control Included
*Six-speed fan operation
Full-range dimming for light
Reverse direction control*

All fixtures:





Featuring Paso



Paso

031 Black

31M Matte Black

163 Vintage Brass

P250109-31M Matte Black
60" dia., 16.5" ht.
Shown with Matte Black blades

Matte Black




P250109-031 Black
60" dia., 16.5" ht.
Shown with Matte White blades

Matte White



P250109-163 Vintage Brass
60" dia., 16.5" ht.
Shown with Matte White blades

Matte White



ENERGY INFORMATION

Airflow 5289 cubic feet per minute
Electricity Use 33 watts (excludes lights)
DOE Weighted CFM/W 174 CFM/W

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- ABS Blades

All fixtures:



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

Belen

009 Brushed Nickel

31M Matte Black

P250111-009-30 Brushed Nickel

60" dia., 13.56" ht.

Shown with Matte Black blades

Matte Black



P250117-009-30 Brushed Nickel

60" dia., 13.56" ht.

Shown with Silver blades

Silver



P250117-31M-30 Matte Black

60" dia., 13.56" ht.

Shown with Matte Black blades

Matte Black



ENERGY INFORMATION

| | |
|---------------------------|----------------------------|
| Airflow | 6469 cubic feet per minute |
| Electricity Use | 35 watts (excludes lights) |
| DOE Weighted CFM/W | 206 CFM/W |

FEATURES

- Limited Lifetime Warranty
- Dual Mount (flat or sloped ceiling-20degree)
- DC Motor
- Damp Rated
- Remote control with batteries included
- PC Blades

LAMPING

20w LED module, 3000K, 90CRI, 1865 source lumens, dimmable.



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

All fixtures:



Featuring Belen



OSCILLATING FANS


OSCILLAR™ Series

360° Rotation



The OSCILLAR™ Series of ceiling fans features a 360-degree oscillating DC motor, delivering maximum air distribution in every direction throughout a room.

REVERSIBLE DIRECTION FOR WARM OR COOL AIRFLOW



-  DIMMABLE LIGHT
-  6 6-SPEED FAN CONTROL
-  4H TIMER SETTING
-  REVERSE FUNCTION
-  FAN ON/OFF
-  OSCILLATING BLADES ON/OFF
-  LIGHT ON/OFF



For more product details and product videos, visit progresslighting.com

Burnett

009 Brushed Nickel 31M Matte Black

P250116-009-30 Brushed Nickel
21" dia., 9.75" ht.
Shown with Chrome accent

 Chrome



P250116-31M-30 Matte Black
21" dia., 9.75" ht.
Shown with Vintage Brass accent

 Vintage Brass



ENERGY INFORMATION*

Airflow N/A
Electricity Use N/A
DOE Weighted CFM/W N/A

**Data not available at time of printing*



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- 360° Oscillation
- Limited Lifetime Warranty
- Close to Ceiling Mount
- DC Motor
- Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING

32W LED Strip, 3000K, 90 CRI,
1900 Source Lumens, Dimmable

All fixtures:



Fanin

015 Polished Chrome

31M Matte Black

P250114-015-30 Polished Chrome
20.75" dia., 10" ht.



P250114-31M-30 Matte Black
20.75" dia., 10" ht.



ENERGY INFORMATION*

Airflow N/A
Electricity Use N/A
DOE Weighted CFM/W N/A

*Data not available at time of printing



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- 360° Oscillation
- Limited Lifetime Warranty
- Close to Ceiling Mount
- DC Motor
- Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING

31W LED Strip, 3000K, 90 CRI,
1700 Source lumens, dimmable

All fixtures:



Shear

31M Matte Black

109 Brushed Bronze

P250115-31M-30 Matte Black
19.63" dia., 17.75" ht.



P250115-109-30 Brushed Bronze
19.63" dia., 17.75" ht.



ENERGY INFORMATION*

Airflow N/A
Electricity Use N/A
DOE Weighted CFM/W N/A

*Data not available at time of printing



Full Function Remote Control Included
Six-speed fan operation
Full-range dimming for light
Reverse direction control

FEATURES

- 360° Oscillation
- Limited Lifetime Warranty
- DC Motor
- Damp Rated
- Remote Control with Batteries Included
- Edge lit LEDs
- Rust Proof Blades

LAMPING

31W LED Strip, 3000K, 90 CRI,
1700 Source Lumens, dimmable

All fixtures:





CAPTARENT LED MIRRORS

Functionality at Your Fingertips

TOUCH BUTTON CONTROLS



1 Touch the circle button for on/off controls. Press and hold to dim the LED light source.



2 Touch the starburst button to select the color temperature.

SELECTABLE COLOR TEMPERATURE

Choose from the warm, cozy embrace of 3000K, the cool neutrality of 4000K, or the refreshing radiance of 5000K.

3-CCT SELECTABLE

| | | |
|--------------|--------------|--------------|
| 3000K | 4000K | 5000K |
| SOFT | COOL | DAYLIGHT |



WALL SWITCH CONTROL

Turn the mirror on/off with the buttons directly on the mirror or using a wall switch.



MEMORY FUNCTION

Once you've customized your dimming level and selected your color temperature, the Captarent LED mirror will remember your settings for the next use.



QUICK AND EASY INSTALLATION

Installation is easy, using the universal mount that allows for horizontal or vertical placement on walls. An open back design allows for easy junction box access.



SUSTAINABLE PACKAGING

Packaged in sustainable honeycomb cardboard, minimizing waste and supporting eco-conscious living.



WATCH NOW

Use the touch button to turn the mirror on and off, select the color temperature, and quickly dim the LED light source. Watch the product video for more product features.



Captarent LED

Captarent LED mirrors feature a frosted LED light that highlights the geometric profile of the mirror while providing a balanced wash of LED illumination. The dimmable light source is 3CCT selectable with a push-button touch control to ensure uniform and flattering illumination for your space.


| | |
|----------------------------|-------|
| 3-CCT SELECTABLE | 3000K |
| | 4000K |
| | 5000K |



Captarent LED

P300492-030-CS


60" W., 36" ht., 2.19" D.
92w integrated LED,
3000K/4000K/5000K, 90CRI,
2150 nominal lumens at 3000K setting,
dimmable.



Shown vertically mounted

P300493-030-CS

72" W., 36" ht., 2.19" D.
110w integrated LED,
3000K/4000K/5000K, 90CRI,
2780 nominal lumens at 3000K setting,
dimmable.



Shown vertically mounted



| | |
|----------------------------|-------|
| 3-CCT SELECTABLE | 3000K |
| | 4000K |
| | 5000K |

All fixtures:

Captarent LED

P300470-030-CS


36" W., 42" ht., 2.19" D.
66w integrated LED,
3000K/4000K/5000K, 90CRI,
1600 nominal lumens at 3000K setting,
dimmable.



Shown horizontally mounted

P300469-030-CS

30" W., 36" ht., 1.61" D.
49w integrated LED,
3000K/4000K/5000K, 90CRI,
1430 nominal lumens at 3000K setting,
dimmable.



| | |
|----------------------------|-------|
| 3-CCT SELECTABLE | 3000K |
| | 4000K |
| | 5000K |

All fixtures:



Phase 5 LED

Crafted from high-quality aluminum with precision and designed to impress. The integrated acrylic lens adds a refined touch, diffusing light softly and evenly for a truly inviting ambiance. Customize your lighting experience with the selectable CCT feature.

| | |
|----------------------------|-------|
| 3-CCT SELECTABLE | 3000K |
| | 4000K |
| | 5000K |

FINISHES

009 Brushed Nickel

31M Matte Black



P300448-31M-CS

P300448-009-CS Brushed Nickel

P300448-31M-CS Matte Black

16" W., 4.84" ht., 3.78" D.



11w integrated LED,
3000K/4000K/5000K, 90CRI,
707 delivered lumens, dimmable.

P300449-009-CS Brushed Nickel

P300449-31M-CS Matte Black

24" W., 4.84" ht., 3.78" D.

18w integrated LED,
3000K/4000K/5000K, 90CRI,
1223 delivered lumens, dimmable.




P300450-009-CS Brushed Nickel

P300450-31M-CS Matte Black

32" W., 4.84" ht., 3.78" D.

22w integrated LED,
3000K/4000K/5000K, 90CRI,
1512 delivered lumens, dimmable.



Shown in order listed
All fixtures:

Curvity LED

Curvity LED adds a touch of elegance to any space while providing exceptional lighting performance. The fixture offers a perfect balance of uplight and downlight, ensuring uniform and flattering illumination. Its aluminum chassis guarantees sturdiness and longevity. Customize your lighting experience with the selectable CCT feature.

| | |
|----------------------------|-------|
| 3-CCT SELECTABLE | 3000K |
| | 4000K |
| | 5000K |

FINISHES

009 Brushed Nickel

31M Matte Black



P300451-31M-CS

P300451-009-CS Brushed Nickel
24" W., 4.53" ht., 3.94" D.
29w integrated LED,
3000K/4000K/5000K, 90CRI,
2037 delivered lumens, dimmable.



P300451-31M-CS Matte Black
24" W., 4.53" ht., 3.94" D.
29w integrated LED,
3000K/4000K/5000K, 90CRI,
2037 delivered lumens, dimmable.



All fixtures:



Search the product number on progresslighting.com for full product details





Quillan

Quillan offers a graceful flourish to add a distinctive designer touch. Scalloped elements create a richness of detail to complement the clarity of clear, elliptical glass shades. Each fixture includes socket rings in the fixture finish or a Soft Gold accent.

FINISHES

197 White Plaster

204 Gold Ombre



Each fixture includes socket rings in the fixture finish or a Soft Gold accent.



P300489-197
Shown with Soft Gold accent ring

P300491-197 White Plaster
P300491-204 Gold Ombre
33.62" W, 8.5" ht.
4 medium base, 60w max.



All fixtures:

Quillan

P300490-197 White Plaster

P300490-204 Gold Ombre

23.87" W, 8.5" ht.

3 medium base, 60w max.



P300489-197 White Plaster

P300489-204 Gold Ombre

14.5" W, 8.5" ht.

2 medium base, 60w max.



*Shown with Soft Gold
accent ring*



*Shown with Soft Gold
accent ring*



P300488-197 White Plaster

P300488-204 Gold Ombre

5" W, 8.5" ht., 6.62" D.

1 medium base, 60w max.



All fixtures:



Search the product number on progresslighting.com for full product details

Estrada

Estrada features a hexagonal motif, one of the most beautiful patterns that occurs frequently in nature. This classic shape is experiencing a revival in popularity as it is both timeless and modern at the same time. Faceted opal glass shades are fitted atop mating metal bases.

FINISHES

015 Polished Chrome

31M Matte Black

191 Brushed Gold



P300477-015

P300479-015 Polished Chrome

P300479-31M Matte Black

P300479-191 Brushed Gold

31.25" W, 8.37" ht.

4 medium base, 100w max.



All fixtures:



Estrada

P300478-015 Polished Chrome

P300478-31M Matte Black

P300478-191 Brushed Gold

22.37" W, 8.37" ht.

3 medium base, 100w max.



P300477-015 Polished Chrome

P300477-31M Matte Black

P300477-191 Brushed Gold

13.37" W, 8.37" ht.

2 medium base, 100w max.



P300476-015 Polished Chrome

P300476-31M Matte Black

P300476-191 Brushed Gold

4.5" W, 7.75" ht., 5.37" D.

1 medium base, 100w max.



All fixtures:



Search the product number on progresslighting.com for full product details

Lexie

Lexie is full of spunk with a fresh new style for today's home. A slender minimalist frame supports opal glass shades with a distinctive cinched metallic collar.

FINISHES

- 015 Polished Chrome
- 31M Matte Black
- 191 Brushed Gold



P300485-31M

P300487-015 Polished Chrome
P300487-31M Matte Black
P300487-191 Brushed Gold
30" W, 11" ht.
4 medium base, 100w max.



Lexie

P300486-015 Polished Chrome

P300486-31M Matte Black

P300486-191 Brushed Gold

22" W, 11" ht.

3 medium base, 100w max.



P300485-015 Polished Chrome

P300485-31M Matte Black

P300485-191 Brushed Gold

14" W, 11" ht.

2 medium base, 100w max.



P300484-015 Polished Chrome

P300484-31M Matte Black

P300484-191 Brushed Gold

5.12" W, 11" ht, 6.62" D.

1 medium base, 100w max.



All fixtures:



Search the product number on progresslighting.com for full product details

Cassell

The Cassell Collection boasts a dual-tone finish that accentuates its distinguished and handsome design. Tailored details smoothly blend linear precision with elegant circular rings and clear glass. Available in Brushed Nickel or Vintage Brass, both with Matte Black accents.

FINISHES

009 Brushed Nickel

163 Vintage Brass



P300481-163

P300483-009 Brushed Nickel
P300483-163 Vintage Brass
33.87" W, 9.12" ht.
4 medium base, 60w max.



All fixtures:

Cassell

P300482-009 Brushed Nickel

P300482-163 Vintage Brass

24.12" W, 9.12" ht.

3 medium base, 60w max.



P300481-009 Brushed Nickel

P300481-163 Vintage Brass

14.5" W, 9.12" ht.

2 medium base, 60w max.



P300480-009 Brushed Nickel

P300480-163 Vintage Brass

4.75" W, 9.12" ht., 6.62" D.

1 medium base, 60w max.



All fixtures:



Search the product number on progresslighting.com for full product details

Martenne

Martenne vanity lights have a simple, substantial style. Seeded glass shades with an elegant flare complement the rustic modern design.

FINISHES

31M Matte Black

196 Aged Bronze



P300473-31M

P300475-31M Matte Black
P300475-196 Aged Bronze
31.87" W, 8.5" ht.
4 medium base, 60w max.



All fixtures:

Martenne

P300474-31M Matte Black
P300474-196 Aged Bronze
24" W, 8.5" ht.
3 medium base, 60w max.



P300473-31M Matte Black
P300473-196 Aged Bronze
14" W, 8.5" ht.
2 medium base, 60w max.



P300472-31M Matte Black
P300472-196 Aged Bronze
4.62" W, 8.5" ht., 7" D.
1 medium base, 60w max.



All fixtures:



Search the product number on progresslighting.com for full product details

Z-2030 LED

031 Textured Black

P560364-031-30 Textured Black
7" W, 18" ht., 3.69" D.
11w integrated LED, 3000K,
90 CRI, 143 delivered lumens.



P560365-031-30 Textured Black
7" W, 28.74" ht., 3.69" D.
22w integrated LED, 3000K,
90 CRI, 276 delivered lumens.



All fixtures:



Bristol

31M Matte Black

P560359-31M Matte Black
7.5" W, 13.75" ht., 4.62" D.
1 medium base, 60w max.



P560360-31M Matte Black
7.5" W, 24" ht., 4.62" D.
2 medium base, 60w max.



All fixtures:



Ellery

031 Textured Black

P560169-031 Textured Black
7" W, 12.12" ht, 6.75" D.
1 medium base, 100w max.



P560170-031 Textured Black
8.5" W, 15.25" ht., 7.62" D.
1 medium base, 100w max.



All fixtures:



Belden

031 Textured Black

P560271-031 Textured Black
5" dia., 10.37" ht., 6.5" D.
1 medium base, 100w max.



P560272-031 Textured Black
7" dia., 14.37" ht., 9" D.
1 medium base, 100w max.



All fixtures:



Bayside Non-Metallic


031 Textured Black

P560363-031 Textured Black
8" dia., 10" ht., 9.37" D.
1 medium base lamp, 40w max.
Made in the USA



All fixtures:





90°
DETECTION
ANGLE

8'-10'
INSTALLATION
HEIGHT

8'-10'
DETECTION
RADIUS

Always Ready

STANDBY LED MOTION SENSOR

When darkness falls and motion is detected, Standby LED seamlessly illuminates the area.



MOTION
SENSOR

1 ENTER



Enter a dim room and Standby LED will turn on.

2 LIGHT ON



Light stays on while motion is detected in the room.

3 AUTO-OFF



Light turns off after 30 seconds of inactivity.

Standby LED

Motion Activated Surface Mount

Illuminate your space with confidence and efficiency with the dual technology 7.72 inch Surface Mount LED Light, an intelligent lighting solution that combines motion-sensor technology with energy-saving design. This sleek disk light is activated when motion is detected from its built-in PIR (Passive Infrared) sensor. When darkness falls and motion is detected, it seamlessly illuminates the area. The integrated photocell ensures that the light only activates when ambient light levels are insufficient, preventing unnecessary energy consumption. Powered by innovative LED technology, this fixture emits a warm 3000K light with a high 90 CRI through a polycarbonate lens without harsh glare or dark spots. Choose a crisp Satin White to seamlessly match your interior decor.

P810041-028-30 Satin White
7.72" dia., 1.38" ht.
14w Integrated LED, 3000K,
90 CRI, 975 delivered lumens.



Installation Sequence



Fairway LED Surface Mount

The Fairway 7 in. Surface Mount LED Light combines sleek design with value-driven functionality. Its durable metal trim is coated in a clean white finish paired with a glare-free polycarbonate lens. A 1000-lumen light engine delivers a total of 850 lumens of 3000K, 90 CRI illumination that is dimmable using TRIAC dimmers and is CA Title 24 Compliant. Its classic design has a gasketed, UL wet location listed construction and is quickly and easily installed by mounting directly into a j-box in a variety of residential and commercial settings.

P810042-028-30 Satin White
7" dia., 1.10" ht.
11w Integrated LED, 3000K,
90 CRI, 857 delivered lumens.



JA8



Installation Sequence



Icon Guide

 Please note dry location products should only be used indoors. Even if an outdoor area or screened-in porch is covered, the fixture can be affected when exposed to humidity. You can, however, “bring the outdoors inside” – as using outdoor products are perfectly acceptable to use in interior spaces.

 Damp Location products and fixtures can be used in covered spaces outdoors or indoors.

 If the product will have direct contact with water, you’ll need to ensure that the product has a “wet” listing. Wet location products may also be used indoors.

 This marking indicates fixtures that have an integrated LED or replaceable LED module that has been tested and listed in the California Appliance Database. Check for certified lamps, fixtures or LED light engines by searching the MAEDBS database. Go to cacertappliances.energy.ca.gov

 DC motor ceiling fans feature high torque for increased air movement, whisper quiet operation, and greater energy efficiency than AC motors.

 The OSCILLAR™ Series of ceiling fans are powered by an ultra-quiet oscillating DC motor with three blades to offer a full 360-degree rotation, ensuring optimal air circulation throughout the room.

 Products with this icon can be installed with the shades facing up or down.

 Products with this icon can be installed horizontally or vertically.

 Table 150.0A defines products that do not have to meet JA8 and can be used to comply with 2016 Title 24.

 Products comply with the California Appliance Efficiency Regulations. Certified products are listed on the appliance efficiency database found at www.appliances.energy.ca.gov.

 Products with this icon are Dark-Sky Friendly: in accordance with international dark sky initiatives, these fixtures help to minimize glare while reducing light trespass and skyglow (they don’t pollute the night sky.)

 Products with this icon have a feature that allows for selectable CCT (correlated color temperature)

 Ceiling fans with this icon have passed the cUL requirements and are available for sale in Canada. These products include the additional safety features needed to comply with the regulations in Canada. Items with the icon are listed with NRCAN.

 Complies with American with Disabilities Act

 Products with this icon are WiFi compatible and may be controlled with WiFi when one of the following controls is added;

- AC Motor fans can add the P2667-31 WiFi remote control
- DC Motor fans that are WiFi compatible can add the P2673-01 WiFi module.

With the addition of one of the above controls, you may easily control your ceiling fan or light with your smart phone, tablet, voice controls, or hand held remote. Use the Smart by Bond technology to control on/off function of the fan and the light kit along with full range dimming and fan speed control.

Chain

9-Gauge Chain

P8758-176 Gilded Silver
P8758-204 Gold Ombre
P8758-205 Soft Gold


- 4 feet of 9 gauge square chain permits installation of chain-hung fixtures on high ceilings.
- Maximum fixture weight – 50 lbs.



9-Gauge Square Profile Chain

P8755-176 Gilded Silver
P8755-204 Gold Ombre

- 4 feet of 9 gauge square chain permits installation of chain-hung fixtures on high ceilings.
- Maximum fixture weight – 50 lbs.



Stem Kits

Contains (2) 6” and (1) 12” stems and couplings

P8602-197 White Plaster
P8602-204 Gold Ombre
P8602-205 Soft Gold



Warranty

For more details regarding product warranty coverage, please consult a qualified Progress Lighting distributor or visit:

progresslighting.com/warranty

Where to buy

To purchase Progress Lighting products from one of our authorized dealers visit:

progresslighting.com/where-to-buy

Product Index

P2000

| | |
|----------------|----|
| P250105-009-30 | 83 |
| P250105-028-30 | 83 |
| P250105-31M-30 | 83 |
| P250107-009-30 | 84 |
| P250107-163-30 | 84 |
| P250108-009-30 | 86 |
| P250108-163-30 | 86 |
| P250109-031 | 89 |
| P250109-163 | 89 |
| P250109-31M | 89 |
| P250110-009-30 | 87 |
| P250110-028-30 | 87 |
| P250110-31M-30 | 87 |
| P250111-009-30 | 90 |
| P250112-163-30 | 84 |
| P250113-163-30 | 86 |
| P250114-015-30 | 94 |
| P250114-31M-30 | 94 |
| P250115-31M-30 | 95 |
| P250115-109-30 | 95 |
| P250116-009-30 | 93 |
| P250116-31M-30 | 93 |
| P250117-009-30 | 90 |
| P250117-31M-30 | 90 |

P3000

| | |
|----------------|-----|
| P300448-009-CS | 100 |
| P300448-31M-CS | 100 |
| P300449-009-CS | 100 |
| P300449-31M-CS | 100 |
| P300450-009-CS | 100 |
| P300450-31M-CS | 100 |
| P300451-009-CS | 101 |
| P300451-31M-CS | 101 |
| P300469-030-CS | 99 |
| P300470-030-CS | 99 |
| P300472-196 | 113 |
| P300472-31M | 113 |
| P300473-196 | 113 |
| P300473-31M | 113 |
| P300474-196 | 113 |
| P300474-31M | 113 |
| P300475-196 | 112 |
| P300475-31M | 112 |
| P300476-015 | 107 |
| P300476-191 | 107 |
| P300476-31M | 107 |
| P300477-015 | 107 |
| P300477-191 | 107 |
| P300477-31M | 107 |
| P300478-015 | 107 |
| P300478-191 | 107 |
| P300478-31M | 107 |
| P300479-015 | 106 |
| P300479-191 | 106 |
| P300479-31M | 106 |

| | |
|----------------|-----|
| P300480-009 | 111 |
| P300480-163 | 111 |
| P300481-009 | 111 |
| P300481-163 | 111 |
| P300482-009 | 111 |
| P300482-163 | 111 |
| P300483-009 | 110 |
| P300483-163 | 110 |
| P300484-015 | 109 |
| P300484-191 | 109 |
| P300484-31M | 109 |
| P300485-015 | 109 |
| P300485-191 | 109 |
| P300485-31M | 109 |
| P300486-015 | 109 |
| P300486-191 | 109 |
| P300486-31M | 109 |
| P300487-015 | 108 |
| P300487-191 | 108 |
| P300487-31M | 108 |
| P300488-197 | 105 |
| P300488-204 | 105 |
| P300489-197 | 105 |
| P300489-204 | 105 |
| P300490-197 | 105 |
| P300490-204 | 105 |
| P300491-197 | 104 |
| P300491-204 | 104 |
| P300492-030-CS | 98 |
| P300493-030-CS | 98 |

| | |
|-------------|----|
| P350261-009 | 77 |
| P350261-078 | 77 |
| P350261-31M | 75 |
| P350263-176 | 25 |
| P350263-204 | 24 |
| P350264-009 | 72 |
| P350264-163 | 71 |
| P350264-31M | 73 |
| P350268-176 | 35 |
| P350268-204 | 34 |
| P350269-009 | 57 |
| P350269-31M | 55 |
| P350270-205 | 40 |
| P350270-197 | 41 |
| P350271-31M | 51 |
| P350272-009 | 68 |
| P350272-191 | 69 |
| P350272-31M | 67 |

P4000

| | |
|-------------|----|
| P400354-31M | 51 |
| P400355-31M | 48 |
| P400356-31M | 49 |
| P400357-205 | 45 |
| P400358-205 | 45 |
| P400359-176 | 27 |
| P400359-204 | 23 |
| P400360-176 | 27 |
| P400360-204 | 23 |
| P400361-176 | 25 |
| P400361-204 | 24 |
| P400363-31M | 49 |
| P400364-204 | 29 |
| P400365-204 | 29 |
| P400367-176 | 37 |
| P400367-204 | 33 |
| P400368-176 | 37 |
| P400368-204 | 33 |
| P400369-205 | 47 |
| P400370-009 | 56 |
| P400370-31M | 53 |
| P400372-197 | 41 |
| P400372-205 | 40 |
| P400373-197 | 43 |
| P400373-205 | 39 |
| P400374-197 | 43 |
| P400374-205 | 39 |
| P400377-205 | 44 |
| P400378-009 | 59 |
| P400378-109 | 59 |
| P400378-31M | 58 |
| P400380-009 | 68 |
| P400380-191 | 69 |
| P400380-31M | 66 |

P5000

| | |
|----------------|-----|
| P500434-31M | 51 |
| P500435-009 | 77 |
| P500435-078 | 77 |
| P500435-31M | 75 |
| P500436-009 | 77 |
| P500436-078 | 77 |
| P500436-31M | 75 |
| P500437-205 | 47 |
| P500438-009 | 79 |
| P500438-191 | 79 |
| P500438-31M | 79 |
| P500439-009 | 79 |
| P500439-191 | 79 |
| P500439-31M | 79 |
| P500440-009 | 72 |
| P500440-163 | 71 |
| P500440-31M | 73 |
| P500441-009 | 72 |
| P500441-163 | 71 |
| P500441-31M | 73 |
| P500442-204 | 31 |
| P500443-176 | 35 |
| P500443-204 | 34 |
| P500444-009 | 56 |
| P500444-31M | 53 |
| P500445-197 | 41 |
| P500445-205 | 40 |
| P500446-009 | 81 |
| P500446-109 | 81 |
| P500446-31M | 81 |
| P560169-031 | 115 |
| P560170-031 | 115 |
| P560271-031 | 115 |
| P560272-031 | 115 |
| P560359-31M | 114 |
| P560360-31M | 114 |
| P560363-031 | 115 |
| P560364-031-30 | 114 |
| P560365-031-30 | 114 |

P7000


| | |
|-------------|----|
| P710076-196 | 61 |
| P710076-031 | 61 |
| P710121-31M | 51 |
| P710122-205 | 45 |
| P710123-176 | 25 |
| P710123-204 | 24 |
| P710124-204 | 31 |
| P710125-176 | 35 |
| P710125-204 | 34 |
| P710126-009 | 57 |
| P710126-31M | 55 |
| P710128-204 | 29 |
| P710130-009 | 61 |
| P710130-109 | 61 |
| P710130-31M | 61 |
| P710131-009 | 68 |
| P710131-191 | 69 |
| P710131-31M | 67 |

P8000

| | |
|----------------|-----|
| P8602-197 | 118 |
| P8602-204 | 118 |
| P8602-205 | 118 |
| P8755-176 | 118 |
| P8755-204 | 118 |
| P8758-176 | 118 |
| P8758-204 | 118 |
| P8758-205 | 118 |
| P810041-028-30 | 117 |
| P810042-028-30 | 117 |

Featuring Cassell





A proud member of the Hubbell family.

PROGRESS LIGHTING
701 Millennium Boulevard
Greenville, South Carolina
29607

progresslighting.com

