# NTH-930

Architectural PAR30 Track Head Cylinder with Baffle

Source: 75W max.

BR/PAR30 (not included)

## PRODUCT DESCRIPTION

Constructed of die-cast and extruded aluminum, the architectural cylinder is minimal in design. A die-cast baffle helps shield aperture brightness.

### **FEATURES**

- . Die-cast aluminum provides superior strength and rigidity
- . Baffle eliminates glare

## **SPECIFICATION**

Construction: Extruded aluminum construction with simple, cylindrical design. All edges are sharp and clean.

**Structural Arm:** Extruded 0.055" aluminum arm connects fixture housing to electrical contacts. Internal tightening mechanism maintains desired lamp aiming angles. Structural arm also functions as wire way, completely concealing lead wire from socket to contact head.

Baffle: 0.085" die-cast aluminum baffle, provides finished appearance and assists in eliminating glare from housing interior.

#### FI FCTRICAL

Socket: Porcelain jacketed aluminum screw thread medium-base socket

Wattage: 75W maximum Lamp: BR/PAR30


#### LISTING

cULus Listed for Dry Locations



Type
Project
Catalog No.
Notes

# **PRODUCT IMAGES & DIMENSIONS**





NTH-930B Black Finish with Black Baffle



**NTH-930W**White Finish with White Baffle

Architectural PAR30	Track Head Cylinder with Baffle	
Carino	Finich	

NTH-930 = Architectural Track Head Cylinder with Baffle B = Black with Black Baffle

W = White with White Baffle

Optional Accessories

Description

NT-380B = Round Monopoint Canopy, Black
NT-380W = Round Monopoint Canopy, White

Example: NTH-930W = Architectural PAR30 Track Head Cylinder, White finish and White Baffle

