



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S11836R1 - 9 Watt; LED Downlight Retrofit; 5-6 Inch; CCT Selectable; 120 Volts; Brushed Nickel Finish

- CCT Selectable
- IC Rated



ELECTRICAL

| | |
|----------------------------|---|
| Technology: | LED |
| Watts: | 9W |
| Volts: | 120V |
| Lumens: | 800L |
| CRI: | 90 |
| CCT (Kelvins): | 2700K/3000K/3500K/4000K/5000K - Warm White to Natural Light |
| Beam Spread : | 90 |
| Hours Rated: | 50000 |
| Dimmable: | Yes-Dimmable - |
| Dimmable Down To %: | 100 to 10 percent |
| Dimming Type : | Phase cut |
| Incandescent Equivalent : | 65W |
| Operating Temperature : | -20C (-4F) to +40C (+104F) |
| Replaceable Light Source : | No |
| Connection: | Connector or Adapter |
| THD: | <45% |
| Power Factor : | >0.9 |
| Warranty: | 5 Year Limited - Fixtures |

PACKAGING

| | |
|------------------|--------------------|
| Each UPC: | 045923711893 |
| Each Quantity: | 1 |
| Each Dimensions: | 7.60 x 2.36 x 8.46 |

PHYSICAL

| | |
|----------------|-------------------|
| Finish: | Brushed Nickel |
| Lens Finish: | Frost |
| Lens Material: | Plastic (PS) |
| Dimensions: | H:2.31" DIA:7.41" |
| Weight (Lbs.): | 0.68 |
| Material: | Steel |

INSTALLATION

| | |
|----------------------------|------------------|
| Ceiling Aperture: | 5.875 in. Cutout |
| Clearance Height: | 3.25 |
| Sloped Ceiling Compatible: | No |
| Can Size: | 5-6 in. |

COMPLIANCE

| | |
|-----------------------------|---------------------|
| Safety Listing: | cETLus - Classified |
| Location Rating: | Wet |
| Indoor/Outdoor: | Indoor |
| Energy Star Qualified: | Yes |
| Energy Star Unique ID: | ESID-3354719 |
| DLC Approved: | No |
| CA Prop 65: | Lead |
| BAA Compliant: | No |
| Rated For Enclosed Fixture: | Yes |
| FCC Compliant: | Yes |
| RoHS Compliant: | Yes |
| Restrictions: | No Restrictions |

DIMMER COMPATIBILITY

Leviton 6672

Leviton 6674

Leviton 66DF-10W

Satco 86/103

Lutron AYCL-153P

Lutron AYCL-253P

Lutron CTCL-153P

Lutron CTRP-253P

Eaton DALo6P-C2

Leviton DDMX1

Leviton DG6HD

Leviton DH6HD

Leviton DL6HD

Leviton DSEo6-10Z

Leviton DSLo6

Leviton DSM10

Eaton DULo6P-C2

Lutron DVCL-153P

Lutron DVCL-253P

Lutron DVRP-253P

Leviton DW6HD

Leviton DZ6HD

Lutron HQRA-PRO

Lutron HQRD-10D

Lutron HQRD-10NBD

Lutron HQRD-6CL

| | |
|-----------|--------------|
| Lutron | HQRD-6ND |
| Lutron | HQRD-HN6BRL |
| Lutron | HQRD-PRO |
| Lutron | HRST-PRO-N |
| Leviton | IPL06 |
| Lutron | LECL-153P |
| Lutron | MA-PRO |
| Lutron | MACL-153M |
| Lutron | MACL-LFQ |
| Lutron | MAELV-600 |
| Precision | MR42400PLS |
| Lutron | MSCL-OP153M |
| Lutron | NTCL-250 |
| Lutron | NTRP-250 |
| Overdrive | ODMR0205 |
| Lutron | PD-10NXD |
| Lutron | PD-5NE |
| Lutron | PD-6WCL |
| Lutron | PHPM-WBX-120 |
| Lutron | RCL-153PNL |
| Eaton | RF9640-ND |
| Legrand | RH703PTUTC |
| Legrand | RHCL450PTC |
| Leviton | RNL06-10Z |
| Lutron | RRD-10D |
| Lutron | RRD-6CL |
| Lutron | RRD-6ND |
| Lutron | RRD-H6BRL |

| | |
|----------------|------------|
| Lutron | RRD-PRO |
| Lutron | RRST-PRO-N |
| Satco | S11268 |
| Eaton | SAL06P |
| Lutron | SCL-153P |
| Lutron | SELV-300P |
| Lutron | ST-PRO-N |
| Lutron | STCL-153M |
| Eaton | SUF7 |
| Eaton | TAL06P-C2 |
| Lutron | TGCL-153PH |
| Leviton | TSL06 |
| Leviton | TSM10 |
| Lutron | TTCL-100H |
| Eaton | VSUL06D |
| Acuity | WSX-PDT-WH |
| Legrand | WWRL50WH |