

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Vista

Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-40720 20"	3000K 90	15W 16W	1387 1385	1216 1190	AL Brushed Aluminum CH Chrome

Example: **WS-40720-AL**

DESCRIPTION

A brilliant outlook. Versatile 1 inch luminaire with narrow spears of light.

FEATURES

- Adjustable backplate
- Co-extruded clear and white acrylic provides substance, luminosity and optical efficacy
- Spot free linear illumination
- Conversion plate for 4" junction box included
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 Year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser, Aluminum hardware with acrylic diffuser



FINISHES



LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Vista

Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-40726 26"	3000K 90	21W 120W	1710 1713	1500 1578	AL Brushed Aluminum CH Chrome

Example: **WS-40726-AL**

DESCRIPTION

A brilliant outlook. Versatile 1 inch luminaire with narrow spears of light.

FEATURES

- Adjustable backplate
- Co-extruded clear and white acrylic provides substance, luminosity and optical efficacy
- Spot free linear illumination
- Conversion plate for 4" junction box included
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 Year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser, Aluminum hardware with acrylic diffuser



FINISHES



LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Vista Bathroom Sconce 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-40738 38"	3000K 90	29W 32W	2672 2670	2384 2380	AL Brushed Aluminum CH Chrome

Example: **WS-40738-AL**

DESCRIPTION

A brilliant outlook. Versatile 1 inch luminaire with narrow spears of light.

FEATURES

- Adjustable backplate
- Co-extruded clear and white acrylic provides substance, luminosity and optical efficacy
- Spot free linear illumination
- Conversion plate for 4" junction box included
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24: 2019 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser, Aluminum hardware with acrylic diffuser



FINISHES



LINE DRAWING

