

shown in Matte Black  
with 60" Barn Wood blades



# Irene-5

*Designed in 2012*



The Irene-5 is rustic, yet strikingly modern with five neatly joined, solid wood matte black, matte white, walnut, gray ash, light maple or barn wood tone blades. A spherical motor housing complements its minimal profile. Irene-5 is streamline while still appearing warm and natural. Constructed of cast aluminum and heavy stamped steel, the Irene-5 has a limited lifetime warranty.

## Product Features



DC  
Motor



Damp  
Location



Silent



Remote  
Control



Wall  
Control



30° Slant  
Ceiling Canopy



60° Cathedral  
Ceiling Canopy



# IRENE-5

## FINISH AND BLADE OPTIONS

SKU#	<b>IR5-XX-XXX-XX</b> (Model+Finish+Blade+Diameter)	
Standard Finishes	Matte Black	<b>BK</b>
	Textured Bronze	<b>TB</b>
Blade Finishes	Barn Wood Tone	<b>BW</b>
	Gray Ash	<b>GA</b>
	Light Maple	<b>LM</b>
	Matte Black	<b>BK</b>
	Matte White	<b>MWH</b>
	Walnut Tone	<b>WA</b>
Fan Diameter	42 inches / 107 cm	<b>42</b>
	52 inches / 132 cm	<b>52</b>
	60 inches / 152 cm	<b>60</b>

## TECHNICAL SPECS

Fan Diameter	inches: 42, 52 or 60 centimeters: 107, 132 or 152
Blade Material	CNC Cut Solid Wood
Overall Drop	12 inches / 30 cm + downrod length
Fan Weight	18 lbs
Downrods Lengths <i>Field cuttable. Non-threaded</i>	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183
Downrod Diameter	1 inch
Voltage	110 or 220
Motor Type	DC
Environment	Damp locations for all finishes. Neither coastal, saltwater nor chlorine compatible.
Ambience	Silent
Safety Certification	ETL / CETL
Warranty	Limited Lifetime

## NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA

Fan Diameter	42 inch / 107 cm	52 inch / 132 cm	60 inch / 152 cm
RPM (Low / High)	52 / 229	51 / 156	52 / 77
CFM (Low / High)	852 / 4261	1784 / 5783	3328 / 5006
Watts (High)	25.33	32.18	31.38
CFM/Watt (High)	150	179	175
Blade Pitch	15°	15°	15°

## STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm

Vaulted ceiling canopy for up to 30°

6-speed RF remote control w/reverse in black



Wireless Decora-style, 6-speed, wall control in white



**ACCESSORY** 60° cathedral ceiling canopy


NOTE: Only compatible with included controllers.

## Blade Options



# Irene-5

## TECHNICAL SPECIFICATIONS



### CEILING PITCH TABLE

0/12	0 degrees
1/12	4.76 degrees
2/12	9.46 degrees
3/12	14.04 degrees
4/12	18.43 degrees
5/12	22.62 degrees
6/12	26.57 degrees
7/12	30.26 degrees
8/12	33.69 degrees
9/12	36.87 degrees
10/12	39.81 degrees
11/12	42.51 degrees

### CEILING HEIGHT / DOWNROD TABLE

Ceiling Height	Downrod Lengths <i>Field cuttable. Non-threaded</i>
10 ft or less	5 inches / 13 cm <i>Use safety cages if applicable</i>
10 -12 feet	10 inches / 25 cm
13 feet	20 inches / 51 cm
14 feet	30 inches / 76 cm
15 feet	48 inches / 122 cm
16 feet +	72 inches / 183 cm

#### Matthews Fan Company

1881 Industrial Drive  
Libertyville, IL 60048  
Tele: 847.680.9043  
Fax: 847.680.8140  
www.matthewsfanco.com

© 2023 Matthews Fan Company. All rights reserved.

