

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Simone

### Bathroom Vanity & Sconce 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-79121 21"	3000K 90	22W	1800	1100	BN Brushed Nickel

Example: **WS-79121-BN**

#### DESCRIPTION

Artfully framed illumination. Precisely cut and set.

#### FEATURES

- Silk screen mitered tempered glass diffuser
- Conversion plate included to accommodate 4" junction box
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100-10%, TRIAC: 100-10%
<b>Rated Life:</b>	54000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Title 24: 2019 Damp Location Listed
<b>Construction:</b>	Aluminum hardware, glass diffuser

#### REPLACEMENT PARTS

RPL-GLA-79120 - Glass




#### FINISHES



Brushed  
Nickel

#### LINE DRAWING



WS-79121

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Simone

### Bathroom Vanity & Sconce 3000K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-79130 30"	3000K 90	34W	2500	2100	BN Brushed Nickel

Example: **WS-79130-BN**

#### DESCRIPTION

Artfully framed illumination. Precisely cut and set.

#### FEATURES

- Silk screen mitered tempered glass diffuser
- Conversion plate included to accommodate 4" junction box
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100-10%, TRIAC: 100-10%
<b>Rated Life:</b>	54000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Title 24: 2019 Damp Location Listed
<b>Construction:</b>	Aluminum hardware, glass diffuser

#### REPLACEMENT PARTS

RPL-GLA-79129 - Glass




#### FINISHES



Brushed  
Nickel

#### LINE DRAWING



WS-79130