

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Level

### Bathroom Sconce 3500K

| Model & Size | Color Temp & CRI | Watt  | LED Lumens | Delivered Lumens | Finish                                      |
|--------------|------------------|-------|------------|------------------|---|
| WS-85618 18" | 3500K 90         | 15.5W | 1300       | 865              | AL Brushed Aluminum<br>BK Black<br>WT White |

Example: **WS-85618-AL**

#### DESCRIPTION

Designed to fit into today's distinctive bathrooms. Level features a sleek acrylic shade and a rich finish. Sure to enhance a variety of transitional bathrooms and powder rooms with a clean look and balanced, consistent illumination.

#### FEATURES


- Adjustable backplate
- Conversion plate for 4" J box included
- WS-85618 is ADA compliant, low profile design
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

#### SPECIFICATIONS


|               |  |
|---------------|--|
| Color Temp:   | 3500K  |
| Input:        | 120-277 VAC, 50/60Hz                             |
| CRI:          | 90   |
| Dimming:      | ELV: 100 - 10%                                   |
| Rated Life:   | 54000 Hours                                      |
| Mounting:     | Can be mounted on wall in all orientations       |
| Standards:    | ETL, cETL<br>Damp Location Listed                |
| Construction: | Aluminum body with thin frosted acrylic diffuser |



#### FINISHES



#### LINE DRAWING



Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Level

### Bathroom Sconce 3500K

| Model & Size | Color Temp & CRI | Watt  | LED Lumens | Delivered Lumens | Finish                                      |
|--------------|------------------|-------|------------|------------------|---|
| WS-85624 24" | 3500K 90         | 20.5W | 1735       | 1255             | AL Brushed Aluminum<br>BK Black<br>WT White |

Example: **WS-85624-AL**

#### DESCRIPTION

Designed to fit into today's distinctive bathrooms. Level features a sleek acrylic shade and a rich finish. Sure to enhance a variety of transitional bathrooms and powder rooms with a clean look and balanced, consistent illumination.

#### FEATURES


- Adjustable backplate
- Conversion plate for 4" J box included
- WS-85618 is ADA compliant, low profile design
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

#### SPECIFICATIONS

|               |  |
|---------------|--|
| Color Temp:   | 3500K  |
| Input:        | 120-277 VAC, 50/60Hz                             |
| CRI:          | 90   |
| Dimming:      | ELV: 100 - 10%                                   |
| Rated Life:   | 54000 Hours                                      |
| Mounting:     | Can be mounted on wall in all orientations       |
| Standards:    | ETL, cETL<br>Damp Location Listed                |
| Construction: | Aluminum body with thin frosted acrylic diffuser |



#### FINISHES



#### LINE DRAWING



Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Level

### Bathroom Sconce 3500K

| Model & Size | Color Temp & CRI | Watt | LED Lumens | Delivered Lumens | Finish                                      |
|--------------|------------------|------|------------|------------------|---|
| WS-85636 36" | 3500K 90         | 30W  | 2561       | 1762             | AL Brushed Aluminum<br>BK Black<br>WT White |

Example: **WS-85636-AL**

#### DESCRIPTION

Designed to fit into today's distinctive bathrooms. Level features a sleek acrylic shade and a rich finish. Sure to enhance a variety of transitional bathrooms and powder rooms with a clean look and balanced, consistent illumination.

#### FEATURES


- Adjustable backplate
- Conversion plate for 4" J box included
- WS-85618 is ADA compliant, low profile design
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

#### SPECIFICATIONS

|               |  |
|---------------|--|
| Color Temp:   | 3500K  |
| Input:        | 120-277 VAC, 50/60Hz                             |
| CRI:          | 90   |
| Dimming:      | ELV: 100 - 10%                                   |
| Rated Life:   | 54000 Hours                                      |
| Mounting:     | Can be mounted on wall in all orientations       |
| Standards:    | ETL, cETL<br>Damp Location Listed                |
| Construction: | Aluminum body with thin frosted acrylic diffuser |



#### FINISHES



#### LINE DRAWING

