

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## J2 Track Circuit Selecting Clip

### Model & Product

JCLIP J Track 2-Circuit Conversion Clip in White

Example: **JCLIP**

### DESCRIPTION


120V Track systems are modular and can be designed for multiple applications in nearly any interior environment. J2 Track is a two circuit track system that can control lighting fixtures separately through two switches. Any "J" style fixture can work on a J2 track system. J-clips are used to set a "J" style track fixture on circuit 1 or 2 for J2 two circuit track systems. J fixtures already include J-clips, order these as replacement or backup clips.

### FEATURES

- Locks connectors into 2 circuit mode
- For use with J system 2-circuit track only
- Order one for each luminaire on second circuit
- J2-T4 includes 3 JCLIP adapters, J2-T8 includes 6 JCLIP adapters, J2-T12 includes 9 JCLIP adapters
- 5 year warranty

### SPECIFICATIONS

**Finish:** White  
**Operating Temp:** -4°F to 104°F (-20°C to 40°C)  
**Standards:** UL, cUL, Dry Location Listed



### FINISHES



White

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## J2 Track

### 120V Dual Circuit Track Section

| System Type | Model & Size | Finish   |
|-------------|--------------|----------|
| J2          | T4 4'        | BK Black |
|             | T8 8'        | WT White |
|             | T12 12'      |          |

Example: **J2-T4-BK**

#### DESCRIPTION


120V Track systems are modular and can be designed for multiple applications in nearly any interior environment. J2 Track is a two circuit track system that can control lighting fixtures separately through two switches. Any "J" style fixture can work on a J2 track system. Versatile yet sturdy, track systems can be surface mounted or suspended from ceilings, enabling the lighting design to adapt to changing styles and spaces. Track may be field cut to size and combine power connectors, accessories, and suspension options to build a complete system.

#### FEATURES


- May be field cut and easily installed on a variety of surfaces
- End caps and mounting hardware included
- Retrofits into many popular track systems on the market today
- Compatible with all JHT and JTK series track luminaires
- Enables the use of two separately switched circuits on one section or run of track
- Saves on installation costs by eliminating the need for long separate feed run
- Each circuit is rated at 20A and allows the control of two individual sets of fixtures
- Not recommended for dimming on both circuits. If two circuit dimming is required use W track as alternate
- 5 year warranty

#### SPECIFICATIONS

|                        |  |
|------------------------|--|
| <b>Construction:</b>   | Aluminum extrusion with copper bus wire      |
| <b>Power:</b>          | 1920W  |
| <b>Input:</b>          | 120 VAC, 50/60Hz                             |
| <b>Finish:</b>         | Electrostatically Powder Coated White, Black |
| <b>Operating Temp:</b> | -4°F to 104°F (-20°C to 40°C)                |
| <b>Standards:</b>      | UL, cUL, Dry Location Listed                 |



#### FINISHES



#### LINE DRAWING



J2 System Adapter

