

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Oberon

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45714 14"	3000K 90	BK Black	19.4W	1865	685	No

Example: **WS-W45714-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45714 - Glass for WS-W45714




FINISHES



Black

LINE DRAWING



WS-W45714

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Oberon Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45720 20"	3000K 90	BK Black	19.5W	1900	745	No

Example: **WS-W45720-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45720 - Glass for WS-W45720




FINISHES



Black

LINE DRAWING



WS-W45720

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Oberon

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45726 26"	3000K 90	BK Black	35W	3273	1027	Yes

Example: **WS-W45726-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45726 - Glass for WS-W45726




FINISHES



Black

LINE DRAWING



WS-W45726