


Job Name:

Contact:

Ordering Code:

Fixture Type:



High-Line Cable

Description


The High-Line Copper Cable for creating cable runs. The conductive cable is composed of stranded copper wiring and Kevlar to increase tension strength. The approximate length of cable is determined by doubling the length of the intended run. Cable should be mounted to the wall or ceiling with an appropriate tightening element.

Technical Specs



- 300VA maximum thru-put
- 12V AC/DC rated
- Suitable for dry locations only
- 30 ft maximum length

Follow the steps to specify your fixture, example: **150 - 109**

Base	Type
150 High Line	109 tin plated, kevlar cable



531



536

High-Line Mounting

Used to mount High-Line Cable to wall or ceiling
Two sets are needed to complete a run

Technical Specs

- 300VA maximum
- 12V AC/DC rated
- Suitable for dry locations only

Follow the steps to specify your fixture, example: **150 - 531 - mc**


Base	Type	Finish
150 High Line	531 straight tightening set	mc matte chrome
	536 angled tightening set	

Job Name:

Contact:

Ordering Code:

Fixture Type:



516




810

Mounting Supports + Suspensions

Follow the steps to specify your fixture, example: **150 - 810 - mc**

Base	Type	Finish
150 High Line	810 wall and ceiling support, 4 in 516 ¹ cable suspension	mc matte chrome

NOTE
1 can be field shortened



526

Mounting Accessory

(May be used to reinforce the mounting element)

Follow the steps to specify your fixture, example: **150 - 526 - mc**

Base	Type	Finish
150 High Line	526 wall/ceiling plate	mc matte chrome

High-Line Mid-Span Power Feed

- Technical Specs**
- 300VA maximum
 - 12V AC/DC rated
 - Suitable for dry locations only

Follow the steps to specify your fixture, example: **150514 - mc**





Base	Finish
150514 power feed	mc matte chrome

Job Name:

Contact:

Ordering Code:

Fixture Type:



150360

High-Line Uni-Plug Adapter

Technical Specs

- 70 Watt maximum for halogen
- 70VA maximum for LED
- 12V AC/DC rated
- Suitable for dry locations only

Follow the steps to specify your fixture, example: **150360 - mc**

Base

150360 adapter

Finish

mc matte chrome