

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Oberon Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45714 14"	3000K 90	BK Black	19.4W	1865	685	No

Example: **WS-W45714-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

### DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

### FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

### REPLACEMENT PARTS

RPL-GLA-45714 - Glass for WS-W45714




### FINISHES



Black

### LINE DRAWING



**WS-W45714**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Oberon Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45720 20"	3000K 90	BK Black	19.5W	1900	745	No

Example: **WS-W45720-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

### DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

### FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%
<b>Rated Life:</b>	54000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
<b>Construction:</b>	Aluminum hardware with glass diffuser

### REPLACEMENT PARTS

RPL-GLA-45720 - Glass for WS-W45720




### FINISHES



Black

### LINE DRAWING



**WS-W45720**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Oberon Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W45726 26"	3000K 90	BK Black	35W	3273	1027	Yes

Example: **WS-W45726-BK**

• For 277V special order, add an "F" before the finish: WS-W45714F-BK

### DESCRIPTION

A timeless contemporary guardian. Oberon features a bent opal glass that provides even illumination with a solid Die-cast aluminum frame that is weather resistant and powder coated. The light engine is factory sealed for maximum protection against the harshest elements.

### FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- Modern elegance brought to your backyard
- Light engine is factory sealed for maximum protection from the elements
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

### REPLACEMENT PARTS

RPL-GLA-45726 - Glass for WS-W45726




### FINISHES



Black

### LINE DRAWING



**WS-W45726**